

BSF-HSE-002 — Emergency Response Guide

Field	Detail
Document Code	BSF-HSE-002
Document Title	Emergency Response Guide
Keywords	emergency response; evacuation; fire emergency; first aid; spill response; chemical incident; cold chain emergency; workplace safety; crisis communication; emergency drills; business continuity; incident escalation; SMETA; HACCP; BRCGS Food Safety; MSC Chain of Custody; BASC; IFS Food
Document Type	Health, Safety and Environment Guide
Business Area	Health, Safety and Environment
Process Owner	HSE Coordinator
Functional Approvers	Operations Manager; Human Resources Manager; Quality Assurance Manager; Supply Chain Security Coordinator; Site Manager
Applicable Sites	All BSF offices, processing plants, warehouses, cold-chain areas, loading zones, laboratories, administrative spaces, transport coordination areas, and contractor work areas under BSF control
Source Review Format	Markdown
Target Export Format	PDF
Status	Draft for Review
Version	1.0
Effective Date	To be confirmed upon approval

Field	Detail
Review Frequency	Annual or earlier after an emergency, drill failure, legal change, layout change, process change, equipment change, site expansion, audit finding, customer requirement, or significant risk update
Confidentiality Level	Internal Use Only

1. Purpose

The purpose of this guide is to define how BSF prepares for, responds to, communicates, controls, records, and improves its response to emergency situations that may affect employees, visitors, contractors, products, facilities, equipment, certified product integrity, supply-chain security, the environment, or business continuity.

This guide establishes practical emergency response requirements for fire, medical emergencies, evacuation, chemical spills, cold-chain incidents, severe weather, utility failure, security events, environmental releases, food safety emergencies, workplace accidents, and other events that require immediate coordinated action.

The guide is designed to ensure that all personnel understand what to do, who to notify, where to go, how to protect themselves, how to protect others, and how to avoid worsening an emergency. It supports the principle that life safety takes priority over product, equipment, records, cargo, production targets, commercial commitments, and operational continuity.

2. Scope

This guide applies to all BSF-controlled sites, work areas, and personnel, including:

- Permanent employees.
- Fixed-term employees.
- Seasonal and temporary workers.
- Interns, trainees, and apprentices.
- Contractors and service providers working at BSF sites.
- Visitors, auditors, inspectors, customers, and other authorized external parties.
- Security, logistics, transport, and loading-zone personnel.
- Remote or hybrid employees when an emergency affects company information, people, work continuity, or incident communication.

The guide covers:

- Emergency preparedness.
- Emergency roles and responsibilities.
- Alarm, notification, and escalation.
- Evacuation and assembly.
- Medical response and first aid.
- Fire response.
- Chemical spill and hazardous-material response.
- Cold-chain and low-temperature emergency response.
- Severe weather and natural hazard response.
- Utility failure.
- Security-related emergencies.
- Food safety and product-protection interface.
- Environmental release response.
- Contractor and visitor emergency control.
- Emergency drills.
- Post-event recovery and corrective action.

This guide does not replace specialized emergency procedures, legal reporting requirements, fire brigade instructions, medical advice, regulator instructions, food recall procedures, crisis-management procedures, insurance requirements, or site-specific emergency plans. Where a site-specific plan provides stricter or more detailed requirements, the site-specific plan shall apply.

3. Confidentiality

This document is classified as **Internal Use Only**. It may be shared with employees, approved contractors, auditors, certification bodies, regulators, insurers, emergency services, and other authorized stakeholders with a legitimate need to understand BSF's emergency response arrangements.

Emergency information may include sensitive details. The following shall be controlled and disclosed only to authorized persons:

- Emergency contact lists containing personal data.
- Medical information related to injured or affected persons.
- Investigation reports.
- Security-sensitive information related to facility vulnerabilities, access points, cargo areas, restricted zones, alarms, camera coverage, or incident routes.

- Product-hold or product-impact assessments.
- Customer, supplier, or certification impacts.
- Business continuity and recovery plans.
- Photos, videos, witness statements, or incident evidence.

During an emergency, information shall be shared quickly with those who need it to protect life, safety, environment, security, product integrity, or legal compliance. After the emergency is controlled, information shall be managed according to HR, HSE, QA, Security, Legal/Compliance, and document-control requirements.

4. Emergency Response Principles

BSF shall manage emergencies according to the following principles:

Principle	Requirement
Life safety first	Protecting people is the first priority in every emergency.
Immediate reporting	Emergencies, alarms, injuries, spills, fire, security events, and unsafe conditions shall be reported immediately.
Stop and assess	Personnel shall not attempt response actions beyond their training, authority, or personal safety.
Clear command	Emergency response shall follow defined roles and escalation routes.
Evacuation discipline	When evacuation is ordered, personnel shall leave immediately through safe routes and report to assembly points.
No re-entry	No person shall re-enter an evacuated area until authorized by the Emergency Coordinator or competent authority.
Product protection after people	Food safety, product integrity, traceability, and cargo security shall be assessed after people are safe.
Evidence and learning	Emergencies and drills shall be recorded, investigated, and used to improve the system.

5. Standards and Compliance Alignment

This guide supports BSF's corporate documentation system and the standards referenced in the certification and compliance program.

Framework or Requirement Area	Relevance to Emergency Response
ISO 9001	Supports process control, documented information, infrastructure, emergency planning, communication, corrective action, and continual improvement.
SMETA	Supports worker health and safety, emergency preparedness, evacuation routes, fire safety, first aid, worker communication, and responsible labor practices.
HACCP	Supports prevention and control of emergency events that could affect food safety, contamination, product release, utilities, sanitation, or temperature control.
BRCGS Food Safety	Supports site standards, emergency response, product safety, incident management, contamination control, cleaning, maintenance, and product-protection decisions.
MSC Chain of Custody	Supports protection of certified-product identity, traceability records, segregation, and chain-of-custody integrity during disruptions.
BASC	Supports supply-chain security, access control, cargo protection, emergency communication, incident reporting, and restricted-area control.
IFS Food	Supports emergency preparedness, infrastructure control, food safety, hygiene, training, documentation, and incident management.
Local legal requirements	Supports compliance with fire safety, occupational health and safety, environmental, medical, emergency-service, labor, privacy, and reporting obligations.

6. Definitions

Term	Definition
Emergency	An unplanned event requiring immediate action to protect people, environment, product, facility, cargo, information, or business continuity.
Emergency Coordinator	The person designated to lead the site emergency response until relieved by senior management or external emergency authorities.
Assembly Point	A designated safe location where personnel gather after evacuation for headcount and instructions.
Evacuation	The organized movement of people from a hazardous or potentially hazardous area to a safe location.
Shelter-in-Place	Remaining inside or moving to a protected area because evacuation would create greater risk.
First Aider	A person trained and authorized to provide first aid within the limits of their training.
Spill	An uncontrolled release of liquid, solid, gas, chemical, fuel, wastewater, cleaning solution, or other material that may create safety, environmental, food safety, or operational risk.
Critical Utility	A utility required for safe operation, such as electricity, water, refrigeration, compressed air, drainage, ventilation, IT, or communication systems.
Incident Commander	The person leading the response to a significant incident, usually the Emergency Coordinator, Site Manager, or external emergency authority depending on severity.
All Clear	The formal authorization that an emergency condition has been controlled and personnel may return or begin recovery activities.

7. Emergency Classifications

Emergencies shall be classified according to severity and escalation need.

Level	Description	Examples	Typical Response
Level 1 — Localized Event	Limited event controlled by trained site personnel with no serious injury, major product impact, or external response required	Minor spill, first-aid case, small equipment smoke controlled immediately	Area control, report, corrective action
Level 2 — Site Emergency	Event affecting a work area, requiring evacuation, emergency team response, HSE coordination, or management escalation	Fire alarm, chemical spill, serious injury, refrigeration failure, gas leak suspicion	Emergency response, area evacuation, management notification
Level 3 — Major Emergency / Crisis	Event with serious injury, fatality, major fire, environmental release, security threat, regulatory involvement, media risk, or business continuity impact	Major fire, explosion, severe weather damage, product contamination crisis, cargo security breach	Full escalation, external emergency services, crisis management

When uncertain, personnel shall escalate to the higher level.

8. Emergency Roles and Responsibilities

8.1 Emergency Coordinator

The Emergency Coordinator is responsible for:

- Taking command of the initial site emergency response.
- Confirming the type and level of emergency.
- Activating alarms, evacuation, shelter-in-place, or restricted-area control as appropriate.
- Coordinating with HSE, Security, Operations, QA, HR, and external emergency services.
- Ensuring headcount is completed.
- Authorizing re-entry only when safe and appropriate.
- Ensuring incident records and post-event actions are initiated.

8.2 Site Manager

The Site Manager is responsible for:

- Providing leadership and resources during emergencies.
- Escalating major events to senior management.
- Coordinating business continuity and recovery decisions.
- Supporting communication with authorities, customers, corporate stakeholders, insurers, or certification bodies when required.
- Ensuring corrective actions are implemented after the emergency.

8.3 HSE Coordinator

The HSE Coordinator is responsible for:

- Maintaining emergency response arrangements.
- Training personnel on emergency procedures.
- Coordinating drills.
- Maintaining emergency equipment inspection records.
- Supporting incident investigation.
- Advising on safety controls, medical response, spill response, evacuation, and regulatory reporting.

8.4 Security Team or Security Coordinator

Security is responsible for:

- Controlling access during emergencies.
- Directing emergency services to the correct entrance.
- Preventing unauthorized entry.
- Supporting evacuation flow.
- Protecting restricted areas, cargo zones, sensitive records, and BASC-related controls.
- Maintaining visitor and contractor logs for headcount.
- Reporting suspicious activity or security threats.

8.5 First Aiders

First Aiders are responsible for:

- Providing first aid within their training limits.
- Activating medical emergency escalation when needed.

- Protecting themselves from exposure.
- Recording first-aid attention according to site requirements.
- Coordinating with HR and HSE after the response.

8.6 Fire Wardens or Area Wardens

Fire Wardens or Area Wardens are responsible for:

- Supporting orderly evacuation.
- Checking assigned areas only if safe to do so.
- Directing people to emergency exits.
- Reporting blocked exits, missing persons, or hazards to the Emergency Coordinator.
- Not placing themselves at risk during area checks.

8.7 Quality Assurance Manager

The QA Manager is responsible for:

- Assessing food safety and product impact after emergencies.
- Placing affected product, materials, packaging, or equipment on hold when necessary.
- Evaluating contamination, temperature deviation, water exposure, smoke exposure, chemical exposure, pest exposure, or traceability impact.
- Coordinating product release, disposal, cleaning, sanitation, recall, or withdrawal decisions where applicable.

8.8 Managers and Supervisors

Managers and Supervisors are responsible for:

- Ensuring employees understand emergency instructions.
- Accounting for their teams during evacuation.
- Reporting missing or injured persons.
- Ensuring work stops safely when emergency alarms activate.
- Supporting recovery only after authorization.
- Ensuring contractors or visitors under their control follow emergency instructions.

8.9 Employees, Temporary Workers, Contractors, and Visitors

All persons on site are responsible for:

- Knowing alarm signals, exits, and assembly points.

- Reporting emergencies immediately.
- Following instructions from wardens, supervisors, Security, HSE, or emergency services.
- Evacuating promptly when instructed.
- Not returning for personal belongings.
- Not using elevators during evacuation unless specifically authorized by emergency design.
- Not re-entering until the all clear is given.

9. Emergency Communication and Escalation

Emergency communication shall be fast, clear, and controlled. The first person discovering an emergency shall immediately:

1. Protect themselves.
2. Warn nearby persons.
3. Activate the alarm or notify the designated emergency contact.
4. Report the location, type of emergency, persons affected, immediate hazards, and whether emergency services are needed.

The minimum information to communicate is:

- What happened.
- Exact location.
- Time observed.
- People injured, trapped, missing, or exposed.
- Fire, smoke, spill, chemical, equipment, security, or utility hazard involved.
- Actions already taken.
- Whether evacuation or area isolation has started.
- Name and contact of person reporting.

External communication to media, customers, authorities, or community stakeholders shall be handled only by authorized management, Legal/Compliance, Communications, or designated representatives.

10. Alarm Activation

Emergency alarms shall be activated when there is or may be immediate risk to people, such as fire, smoke, gas release, chemical exposure, explosion risk, structural risk, serious injury, or a situation requiring evacuation.

If an alarm sounds:

- Stop work immediately where safe.
- Secure equipment only if it can be done quickly and safely.
- Leave by the nearest safe exit.
- Follow designated evacuation routes.
- Assist visitors or persons requiring help if safe.
- Go directly to the assembly point.
- Report to the supervisor or warden for headcount.
- Do not re-enter until authorized.

False alarms shall still be treated as real until the Emergency Coordinator confirms otherwise.

11. Evacuation Procedure

The evacuation procedure is:

Step	Action	Responsible
1	Alarm or evacuation instruction is activated	Discoverer / Emergency Coordinator / Security
2	Work stops and equipment is made safe only if safe to do so	Employees / Supervisors
3	Personnel evacuate through the nearest safe route	All persons
4	Wardens support movement and report hazards	Wardens
5	Personnel report to assembly point	All persons
6	Headcount is conducted	Supervisors / HR / Security
7	Missing, injured, or trapped persons are reported	Supervisors / Wardens
8	Emergency Coordinator evaluates next action	Emergency Coordinator
9	All clear or further instruction is issued	Emergency Coordinator / External Authority

Evacuation routes, emergency exits, assembly points, alarms, and fire equipment shall be clearly marked and communicated through induction, signage, and drills.

12. Assembly Point and Headcount

Assembly points shall be located away from immediate hazards, vehicle routes, smoke, chemical exposure, unstable structures, and emergency-service access routes.

At the assembly point:

- Employees shall remain with their department or group.
- Supervisors shall confirm presence of their team.
- Security or Reception shall provide visitor and contractor logs when available.
- HR may support headcount reconciliation.
- Missing persons shall be reported immediately to the Emergency Coordinator.
- No person shall leave the assembly point without authorization.

Headcount must include employees, contractors, visitors, drivers, auditors, inspectors, and any other person signed into the site.

13. Fire Emergency

If fire or smoke is discovered:

- Raise the alarm immediately.
- Warn nearby persons.
- Evacuate the area.
- Close doors if safe to do so.
- Do not attempt to fight the fire unless trained, authorized, the fire is small, the correct extinguisher is available, there is a safe exit behind you, and the action does not place you at risk.
- Do not use water on electrical or incompatible chemical fires.
- Do not re-enter the area.

Fire wardens shall support evacuation but shall not conduct risky searches or firefighting beyond their training.

After a fire event, QA shall assess whether product, packaging, raw materials, labels, utensils, food-contact surfaces, or storage areas were affected by smoke, heat, water, extinguisher residue, debris,

structural damage, or loss of temperature control.

14. Medical Emergency and First Aid

In a medical emergency:

- Call for first aid and notify the supervisor.
- Do not move the injured person unless there is immediate danger.
- Keep the area safe.
- Provide first aid only within training limits.
- Call external emergency medical services when required.
- Send someone to guide emergency responders to the location.
- Protect the injured person's privacy and dignity.
- Report the incident to HSE and HR.

Medical emergencies include serious bleeding, loss of consciousness, electric shock, suspected fracture, chemical exposure, burns, chest pain, breathing difficulty, severe allergic reaction, seizure, heat stress, cold stress, crushing injury, or any condition requiring urgent medical attention.

15. Chemical Spill or Hazardous Material Release

If a chemical spill or hazardous material release occurs:

- Stop work in the affected area.
- Avoid contact with the substance.
- Warn nearby persons.
- Notify the supervisor, HSE, and Security where applicable.
- Identify the substance only if it can be done safely.
- Refer to the Safety Data Sheet.
- Isolate the area.
- Use spill kits only if trained and if the spill is within site response capability.
- Prevent spread to drains, product, packaging, food-contact areas, or public areas where safe.
- Evacuate if fumes, fire risk, unknown chemical, or exposure risk exists.

Chemical spills that may affect product, packaging, water, drains, air, employees, neighboring areas, or the environment shall be escalated immediately.

16. Refrigeration, Cold-Chain, and Temperature-Control Emergency

Cold-chain emergencies may include refrigeration failure, freezer door failure, ammonia or refrigerant leak suspicion, extended power outage, temperature excursion, trapped person in cold room, ice buildup, or uncontrolled condensation.

Immediate actions may include:

- Notify the supervisor, Maintenance, QA, HSE, and Operations.
- Restrict access to affected cold areas where safety is uncertain.
- Evacuate if there is suspected refrigerant leak, oxygen displacement, strong odor, breathing difficulty, or alarm activation.
- Verify no person is trapped inside cold rooms.
- Protect workers from cold stress.
- Segregate or place affected product on hold as instructed by QA.
- Record temperature data and time of failure.
- Do not release affected product until QA completes assessment.

Where certified product is affected, QA shall assess MSC Chain of Custody and traceability implications.

17. Severe Weather and Natural Hazards

Sites shall prepare for natural hazards relevant to their location, such as heavy rain, flooding, earthquake, extreme heat, lightning, strong wind, landslide, tsunami risk, or other regional hazards.

General response principles include:

- Follow official alerts and site instructions.
- Secure loose materials where safe.
- Avoid flooded areas, unstable structures, damaged wiring, or fallen objects.
- Move to designated safe areas if evacuation is not appropriate.
- Stop outdoor work during lightning or unsafe weather.
- Protect critical records, chemicals, product, and equipment only after people are safe.
- Report structural damage, water ingress, contamination risk, or utility failure.

After severe weather, re-entry shall occur only after safety assessment.

18. Earthquake Response

During an earthquake:

- Drop, cover, and hold where appropriate.
- Move away from windows, shelves, racks, glass, heavy objects, or unstable materials.
- Do not run during shaking.
- After shaking stops, evacuate if instructed or if conditions are unsafe.
- Avoid elevators.
- Watch for aftershocks.
- Report injuries, trapped persons, fires, gas odors, chemical spills, structural damage, or blocked exits.

QA shall assess product and facility impact after any event affecting structures, utilities, storage racks, water systems, packaging, or controlled areas.

19. Utility Failure

Utility failures may include electricity, water, refrigeration, compressed air, internet, drainage, ventilation, gas, fuel, or communication systems.

Supervisors shall assess whether work can continue safely. Work shall stop if the utility failure affects:

- Lighting required for safe work.
- Refrigeration or cold-chain control.
- Water for hygiene, cleaning, sanitation, or welfare.
- Ventilation for chemical or confined areas.
- Equipment safety controls.
- Fire detection or alarm systems.
- Emergency communication.
- Food safety or product integrity.
- Security or access control.

QA, HSE, Maintenance, Operations, Security, and IT shall coordinate response according to the affected utility.

20. Security-Related Emergency

Security-related emergencies may include unauthorized access, suspicious package, threat, violence, civil disturbance, cargo tampering, seal breach, theft, sabotage, cyber-supported operational disruption, or suspicious activity near restricted areas.

Personnel shall:

- Avoid confrontation unless trained and authorized.
- Move away from immediate danger.
- Notify Security or supervisor immediately.
- Preserve evidence where safe.
- Follow evacuation, shelter-in-place, or lockdown instructions.
- Protect cargo, documents, seals, access cards, and sensitive information only if safe.

Security shall coordinate with site management, HSE, HR, QA, Legal/Compliance, and external authorities where required. BASC-related incidents shall be documented and reviewed for supply-chain security impact.

21. Food Safety or Product Protection Emergency

Some emergencies may create food safety or product integrity risks. Examples include:

- Fire, smoke, or extinguisher residue.
- Chemical spill near product or packaging.
- Flooding or water intrusion.
- Pest intrusion after structural damage.
- Loss of refrigeration.
- Broken glass or foreign material release.
- Sewage or drainage backup.
- Employee illness incident in hygiene-controlled area.
- Security breach affecting certified product or cargo.
- Utility failure affecting sanitation or temperature control.

QA shall place affected product, packaging, equipment, or area on hold until assessment is complete. No affected material shall be released without QA authorization.

22. Environmental Release

Environmental releases may include chemical discharge, fuel spill, wastewater release, refrigerant leak, uncontrolled waste, contaminated water, or release to drains, soil, air, or neighboring areas.

Immediate response shall include:

- Protect people first.
- Stop the release if trained and safe.
- Prevent spread where safe.
- Notify HSE immediately.
- Isolate drains or affected areas where possible.
- Use spill materials only if trained.
- Escalate to external authorities where required by law.
- Document the event and corrective actions.

Environmental response shall be coordinated with HSE, Maintenance, Operations, Legal/Compliance, and site management.

23. Contractor and Visitor Emergency Control

Contractors and visitors shall receive emergency instructions before entering controlled work areas. The level of instruction shall match the visit or work risk.

At minimum, contractors and visitors shall know:

- Alarm meaning.
- Evacuation route.
- Assembly point.
- Escort or contact person.
- Restricted areas.
- PPE requirements.
- Emergency reporting method.
- Prohibition on re-entry after evacuation.

Contractor supervisors shall account for their personnel during emergencies and report headcount to BSF's designated representative.

24. Emergency Equipment

Emergency equipment shall be appropriate to site risk and may include:

- Fire extinguishers.
- Fire alarms and detectors.
- Emergency lighting.
- First-aid kits.
- Eyewash stations and safety showers.
- Spill kits.
- Emergency communication devices.
- Evacuation maps.
- Emergency exits and signage.
- Cold-room emergency release devices.
- Rescue equipment where required.
- PPE for response teams.

Emergency equipment shall be inspected according to site schedule, legal requirement, and manufacturer recommendations. Defective, missing, expired, blocked, or discharged equipment shall be reported and corrected promptly.

25. Emergency Drills

Emergency drills shall be conducted to test readiness, improve response, and verify that personnel understand emergency procedures.

Drills may include:

- Evacuation drill.
- Fire drill.
- Chemical spill drill.
- Medical emergency drill.
- Cold-room trapped-person scenario.
- Refrigeration failure scenario.
- Security incident scenario.
- Severe weather or earthquake drill.
- Product-hold emergency scenario.

Drills shall be planned, documented, evaluated, and reviewed. Improvement actions shall be assigned owners and deadlines.

26. Training and Awareness

Emergency response training shall be provided according to role and risk. At minimum, employees shall receive emergency awareness during onboarding and periodic refreshers.

Training topics may include:

- Alarm response.
- Evacuation routes.
- Assembly points.
- Emergency contacts.
- Fire prevention.
- First-aid reporting.
- Spill reporting.
- Cold-room emergency actions.
- Security incident reporting.
- Food safety emergency escalation.
- Stop-work authority.
- Visitor and contractor emergency control.

Specialized training shall be provided for first aiders, fire wardens, spill responders, emergency coordinators, security personnel, maintenance personnel, forklift operators, chemical users, and cold-chain personnel.

27. Post-Emergency Recovery

After the emergency is controlled, recovery shall be coordinated before normal operations resume.

Recovery actions may include:

- Confirming all persons are safe.
- Securing the affected area.
- Preserving the scene for investigation where required.
- Conducting safety assessment before re-entry.
- Inspecting equipment, structures, utilities, drains, alarms, and emergency systems.
- Assessing product, packaging, raw material, certified product, and records impact.

- Cleaning and sanitizing affected areas.
- Disposing of contaminated material.
- Restoring utilities.
- Communicating return-to-work instructions.
- Documenting losses, damage, and corrective actions.

Operations shall not resume until the responsible manager, HSE, QA, Security, Maintenance, or external authority confirms that restart conditions are acceptable.

28. Incident Investigation and Corrective Action

Emergencies, significant near misses, drill failures, evacuation issues, emergency equipment failures, and serious response gaps shall be investigated.

The investigation shall identify:

- What happened.
- Immediate and root causes.
- Persons affected.
- Response timeline.
- Communication effectiveness.
- Equipment performance.
- Training or awareness gaps.
- Control failures.
- Product, environmental, security, or business impact.
- Corrective and preventive actions.

Corrective actions shall be assigned, tracked, and verified for effectiveness. Lessons learned shall be communicated where appropriate.

29. Records and Documented Information

The following records may be generated under this guide:

Record	Owner	Minimum Content	Retention
Emergency Contact List	HSE / HR / Security	Names, roles, contact numbers, escalation route	Current version maintained

Record	Owner	Minimum Content	Retention
Evacuation Map	HSE / Site Management	Routes, exits, alarms, assembly points, equipment	Current version maintained
Drill Record	HSE	Date, scenario, participants, result, gaps, actions	According to HSE retention schedule
Emergency Equipment Inspection	HSE / Maintenance	Equipment, location, inspection date, condition, corrective actions	According to legal and site requirements
Incident Report	HSE / Supervisor	Event description, location, persons affected, response actions	According to legal and HSE requirements
Investigation Report	HSE / Management	Causes, evidence, findings, corrective actions	According to legal and internal requirements
Headcount Record	HR / Security / Supervisor	Employees, visitors, contractors, missing persons	Retained with drill or incident record
Product Impact Assessment	QA	Product affected, hold status, disposition, release decision	According to QMS requirements
Environmental Release Record	HSE	Substance, quantity, location, response, reporting, corrective action	According to legal and HSE requirements
Corrective Action Log	HSE / Process Owner	Action, owner, deadline, status, verification	According to document-control procedure

Records shall be accurate, legible, retrievable, protected, and retained according to legal, insurance, audit, certification, customer, privacy, and internal requirements.

30. Key Performance Indicators

BSF shall monitor emergency preparedness and response performance through the following indicators:

KPI	Definition	Target or Review Expectation
Emergency Drill Completion	Percentage of planned drills completed by due date	100%
Evacuation Time	Time from alarm activation to completion of headcount	Reviewed by site and improved where needed
Headcount Accuracy	Percentage of drills or events with complete personnel accountability	100%
Emergency Equipment Readiness	Percentage of inspected emergency equipment in acceptable condition	≥ 98%
Corrective Action Closure	Percentage of emergency-related actions closed on time	≥ 95%
Training Completion	Percentage of required emergency training completed by due date	100% for assigned emergency roles
Repeat Drill Findings	Number of repeated findings from emergency drills	Reduction expected
Incident Escalation Timeliness	Time from emergency identification to notification of required roles	Reviewed after events
Product Impact Assessment Completion	Percentage of emergencies with potential product impact assessed by QA	100%

31. Risks and Controls

Risk	Potential Impact	Control
Personnel do not recognize alarm	Delayed evacuation, injury risk	Induction, signage, drills, refresher training
Incomplete headcount	Missing persons not identified	Visitor logs, supervisor accountability, assembly discipline
Blocked emergency exits	Delayed evacuation	Inspections, housekeeping, immediate correction
Untrained person responds to spill	Injury, exposure, environmental impact	Spill training, SDS access, escalation rules
Fire extinguisher unavailable	Fire spreads	Inspection program and access control
Cold-room entrapment	Serious injury or fatality	Door-release checks, alarms, communication, training
Product released after emergency impact	Food safety or certification failure	QA hold and release controls
Security incident not escalated	Cargo or facility vulnerability	BASC reporting and security escalation
Emergency communication inconsistent	Confusion, delayed response	Defined escalation matrix and authorized spokespersons
Drill findings not closed	Repeated emergency weakness	Corrective action tracking and management review

32. Internal References

The following internal documents are related to this guide and shall be consulted where applicable:

- BSF-CORP-001 — Corporate Profile.
- BSF-CORP-002 — Corporate Glossary.
- BSF-DOC-STD-001 — Corporate Document Standard.
- BSF-CORP-003 — Corporate Organization Chart.

- BSF-CORP-004 — Corporate Knowledge Map.
- BSF-HR-001 — Employee Onboarding Guide.
- BSF-HR-002 — Employee FAQ.
- BSF-HR-003 — Leave and Benefits Policy.
- BSF-HSE-001 — Workplace Safety Procedure.
- BSF-HSE-002 — Emergency Response Guide.
- BSF-OPS-001 — Cold Chain Control Register.
- BSF-OPS-004 — Seafood Receiving and Inspection Procedure.
- BSF-QMS-001 — Quality Management Induction.
- BSF-QMS-002 — Certification and Compliance Overview.
- BSF-QMS-003 — Corrective Action and Nonconformity Procedure.
- BSF-IT-002 — Corporate Systems Access Guide.
- BSF-INV-001 — Document Inventory.
- BSF-INV-002 — Document Ownership Matrix.
- BSF-INV-005 — Access and Permissions Policy.

33. External References

The following external references support the compliance logic of this guide:

- Applicable national and local occupational health and safety legislation.
- Applicable fire safety, emergency response, environmental, labor, privacy, chemical safety, electrical safety, and workers' compensation requirements.
- ISO 9001 — Quality management system requirements related to process control, documented information, resources, corrective action, and continual improvement.
- SMETA / Sedex methodology — worker health and safety, emergency preparedness, fire safety, first aid, and responsible labor expectations.
- FAO/WHO Codex Alimentarius and HACCP principles — food safety hazard prevention, hygiene, contamination prevention, and product protection.
- BRCGS Food Safety — site standards, incident management, product safety, emergency control, personnel, hygiene, and maintenance expectations.
- MSC Chain of Custody — certified product traceability, segregation, identification, and chain-of-custody protection where relevant.
- World BASC Organization standards — supply-chain security, access control, cargo protection, and incident response.
- IFS Food — personnel, hygiene, infrastructure, food safety, training, documentation, and emergency-related controls.

34. Appendix A — Emergency Contact Template

Role	Name	Primary Contact	Backup Contact	Notes
Emergency Coordinator				
Site Manager				
HSE Coordinator				
Security Coordinator				
HR Representative				
QA Representative				
Maintenance Representative				
First Aid Lead				
Fire Warden Lead				
External Fire Service				
External Medical Emergency				
Police / Security Authority				
Environmental Authority				

35. Appendix B — Emergency Drill Evaluation Form

Field	Detail
Drill Date	
Site / Area	
Scenario	
Start Time	
End Time	
Evacuation Time	

Field	Detail
Number of Participants	
Headcount Completed	Yes / No
Missing Persons Simulated	Yes / No
Alarm Functioned	Yes / No
Wardens Performed Duties	Yes / No
Visitors / Contractors Included	Yes / No / N.A.
Emergency Equipment Checked	Yes / No
Communication Effective	Yes / No
Main Strengths	
Main Gaps	
Corrective Actions	
Action Owners	
Target Closure Dates	
Evaluator	

36. Appendix C — Evacuation Quick Guide

When the alarm sounds:

1. Stop work.
2. Make the task safe only if it can be done immediately and without risk.
3. Leave through the nearest safe exit.
4. Do not collect personal belongings.
5. Do not run.
6. Help visitors or persons requiring support if safe.
7. Go to the assembly point.
8. Report to your supervisor or warden.
9. Stay at the assembly point.
10. Do not re-enter until the all clear is given.

37. Appendix D — Spill Response Quick Guide

Step	Action
1	Stop and protect yourself.
2	Warn others and restrict access.
3	Identify the substance only if safe.
4	Notify supervisor and HSE.
5	Check the Safety Data Sheet.
6	Use spill kit only if trained and safe.
7	Prevent spread to drains or product where safe.
8	Dispose of contaminated material according to instructions.
9	Record and report the incident.
10	Do not resume work until the area is cleared.

38. Appendix E — Product Impact Decision Trigger

QA shall be notified immediately when an emergency involves any of the following:

- Product, packaging, labels, ingredients, or raw material exposure.
- Smoke, fire, water, chemical, glass, pest, dust, debris, or foreign material.
- Loss of refrigeration or temperature control.
- Flooding, sewage, or drainage backup.
- Structural damage above product or processing areas.
- Cleaning chemical or fuel spill near operational areas.
- Unauthorized access to certified product, storage, dispatch, or documentation.
- Broken equipment that may affect food-contact surfaces.
- Emergency response materials used in food handling areas.

Affected product shall remain on hold until QA authorizes disposition.

39. Revision History

Version	Date	Description of Change	Prepared By	Reviewed By	Approved By
1.0	To be confirmed	Initial draft for review	HSE Documentation Team	HSE Coordinator; Operations Manager; HR Manager; QA Manager; Security Coordinator	Pending