

In this challenge, you must read an integer, a double, and a String from stdin, then print the values according to the instructions in the Output Format section below. To make the problem a little easier, a portion of the code is provided for you in the editor.

Note: We recommend completing [Java Stdin and Stdout I](#) before attempting this challenge.

Input Format

There are three lines of input:

1. The first line contains an integer.
2. The second line contains a double.
3. The third line contains a String.

Output Format

There are three lines of output:

1. On the first line, print `String`: followed by the unaltered String read from stdin.
2. On the second line, print `Double`: followed by the unaltered double read from stdin.
3. On the third line, print `Int`: followed by the unaltered integer read from stdin.

To make the problem easier, a portion of the code is already provided in the editor.

Note: If you use the `nextLine()` method immediately following the `nextInt()` method, recall that `nextInt()` reads integer tokens; because of this, the last newline character for that line of integer input is still queued in the input buffer and the next `nextLine()` will be reading the remainder of the integer line (which is empty).

Sample Input

```
42
3.1415
```



You have earned 10.00 points!

You are now 2 points away from the 1st star for your java badge.

92%

23/25

Congratulations

You solved this challenge. Would you like to challenge your friends? [Twitter](#) [LinkedIn](#)

[Next Challenge](#)

Test case 0

Compiler Message

Success

Test case 1

Test case 2

Input (stdin)

```
1 42
2 3.1415
3 Welcome to HackerRank's Java tutorials!
```

[Download](#)

Test case 3

Test case 4

Expected Output

```
1 String: Welcome to HackerRank's Java tutorials!
2 Double: 3.1415
3 Int: 42
```

[Download](#)

Welcome to the world of Java! In this challenge, we practice printing to stdout.

The code stubs in your editor declare a Solution class and a main method. Complete the main method by copying the two lines of code below and pasting them inside the body of your main method.

```
System.out.println("Hello, World.");  
System.out.println("Hello, Java.");
```

Input Format

There is no input for this challenge.

Output Format

You must print two lines of output:

1. Print **Hello, World.** on the first line.
2. Print **Hello, Java.** on the second line.

Sample Output

```
Hello, World.  
Hello, Java.
```



You have earned 3.00 points!

You are now 22 points away from the 1st star for your java badge.

12%

3/25

Congratulations

You solved this challenge. Would you like to challenge your friends? [Twitter](#) [LinkedIn](#)

[Next Challenge](#)

Test case 0

Compiler Message

Success

Expected Output

- 1 **Hello, World.**
- 2 **Hello, Java.**

[Download](#)

- $2 \leq N \leq 20$

Output Format

Print 10 lines of output; each line i (where $1 \leq i \leq 10$) contains the *result* of $N \times i$ in the form:

$N \times i = \text{result}$.

Sample Input

2

Sample Output

2 x 1 = 2
2 x 2 = 4
2 x 3 = 6
2 x 4 = 8
2 x 5 = 10
2 x 6 = 12
2 x 7 = 14
2 x 8 = 16
2 x 9 = 18
2 x 10 = 20

Congratulations

You solved this challenge. Would you like to challenge your friends? [Twitter](#) [LinkedIn](#)

[Next Challenge](#)

Test case 0

1 2

Test case 1



Test case 2



Expected Output

1 2 x 1 = 2
2 2 x 2 = 4
3 2 x 3 = 6
4 2 x 4 = 8
5 2 x 5 = 10
6 2 x 6 = 12
7 2 x 7 = 14
8 2 x 8 = 16
9 2 x 9 = 18
10 2 x 10 = 20

[Download](#)

and print the input to complete the solution.

Input Format

Every line of input will contain a String followed by an integer.

Each String will have a maximum of **10** alphabetic characters, and each integer will be in the inclusive range from **0** to **999**.

Output Format

In each line of output there should be two columns:

The first column contains the String and is left justified using exactly **15** characters.

The second column contains the integer, expressed in exactly **3** digits; if the original input has less than three digits, you must pad your output's leading digits with zeroes.

Sample Input

```
java 100
cpp 65
python 50
```

Sample Output

```
=====
java      100
cpp       065
python    050
=====
```

Explanation

Each String is left-justified with trailing whitespace through the first **15** characters. The leading



You have earned 10.00 points!

You are now 17 points away from the 2nd star for your java badge.

32%

33/50

Congratulations

You solved this challenge. Would you like to challenge your friends?



Next Challenge

Test case 0

Compiler Message

Test case 1

Success

Test case 2

Input (stdin)

Download

Test case 3

```
1 java 100
2 cpp 65
3 python 50
```

Expected Output

Download

```
1 =====
2 java      100
3 cpp       065
```

Source: [Wikipedia](#)

Task

Given an integer, n , perform the following conditional actions:

- If n is odd, print **Weird**
- If n is even and in the inclusive range of 2 to 5, print **Not Weird**
- If n is even and in the inclusive range of 6 to 20, print **Weird**
- If n is even and greater than 20, print **Not Weird**

Complete the stub code provided in your editor to print whether or not n is weird.

Input Format

A single line containing a positive integer, n .

Constraints

- $1 \leq n \leq 100$

Output Format

Print **Weird** if the number is weird; otherwise, print **Not Weird**.

Sample Input 0

3

Sample Output 0

Weird



You have earned 10.00 points!

You are now 12 points away from the 1st star for your java badge.

52%

13/25

Congratulations

You solved this challenge. Would you like to challenge your friends? [Twitter](#) [LinkedIn](#)

[Next Challenge](#) **Test case 0**

Compiler Message

Test case 1

Success

Test case 2

Input (stdin)

[Download](#)

1 3

Test case 3

Test case 4

Expected Output

[Download](#)1 **Weird**

Test case 5

English - Anime Salt

Naruto Shippuden ~...

Watch Naruto Shipp...

Naruto Shippuden E...

JioHotstar - Watch...

Exit Full Screen View

HackerRank

Prepare

Java

Introduction

Java Output Formatting

Java's `System.out.printf` function can be used to print formatted output. The purpose of this exercise is to test your understanding of formatting output using `printf`.

To get you started, a portion of the solution is provided for you in the editor; you must format and print the input to complete the solution.

Input Format

Every line of input will contain a String followed by an integer.

Each String will have a maximum of 10 alphabetic characters, and each integer will be in the inclusive range from 0 to 999.

Output Format

In each line of output there should be two columns:

The first column contains the String and is left justified using exactly 15 characters.

The second column contains the integer, expressed in exactly 3 digits; if the original input has less than three digits, you must pad your output's leading digits with zeroes.

Sample Input

```
java 100
cpp 65
python 50
```

Sample Output

```
=====
java      100
```

You have earned 10.00 points!

You are now 12 points away from the 2nd star for your java badge.

52%

38/50

Congratulations

You solved this challenge. Would you like to challenge your friends?

Next Challenge

Test case 0

Compiler Message

Success

Test case 1

Input (stdin)

1 java 100

2 cpp 65

3 python 50

Expected Output

1 =====

2 java 100

Test case 2

Download

Test case 3

Download

Activate Windows

Go to Settings to activate Windows.

In this challenge, you must read an integer, a double, and a String from stdin, then print the values according to the instructions in the Output Format section below. To make the problem a little easier, a portion of the code is provided for you in the editor.

Note: We recommend completing [Java Stdin and Stdout I](#) before attempting this challenge.

Input Format

There are three lines of input:

1. The first line contains an integer.
2. The second line contains a double.
3. The third line contains a String.

Output Format

There are three lines of output:

1. On the first line, print **String:** followed by the unaltered String read from stdin.
2. On the second line, print **Double:** followed by the unaltered double read from stdin.
3. On the third line, print **Int:** followed by the unaltered integer read from stdin.

To make the problem easier, a portion of the code is already provided in the editor.

Note: If you use the `nextLine()` method immediately following the `nextInt()` method, recall that `nextInt()` reads integer tokens; because of this, the last newline character for that line of integer input is still queued in the input buffer and the next `nextLine()` will be reading the remainder of the integer line (which is empty).

Sample Input

```
1 import java.util.Scanner;
2
3 public class Solution {
4
5     public static void main(String[] args) {
6         Scanner scan = new Scanner(System.in);
7         int i = scan.nextInt();
8
9         double d = scan.nextDouble();
10
11         scan.nextLine();
12
13         String s=scan.nextLine();
14
15         scan.close();
16
17         System.out.println("String: " + s);
18         System.out.println("Double: " + d);
19         System.out.println("Int: " + i);
20     }
21 }
22
```

Line: 22 Col: 1

Activate Windows

Go to Settings to activate Windows.

Run Code

Submit Code



Upload Code as File



Test against custom input

Problem

Welcome to the world of Java! In this challenge, we practice printing to stdout.

The code stubs in your editor declare a Solution class and a main method. Complete the main method by copying the two lines of code below and pasting them inside the body of your main method.

```
System.out.println("Hello, World.");
System.out.println("Hello, Java.");
```

Submissions

Input Format

There is no input for this challenge.

Leaderboard

Output Format

You must print two lines of output:

1. Print Hello, World. on the first line.
2. Print Hello, Java. on the second line.

Discussions

Sample Output

```
Hello, World.
Hello, Java.
```



You have earned 3.00 points!
You are now 22 points away from the 1st star for your java badge.



Congratulations

You solved this challenge. Would you like to challenge your friends? [Twitter](#) [LinkedIn](#)

[Next Challenge](#)

Test case 0

Compiler Message

Success

Expected Output

[Download](#)

- ```
1 Hello, World.
2 Hello, Java.
```



One popular way to read input from stdin is by using the [Scanner class](#) and specifying the Input Stream as System.in. For example:

```
System.out.println("myString is: " + myString);
System.out.println("myInt is: " + myInt);
```

Hf 5

```
myString is: Hi
myInt is: 5
```

### Task



You are now 7 points away from the 1st star for your java badge.

18/25

### Next Challenge



### Compiler Message

## Success

Input (stdin)

[Download](#)

2 100

3 125

[Download](#)

2 100

Java If-Else | HackerRank

hackerrank.com/challenges/java-if-else/problem?isFullScreen=true

English - Anime SaltNaruto Shippuden - ...Watch Naruto Shipp...Naruto Shippuden E...JioHotstar - Watch...

HackerRank

PrepareJavaIntroductionJava If-Else

Exit Full Screen View

Problem

Submissions

Leaderboard

Discussions

In this challenge, we test your knowledge of using if-else conditional statements to automate decision-making processes. An if-else statement has the following logical flow:

IF (A = TRUE)  
Then B  
Else C  
End IF

```
graph TD; Start(()) --> A{A}; A -- TRUE --> B([B]); A -- FALSE --> C([C]); B --> End((())); C --> End;
```

You have earned 10.00 points!

You are now 12 points away from the 1st star for your java badge.

52%13/25

Congratulations

You solved this challenge. Would you like to challenge your friends?

Next Challenge

Test case 0

Test case 1

Test case 2

Test case 3

Test case 4

Test case 5

Compiler Message

Success

Input (stdin)

Expected Output

Download

Download

13

weird

Activate Windows

Go to Settings to activate Windows.

12:13

22-09-2026

[Download](#)

Problem

Submissions

Leaderboard

Discussions

HackerRank

PrepareJavaIntroductionJava Loops |

Objective

Task

Input Format

Constraints

Output Format

Sample Input

Sample Output

Verato Shippuden E...

JioHotstar - Watch...

Verify it's you

All Bookmarks

Exit Full Screen View

12:21

Objective

In this challenge, we're going to use loops to help us do some simple math.

Task

Given an integer,  $N$ . print its first 10 multiples. Each multiple  $N \times i$  (where  $1 \leq i \leq 10$ ) should be printed on a new line in the form:  $N \times i = \text{result}$ .

Input Format

A single integer,  $N$ .

Constraints

- $2 \leq N \leq 20$

Output Format

Print 10 lines of output: each line  $i$  (where  $1 \leq i \leq 10$ ) contains the **result** of  $N \times i$  in the form:

$N \times i = \text{result}$ .

Sample Input

2

Sample Output

$2 \times 1 = 2$   
 $2 \times 2 = 4$   
 $2 \times 3 = 6$

You have earned 10.00 points!

You are now 2 points away from the 2nd star for your java badge.

92%48/50

Congratulations

You solved this challenge. Would you like to challenge your friends?

Next Challenge

Test case 0

Compiler Message

Success

Test case 1

Input (stdin)

Download

Test case 2

Expected Output

Download

Activate Windows

Go to Settings to activate Windows.