

Snap Up — Intern Hosting & DNS Handoff Guide

Temporary development / pilot environment • Frontend on Vercel • Backend on Railway

1. Objective

Deploy the current Snap Up application for testing. The project owner will retain control of GoDaddy and DNS. Your responsibility is to deploy the frontend and backend, configure their custom domains, and send the exact DNS records shown by the hosting platforms.

Do not request or use GoDaddy credentials. You only need the repository, Vercel, Railway, and approved non-production configuration.

2. Target Architecture

Component	Platform	Hostname
Frontend	Vercel	dev.snapup.astradyneglobal.com
Backend / API	Railway	api-dev.snapup.astradyneglobal.com

3. Deploy Frontend to Vercel

1. Confirm the frontend works locally. 2. Push the latest tested code to the assigned repository/branch. 3. Import/create the frontend project in Vercel. 4. Configure required non-production environment variables. 5. Deploy and verify the generated Vercel URL.

Do not commit passwords, API secrets, database credentials, private keys, or payment credentials.

4. Deploy Backend to Railway

1. Deploy the Snap Up backend/API service to Railway. 2. Configure approved non-production environment variables. 3. Confirm the service starts successfully. 4. Verify its health/status endpoint. 5. Add the custom domain **api-dev.snapup.astradyneglobal.com** in Railway.

Railway will display the DNS records/verification values required for the custom domain. Copy those values exactly.

5. Configure Frontend Custom Domain in Vercel

Add **dev.snapup.astradyneglobal.com** to the Vercel project. Vercel will show the DNS configuration it expects. Record the exact Type, Name/Host, and Value/Target.

6. Connect Frontend to Backend

After the Railway custom domain is ready, configure the frontend's existing API URL environment variable to use:

```
NEXT_PUBLIC_API_URL=https://api-dev.snapup.astradyneglobal.com
```

Use the actual environment-variable name already defined by the project if it differs. Do not invent a duplicate variable.

7. DNS Records You Must Send Me

You do **not** need to edit GoDaddy. Send me the exact records shown by Vercel and Railway, and I will add them to GoDaddy.

Platform	Purpose	Type	Name / Host	Value / Target
Vercel	Frontend	As shown	Exact Vercel value	Exact Vercel value
Railway	Backend	CNAME	Exact Railway value	Exact Railway value
Railway	Verification	TXT	Exact Railway value	Exact Railway value

Important: Never guess DNS values. Copy them directly from the Vercel/Railway dashboards.

8. Send This Handoff Information

- Vercel frontend deployment URL
- Railway backend deployment URL
- Vercel custom-domain DNS record(s): Type, Name/Host, Value/Target
- Railway CNAME: Type, Name/Host, Value/Target
- Railway TXT verification: Type, Name/Host, Value
- Backend health check result
- Frontend → Backend connectivity result
- Any DNS, build, runtime, CORS, or deployment issue

9. Suggested Message to Send

Snap Up testing environment update

Frontend — Vercel

Deployment URL: [URL]

Custom domain: dev.snapup.astradyneglobal.com

DNS: [TYPE] | [HOST/NAME] | [VALUE/TARGET]

Backend — Railway

Deployment URL: [URL]

Custom domain: api-dev.snapup.astradyneglobal.com

CNAME: [TYPE] | [HOST/NAME] | [VALUE/TARGET]

TXT verification: [TYPE] | [HOST/NAME] | [VALUE]

Backend health: [Working / Not working]

Frontend → Backend: [Working / Not working]

Issues/notes: [If any]

10. Final Checklist

- Frontend deployment succeeds.
- Backend deployment starts successfully.
- Backend health endpoint responds.
- Frontend can reach the backend.
- CORS/origin configuration is correct for the frontend domain.

- Required non-production environment variables are configured.
- No secrets are committed to Git.
- Vercel and Railway custom-domain verification is ready.
- Exact DNS records have been sent to the project owner.

11. Definition of Done

The task is complete when the frontend is deployed on Vercel, the backend is deployed on Railway, the exact custom-domain DNS records have been sent to the project owner, and the frontend/backend testing flow works successfully.

Security Note

This is a temporary development/pilot environment. Use test data and non-production credentials wherever possible. Keep production infrastructure, production database credentials, payment secrets, and private keys out of the intern environment.