

**RATLAM DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SnT-RTM-26-Tele-11

Closing Date/Time: 30/06/2026 15:00

SrDSTE-Co/Ratlam acting for and on behalf of The President of India invites E-Tenders against Tender No **SnT-RTM-26-Tele-11** Closing Date/Time 30/06/2026 15:00 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

1. NIT HEADER

Name of Work	Supply, installation, testing and commissioning of Telecom material in connection with "Ratlam Division: - Augmentation, upgradation of Telecom infrastructure with MPLS NOC at DRM office premises and reliability improvement by replacing telecommunication gears."		
Bidding type	Normal Tender		
Tender Type	Open	Bidding System	Single Packet System
Tender Closing Date Time	30/06/2026 15:00	Date Time Of Uploading Tender	27/05/2026 16:47
Pre-Bid Conference Required	No	Pre-Bid Conference Date Time	Not Applicable
Advertised Value	37937798.84	Tendering Section	TELECOM
Bidding Style	Single Rate for Tender	Bidding Unit	Above/Below/Par
Earnest Money (Rs.)	758800.00	Validity of Offer (Days)	60
Tender Doc. Cost (Rs.)	0.00	Period of Completion	12 Months
Contract Type	Works - General	Contract Category	Expenditure
Bidding Start Date	16/06/2026		
Are JV allowed to bid	No	Number of JV Member Allowed	0
Are Consortium allowed to bid	No	Number of Consortium Member Allowed	0
Ranking Order For Bids	Lowest to Highest	Expenditure Type	Capital (Works)

2. SCHEDULE

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () A1-SOR supply							2188218.90	
1	Please see Item Breakup for details.				2552156.40	(-) 14.26	2188218.90	
	Description:- Please see Item Breakup for details							
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () A2-NS supply							13344667.28	
1	Please see Item Breakup for details.				13344667.28	AT Par	13344667.28	
	Description:- Please see Item Breakup for details							
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () B1-SOR execution							9218064.73	
1	Please see Item Breakup for details.				10751183.50	(-) 14.26	9218064.73	
	Description:- Please see Item Breakup for details							
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () B2-NS execution							13186847.93	
1	Please see Item Breakup for details.				13186847.93	AT Par	13186847.93	
	Description:- Please see Item Breakup for details							

3. ITEM BREAKUP

Schedule	Schedule A1-SOR supply
Item- 1	Please see Item Breakup for details

**RATLAM DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SnT-RTM-26-Tele-11

Closing Date/Time: 30/06/2026 15:00

S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
1	01083800	Maintenance Free Earth Electrode of length 3m, including supply of 3 bags of Earth enhancement material for earthling (10KGs /bag) for each electrode & other accessories as per Drg. No. SDO / RDSO/ E&B/001 and RDSO Spec No. RDSO / SPN/197/2008.	Numbers	180.00	10403.08	1872554.40
2	01102100	Double Walled Corrugated (DWC) HDPE Pipe with associated collars etc. as per RDSO Specification No. RDSO/SPN/204/2011 or latest anti-rodent & anti-oxidant and non-flame propagating type in 6 meters straight length and of size 120 mm outer dia, & 103.5 mm inner dia. . One of the following coupling arrangements should also be supplied with each pipe as per the site requirement. 1) Suitable snap fit coupler with rubber 'O-Ring 2) Spacers 3) Tees 4) Bend, 5) End-cap (The total quantity of above items is equal to no. of pipes supplied.) DWC pipe shall be marked at every 1 mtr length in such a way that manufacturer's name, vender name and year of manufacture can be easily identified. Color -Bright Orange; Min Weight = 4kg. Test Check by Consignee & Sample check by JAG officer.	Numbers	80.00	1912.20	152976.00
3	01102300	Medium Class G.I. Pipes to IS: 1239 (Pt.)-2004 or latest; 100mm dia. (int. Dia) 3.65 mm thick or above with coupling. G.I. pipes shall have ISI mark on it and contractor should submit manufacturer's test certificate of G.I. pipes.	Running Metre	450.00	1170.28	526626.00
					Total	2552156.40
Schedule	Schedule A2-NS supply					
Item- 1	Please see Item Breakup for details					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
1	1	Supply of Thermo shrink Universal Jointing kit for Quad Cable (for straight joints) as per RDSO spec IRS/TC-77/2012 revision 3 With latest Amd. Inspection by RDSO.	Numbers	240.00	2118.96	508550.40
2	2	Supply of Thermo shrink Universal Jointing kit (TSF-1) for PIJF Cable (For 10/20 pair) as per RDSO Spec No. RDSO/SPN/TC/57/2015, Rev.1, Amd.1 or latest. Inspection by RDSO.	Numbers	80.00	782.42	62593.60
3	3	Half Round RCC pipes & collars of 150 mm internal dia (1 meter long) along with collars as per IS No. 458/2003 of NP type	Numbers	400.00	163.76	65504.00
4	4	Supply of Two transformer type (2T) VF transformer derivation and termination of underground cable circuit Impedance ratio is 470:1120 as per RDSO specification no. IRS:TC- 76/2021 or latest (Cylindrical type)	Numbers	150.00	1088.37	163255.50
5	5	Supply of Permanently Lubricated (PLB) High density polyethylene (HDPE) Telecom duct for use as underground cable conduits -40/33 mm as per RDSO specification No. RDSO/SPN/TC/45/2013 Rev.2.0 amnd 1,2,3 or latest. (Necessary coupler and bend included in above)	Metre	15000.00	45.57	683550.00

**RATLAM DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SnT-RTM-26-Tele-11

Closing Date/Time: 30/06/2026 15:00

6	6	Supply of 2 x 24 fiber optic fiber splice straight joint enclosure (SJC) complete with all accessories. As per RDSO/SPN/TC/ 68/2014 Rev.3 or latest amendment.	Numbers	140.00	3281.53	459414.20
7	7	Supply of 6 Pin Emergency Socket as per RDSO/SPN/TC-42/20. Suitable to existing Emergency socket box installed in division.	Numbers	120.00	278.97	33476.40
8	8	Supply of Emergency Socket Box Asper RDSO DRG No TCA-20060(ADV) EMERGENCY SOCKET BOX IN M.S. MATERIAL BODY WITHOUT 6-PIN EMERGENCY SOCKET. Make: -EPSILON/BENTRON/ ACES/TELECOM MANUFACTURING.	Numbers	120.00	728.57	87428.40
9	9	Supply of Fault Analyser Equipment as per given technical specification.	Numbers	8.00	64084.02	512672.16
10	10	Supply of Remote end Dual sim 4g wireless router as per specification	Numbers	6.00	48413.67	290482.02
11	11	Supply of Software license for Far end Dual sim 4g wireless router with lifetime validity (unconditional)	Numbers	6.00	19785.92	118715.52
12	12	Supply of OFC patch chord with ST/SC/LC connector at one end ST/SC/LC connector at another end as per site requirement (suitable for media convertor/ SFP supplied) & length of patch cords 10 meters as per RDSO/SPN/TC/69/2007 Rev. 1.0 or latest	Numbers	600.00	534.85	320910.00
13	13	Supply of Standard 19" Rack Mountable LER(Label Edge Router) ,IP- MPLS Router with Redundant DC power feed-48V DC nominal, equipped with interfaces: 2 x 10G(optical) SFP+ Ports along with 2Nos of 40 Kms 10G SFP+ LC Modules, 4 x 1GbE (Optical)interface along with 4 Nos of 1GbESingle Mode Bi-directional SFP(10KMs) Modules and 4 x 1GbE(Copper) interfaces & Modules and slot for 16 x E1 (G.703), {supply of16 E1 card is not included in this item}, Mounting kit with all necessary accessories & Software, Perpetual Licenses. As Per RDSO Document No. STT/TAN/IP-MPLS/2020 Version 01. (Router should be compatible to existing router installed in division) {Trusted Telecom Portal (TTP) approval and compliance with other applicable regulatory guidelines, if any, are mandatory}.	Numbers	2.00	348794.77	697589.54
14	14	Supply of 100G QSFP28 Module with 80 Km range for above MPLS Routers as per specification attached.	Numbers	8.00	483600.00	3868800.00
15	15	Supply of 8 port Manageable POE switch with 2 SFPs and its standard installation as per specification {Trusted Telecom Portal (TTP) approval and compliance with other applicable regulatory guidelines, if any, are mandatory}.	Numbers	20.00	10418.29	208365.80
16	16	Supply of HDMI Copper Cable 10 mtr long Supported up to 4K ,.With Following Specification- 1) Support-4K , 2)Version-V2.0, 3)Band width- 18Gbps, 4)Warranty-Minimum 1 year Make- Impression or superior	Numbers	7.00	2280.66	15964.62

**RATLAM DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SnT-RTM-26-Tele-11

Closing Date/Time: 30/06/2026 15:00

17	17	Supply of 19" covered racks ,Valrack/ Vero president/Rittal/APC/D link make or similar having size of approximately 2.2 mtr . (42U) height X 800 mm width X 800 mm depth as per specification	Numbers	6.00	31567.24	189403.44
18	18	Supply of 24 Port LIU Rack Mountable loaded connector of SC type as per instruction of Engineer in charge. The Contractor should supply all miscellaneous items like connector pigtails etc. for complete installation of the fixed optical fiber interconnection unit as per specification.	Numbers	8.00	5649.96	45199.68
19	19	Supply of CAT-6 cable of Dlink, Digisol, Securenet,paramount, polycab make (with identification mark/ferrules etc.)	Metre	2000.00	18.65	37300.00
20	20	Supply of White PVC Pipe of dia 1 Inch of as per Standard IS:9537 (Part 3) with Pipe length of 3 mtrs each (Bend and Eblow as per site requirement will be supplied along with pipe)	Metre	2000.00	17.72	35440.00
21	21	Supply of 35 Sq mm Multi-strand Single Core PVC insulated Copper Cable asper IS: 694 for connecting Main Earth Electrode to MEEB in the equipment room.	Metre	350.00	650.00	227500.00
22	22	Supply of 24V and 48V Type 3 SPD Class D for data and communication lines with impulse current rating limp 5 KA, nominal discharge current In 5 KA, maximum discharge current Imax 20 KA, with indicative type LED indication and pluggable module for easy maintenance, conforming to RDSO SPN 144 2006. Make- Citel Model No. DLAS1 24D3 and DLAS1 48D3 or ABB or Phoenix contact or schneider electric. make should be approved by engineer in charge.	Numbers	104.00	8377.00	871208.00
23	23	Supply of Type 3 SPD Class D for coaxial line for RF and VHF applications with impulse current rating limp 1 KA, nominal discharge current In 5 KA, maximum discharge current Imax 20 KA, having frequency range DC to 3.5 GHz and removable GDT for easy maintenance, conforming to RDSO SPN TC 98 2011. Make- Model No. P8AX25 B MF or P8AX25 N MF or P8AX25 U MF or ABB or Phoenix contact or schneider electric. make should be approved by engineer in charge.	Numbers	104.00	17700.00	1840800.00
24	24	Supply of Class B and C SPD for 230 V AC system for IPS input with impulse current rating limp 25 KA for L to N and 50 KA for N to PE, with box and internal wiring, conforming to RDSO SPN 165 2012 or latest. Make Model No. DS260RS 230 plus DS100EG 600 plus DS41S 320 or ABB or Phoenix contact or schneider electric. make should be approved by engineer in charge.	Numbers	104.00	19236.00	2000544.00
					Total	13344667.28
Schedule	Schedule B1-SOR execution					
Item- 1	Please see Item Breakup for details					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
1	01083900	Installation of Maintenance Free Earth Electrode for Maintenance Free Earth spec of RDSO/SPN/197/2008.	Numbers	180.00	1456.79	262222.20

**RATLAM DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SnT-RTM-26-Tele-11

Closing Date/Time: 30/06/2026 15:00

2	01084700	Cement concrete work for miscellaneous items in the ratio 1: 3: 6. Item includes excavation, ramming, curing and plastering with cement & sand mixture (aggregate not exceeding 3.8 cm.) (Aggregate cement & sand to be supplied by the contractor).	cum	180.00	6259.00	1126620.00
3	01085400	Transportation of S&T material leading up to 1 Km including Loading from Starting point, unloading & Stacking at destination.	MT	60.00	452.58	27154.80
4	01085500	Extra for each additional 1 Km or part thereof	Kilometre	7200.00	4.10	29520.00
5	01085600	As and when required by the Engineer in charge arranging /providing of labors for various safety related works such as protection of track etc. with contractor's T&P, equipment, hand signal flags, spanners, hammers, etc. as per specification special conditions and detailed scope of work as furnished in the tender and directed by the engineer incharge.	Man-Days	4800.00	649.71	3118608.00
6	01091600	Lettering / Numbering Termination particulars, equipments names etc., legibly and neatly inside location boxes. This includes supply of paints of Asian Paints/ Nerolac / Dulux / Berger make. Half Case.	Numbers	700.00	88.18	61726.00
7	01101300	Excavation of cable trench as per cable route plan, 1 Mtr. deep and of 0.3 Mtr. to 0.6 Mtr wide advised by Engineer-in-charge alongside the track in normal (all type) soil/strata, conforming to distances as per cable route plan and refilling. This work includes clearing of route from bushes etc., covering of cable laid in trench by loose soil for a layer of 50mm thickness approximately before covering by bricks. The work shall be done as per the extant practice on Western Railway and instructions of Railway Engineer at site. In case 1m depth of trench is not achievable due to site conditions, specific approval of JA grade officer will be required for each site where trench depth of 1m is not possible. Without the approval of JA Grade officer, no payment for trenching will be made for trench depth less than 1m.	cum	5500.00	839.00	4614500.00
8	01101600	Cutting of Hard rock in trenches /Preparation of cable way/Chase 150mm wide at the bottom and 300 mm deep in hard rock (Drg prepared by contactor & approved by Engineer In charge) for laying of S&T cables where minimum required depth not possible & which is verified and agreed by Engineer In charge of the work or his representative shall be made as per Drg. No RE/S&T/ALD/SK/301/85. Refilling of the same with concrete mixture of 1:3:6 from top of the cable way/ chase. Payment of concrete will be made separately through a separate item in the schedule of work.	cum	180.00	438.73	78971.40

**RATLAM DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SnT-RTM-26-Tele-11

Closing Date/Time: 30/06/2026 15:00

9	01101800	Horizontal direction drilling/boring without damage of surface road using Auger Machine. The bore shall be 150 mm Dia & shall be done at the depth of minimum 1200 mm from the ground level. The ground level shall be considered ignoring the bank height of the bank of the road. The length of the bore shall be minimum 4 Mtr long. The HDD with or without HDPE pipe as per direction of Engineer In charge. Note: HDPE pipe supply is taken as separate item. This item also includes cable laying (HDD boring).	Metre	800.00	1187.85	950280.00
10	01102200	Placing of DWC/RCC pipes along with collars in trenches at places of track and road crossings, platform cuttings etc. also for straight cable laying. (Cable laying is covered separately.)	Running Metre	480.00	33.22	15945.60
11	01102400	Laying and fixing of Medium class GI pipes 100 mm Dia (4.5 mm thickness) as per IS 1239 (Part 1) 2004 or latest with coupling on culverts/bridges, perforated at a distance of 20 cm or less with 10 mm Dia hole, or at any other locations as decided by Site Engineer. The GI pipe is to be filled with chattered compound. It includes supply of all material required for fi Xing arrangement. Contractor will also supply flexible/corrugated HDPE pipe at the end of GI pipe to protect the cables from sharp edges and sudden bends. The e laying and fi Xing to be done as per RDSO drawings No. SDO/cable laying/011 and SDO/cable laying/012, issued vide RDSO document No. RDSO/SI/G/2010 Version 1.1 dated 04.02.2014, or latest.	Running Metre	450.00	418.07	188131.50
12	01102500	Laying of S&T Cables of various cores/ pairs/ quads in trenches/ GI pipes/ RCC pipes/ DWC pipes/ Trucking. This also includes laying of cables in track crossings & road crossings. Item includes provision of labels of colored plastic adhesive tapes or any other identifiable material on each cable to give the cable number at each G.P.(Cables will be daggered before and after its laying by contractor under supervision of Railway Representative and he will submit the meggering report of each testing). Length of the cable laid includes the length of the cable coiled for termination purposes.	Running Metre	12000.00	9.37	112440.00
13	01102600	Supply and installation of RCC cable route marker engraved and painted on both side along the route every 50mm and route diversion as per Drg. No 4014/00/CC4 or latest/ Stone marker.	Numbers	400.00	412.66	165064.00
					Total	10751183.50
Schedule	Schedule B2-NS execution					
Item- 1	Please see Item Breakup for details					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount

**RATLAM DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SnT-RTM-26-Tele-11

Closing Date/Time: 30/06/2026 15:00

1	1	Joining of 4 / 6 quad /Signaling cable with Heat Shrinkable straight through Joining Kit. All the material required for the work are to be arrange by contractor himself at his own cost except Thermo shrinkable Joint Kit . After joining the cable through test such as insulation test, continuity cable losses etc. to be carried out jointly with Railway Engineer. If any defect or any damage is observed during joining, the contactor has to redo the joint free of cost	Numbers	240.00	1089.55	261492.00
2	2	Laying of half round RCC pipe after laying the cables in the trenches. (Cable laying is covered separately)	Running Metre	400.00	21.12	8448.00
3	3	Blowing of OFC through HDPE duct & protective work (elicited in above item) already provided. Where it is not feasible to blow OFC due to curves, road/track crossings, bridges or for any other reason, OFC shall be drawn or laid manually as per standard procedure. All the equipments and machinery required shall be arranged by the contractor at his own cost. In case OFC is to be laid adopting 'Direct in trench' method then this item shall be paid as per accepted rate of this schedule. Blowing/Laying shall be started from one end and each drum laying shall be monitored after blowing/laying and before leaving the site, trace/cable parameters for all the fiber/ conductors shall be taken from one central location by contractor's engineer with his own OTDR , optic talk set/ measuring equipments with railway engineer	Metre	15000.00	9.24	138600.00
4	4	Laying of HDPE pipe as per approved cable route plan in the excavated trench, taking due care while transporting and laying the same in the trenches or other protective works. Both the end of duct should be sealed with end plugs before laying and should remain sealed till blowing is done	Metre	15000.00	5.19	77850.00
5	5	Splicing of laid under above items OFC cable and making the splicejoint in dust free environment with contractor's own equipment and labour. Straight joint enclosure(SJC) is covered under schedule 'A' remaining all required materials, tools, plants shall be arranged by the contractor. splicing shall be started from one end and each splicing shall be monitored after splicing and after closing the enclosure for all the fibers from one central location by contractor's engineer with his own OTDR and optic Talk set with railway engineer trace for the fibers shall be taken and signed jointly, if any fiber splice shows high loss/lossy event, the same shall be redone before completion of splicing work. The splice loss shall be as per the policy/technical circulars issued by the railways from time to time	Numbers	180.00	8738.43	1572917.40

**RATLAM DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SnT-RTM-26-Tele-11

Closing Date/Time: 30/06/2026 15:00

6	6	Supply and installation of RCC pre-fabricated OFC jointing Pits as per DRG. No- RDSO/TCDO/COP-21 (a)/latest. The material shall besupplied as per the instructions ofengineer in charge	Numbers	18.00	5254.62	94583.16
7	7	Fabrication of EC socket boxassembly and erection of fabricatedassembly at the location indicatedin the route plan and as perdirection of Engineer incharge. Thisincludes cutting of rails to requiredsize, supply and welding of GI Pipeand base plate, fixing of EC socketbox, transportation of material tosite, digging of pit and erection ofwhole assembly at site. The workalso includes the termination of 6Quad/PIJF cable on the strips of 6-pin EC socket inside box.Rail postwill be supplied by Railway	Numbers	60.00	2985.58	179134.80
8	8	Painting of emergency socketassembly, and rail post bysupplying one coat of red-oxide asbase colour and then painting theassembly as per zebra painting inblack and white colours of 100mmwidth	Numbers	700.00	633.26	443282.00
9	9	Breaking of Pucca/Concrete Road, PFCutting/wall cutting ,Laying of OFC/STP/Power cable/other SnT cables etc in Trenches and through all types of protection VizHDPE/GI/ RCC/DWC/PVC Pipes as the case may be. This includes smooth surfacing to lay cables and stone pavement/Pavers. Minimum size of trench 0.3m widthx 0.60m depth	Metre	600.00	457.30	274380.00
10	10	Supply laying & fixing of Anti Static vinyl Flooring with black conductive layer sandwiched between two antistatic layer thickness of 2mm ± 01mm self fire extinguishing as approve by engineer incharge	Square Foot	2000.00	17.43	34860.00
11	11	Installation & commissioning of 4G wireless router	Numbers	6.00	4858.15	29148.90

**RATLAM DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SnT-RTM-26-Tele-11

Closing Date/Time: 30/06/2026 15:00

12	12	Supply and Installation of MULTIPLE MEDIA AUTO CHANGEOVER CONVERTER-4 PORT, for simultaneously interconnecting Digital Axle Converter, UFSBI, Block Phone etc. across a Block Section/ IBs over multiple media. Product has the following features: a)Two 120 ohm E1 Main Links with RJ45 connector, having (1+1) hot standby facility b)Two optical Main Links with (1+1 hot standby dual core path and single core path) having 20 Km driving distance. c)Four V.21N.23 (E&M) 2-wire/4-wire user interface with auto changeover to Quad links in case of failure of all Main Links. Each user port is configurable as 2W or 4W without any restriction. d)Unit supports power OFF fail safe mechanism. In case the unit is switched OFF, all analog user devices are bypassed to the Quad link automatically. - e)Unit supports four numbers of Potential free contacts which can be linked with data logger/RTU for E1 Status, Optical status & Power Supply status. ' f)Unit supports front panel resettable audible buzzer in case of main link fails (optical or E1). g)Unit supports front panel LED indicators for Quad health status, E1 dual, Optical dual path. h)Unit %B7 has dual hot standby DC power supply having 24VDC/48VDC i)"Unit is 1U height with 19 inch rack mountable-facility j)Unit supports operating temperature from -5 degree Celsius to +55 degree Celsius. Accepted Make/Brand:-CYGNUS or Team-Link or Webfil, Compatible with the existing system.	Pair	8.00	155427.95	1243423.60
13	13	Supply and Installation of E1 Surge Protector as per Specification	Numbers	832.00	2849.70	2370950.40
14	14	NOC Room Interior & Furniture as per Technical Specification attached	Square Foot	300.00	9740.00	2922000.00

**RATLAM DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SnT-RTM-26-Tele-11

Closing Date/Time: 30/06/2026 15:00

15	15	Design , Fabrication & Supply of rack mountable modular intelligent service IP MPLS aggregator router with minimum switching speed of 200 Gbps, unit to support L2VPN ,L3 VPN, MPLS-TE , unit to be capable to support 8x10G(optical) ports distributed in two cards and possible to upgrade 16x10G (optical), this should also support multiple routing functions such as OSPF, ISIS,BGP & MP-BGP and support LDP and RSVP - TE to dynamically establish MPLS tunnels & PW service. It should support dual main control card redundancy design supporting 1:1 hot backup. The router should have console and SNMP interface, FAN Module , Redundant control card modules and Redundant 48V DC power supply modules including connection cable and fixing accessories etc. The Router should have required interface slots to accommodate 8x10Gbe interface, capable to upgrade to 16 x 10Gbps modules from day one (supply of these interface cards is not covered in this item). Unit to be capable to support 25G / 100G module for aggregation purpose. The router should support all the software features, environmental standards and security features as mentioned in RDSO technical document no. STT/TAN/IP-MPLS/2020 Ver2.0 or latest for the LSR Router (Router should be compatible to existing router installed in division) {Trusted Telecom Portal (TTP) approval and compliance with other applicable regulatory guidelines, if any, are mandatory}.	Set	2.00	576758.21	1153516.42
16	16	Supply and installation of 2MP Full HD night vision Dome camera (including necessary enclosures, clamps, housing, fixing arrangements to fix cameras on ceiling, PF shelters, poles, gates and with 3 year OEM warranty) (Make: should be complied MAKE IN INDIA policy)	Numbers	20.00	9235.46	184709.20
17	17	Supply installation testing & commissioning of 43"(minimum) Smart LED display of confirming as per technical specification With HDMI port. Installation as per engineer in charge. (with 3-year OEM warranty) Make: SONY, SAMSUNG, LG.	Numbers	4.00	38213.98	152855.92
18	18	Supply and installation of 2MP Full HD night vision bullet camera (including necessary enclosures, clamps, housing, fixing arrangements to fix cameras on ceiling, PF shelters, poles, gates and with 3 year OEM warranty) (Make: should be complied MAKE IN INDIA policy)	Numbers	56.00	9839.14	550991.84
19	19	Supply & installation of 32 channel NVR number of video input channels-32, No. of video output channels-32, recording resolution-4K(3840X2160), supporting compression techniques-H.264, H.265, MPEG-4, MPEG,H.265,H.264+, minimum cameras views on single display-16. (Make: should be complied MAKE IN INDIA policy)	Numbers	3.00	26559.33	79677.99

**RATLAM DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SnT-RTM-26-Tele-11

Closing Date/Time: 30/06/2026 15:00

20	20	Supply and testing of 4TB Surveillance Hard Disc Drive of 4TB capacity with 64MB Cache & SATA 6GB/S interface for DVR/NVR. Make:- Seagate, Western Digital, Hitachi, Sony or reputed make	Numbers	6.00	7207.43	43244.58
21	21	Removal of paver blocks/tiles and cutting of trench across platform for a depth of 15cm & width of 15 cm with marble cutting machine & filling the trench after laying the cables & restoring the surface with original tiles with smooth finish as per instructions of site in-charge at site. All the materials except pipe are to be arranged by the contractor at site, the debris is to be cleared from platform to outside the station premises	Metre	245.00	123.86	30345.70
22	22	Installation, Testing & Commissioning of 24 Port LIU with suitable Connector as per the instructions of Engineer in Charge	Numbers	8.00	273.39	2187.12
23	23	Supply Installation & Commissioning of Layer 2 Manageable, 24 Port POE, 24 GE10/100/1000 Base X Ethernet port with POE+support and 4x1GE SFP Port for uplink with 4 no of 1GEBX SM SFP modules fully loaded, with all accessories per RDSO/SPN/TC/65/2021, Rev.6.0 with Amd 1,2 & 3 or latest	Numbers	6.00	24847.84	149087.04
24	24	Wiring, drawing, fixing, laying and clipping of all telecom cable/PVC Power cable in PVC pipe/duct/Casing capping with complete fitting as per the instruction of site Engineer	Metre	2000.00	8.81	17620.00
25	25	Supply & installation of GRP/FRP cable tray & required accessories as per specification	Metre	350.00	636.04	222614.00
26	26	Supply, Installation, Testing & Commissioning of Professional Large Format LED Video Display Unit, 55" (inches) or larger, Full HD 1920 x 1080, Brightness: 350cd/m, contrast ratio 1100:1, HDMI & DVI port, Including wall mount kit. as per clause no. 9.0 of RDSO/SPN/TC/65/2021 Rev. 6.0 or latest. Make: SONY, SAMSUNG, LG, TCL	Numbers	2.00	56791.66	113583.32
27	27	Supply and fixing of GI channel of size 100 mm x 50 mm x 06mm, 1.2 Mtr. Long (fixing of channel with Girder to be done with hook/ 'J' bolts of suitable size to hold the load of the troughing/Pipe on girder /other type bridges in yards and mid sections for carrying telecom cables	Numbers	240.00	336.47	80752.80
28	28	Splicing of fibres OFC Cable and making Splice joint with contractor's own splicing machine and tools and consumables. (Rates are for single fiber splice)	Numbers	450.00	220.81	99364.50
29	29	Excavation of the cable trench in hard soil and/or Murum soil mixed with boulders 300 mm wide at the bottom and 1.2 mtr deep or for less depth refilling the same with 1:3:6 CC of 200 mm thickness	Metre	1200.00	131.46	157752.00

**RATLAM DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SnT-RTM-26-Tele-11

Closing Date/Time: 30/06/2026 15:00

30	30	Installation of IP MPLS Router and switches, with power distribution panel and all accessories in the 19" Rack, DDF, Aluminum runway ladder, patch cord etc and their testing and commissioning. This includes termination of all E1's on DDF, connection of pigtailed optical patch cords and 48 V bust to the IP MPLS equipment including supply of wires and connectors. It also includes proper mounting of rack, provision of Aluminum runway ladder, casing and capping and conduit pipe as per requirement at each station, other materials from stores supplied by Railways for installation. (Conduit pipe/ casing and capping, aluminum runway ladder and all other miscellaneous materials should be supplied by the contractor)	Set	2.00	22685.82	45371.64
31	31	Supply of straight joint enclosure [SJC] complete with all accessories of 48 Fiber OFC and splicing of 2 X 48 Fiber OFC in joint as per RDSO/SPN/TC/68/2025, Rev. 2.0 or latest	Numbers	24.00	18837.65	452103.60
					Total	13186847.93

4. ELIGIBILITY CONDITIONS

Special Financial Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	The tenderer must have minimum average annual contractual turnover of V/N or 'V' whichever is less, where V= Advertised value of the tender in crores of Rupees N=Number of years prescribed for completion of work for which bids have been invited. The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years, as per the audited balance sheet. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover. The tenderers shall submit requisite information as per Annexure-VIB, along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet.	No	No	Allowed (Mandatory)
1.1	Audited Balance sheet as per above description along with information as per Annexure- VIB (of GCC) to be enclosed.	No	No	Allowed (Mandatory)

Special Technical Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
-------	-------------	-----------------------	-----------------	---------------------

**RATLAM DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SnT-RTM-26-Tele-11

Closing Date/Time: 30/06/2026 15:00

1	(a) The tenderer must have successfully completed or substantially completed any of the following during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: Three similar works costing not less than the amount equal to 30% of advertised value of the tender, or two similar works costing not less than the amount equal to 40% of advertised value of the tender, or One similar work costing not less than the amount equal to 60% of advertised value of the tender. (b) (i) In case of composite works (e.g. works involving more than one distinct component, such as Civil Engineering works, S&T works, Electrical works, OHE works etc. and in the case of major bridges substructure, superstructure etc.), tenderer must have successfully completed any of the following during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: Three similar works costing not less than the amount equal to 30% of advertised value of each component of tender, or Two similar works costing not less than the amount equal to 40% of advertised value of each component of tender, or One similar work costing not less than the amount equal to 60% of advertised value of each component of tender. Note: Separate completed works of minimum required values shall also be considered for fulfillment of technical eligibility criteria for different components.	No	No	Allowed (Mandatory)
1.1	The similar nature of the work is defined as: "Any work of networking with IP based MPLS technology including NMS."	No	No	Allowed (Mandatory)

Bidders shall confirm and certify on the behalf of the tenderer including its constituents as under:

S.No.	Description
1	I/we the tenderer (s) am/are signing this document after carefully reading the contents.
2	I/We the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof.
3	I/we hereby declare that I/we have downloaded the tender documents from Indian Railway website www.ireps.gov.in . I/we have verified the content of the document from the website and there is no addition, no deletion or no alteration to the content of the tender document. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of work or final payment of the contract, the master copy available with the railway Administration shall be final and binding upon me/us.
4	I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements.
5	I/We also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us.
6	I/We declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us.
7	I/we certify that I/we the tenderer(s) is/are not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a HUF/ member of the partnership firm/LLP/JV/Society/Trust.
8	I/we understand that if the contents of the certificate submitted by us are found to be forged/false at any time during process for evaluation of tenders, it shall lead to forfeiture of the Bid Security and may also lead to any other action provided in the contract including banning of business for a period of upto two year. Further, I/we and all my/our constituents understand that my/our offer shall be summarily rejected.
9	I/we also understand that if the contents of the certificate submitted by us are found to be false/forged at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of Bid Security/Security Deposit and Performance guarantee and may also lead to any other action provided in the contract including banning of business for a period of upto two year.
10	I/We have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India and certify that I am/We are not from such a country or, if from such a country, have been registered with the competent Authority. I/We hereby certify that I/we fulfil all the requirements in this regard and am/are eligible to be considered (evidence of valid registration by the competent authority is enclosed)

Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.

S.No.	Description
1	Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. Please submit a certificate in the prescribed format (please download the format from the link given below). Non submission of the certificate, or submission of certificate either not properly filled in, or in a format other than the prescribed format shall lead to summary rejection of your offer. (Click here to download the Format of Self Certification)

5. COMPLIANCE

**RATLAM DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SnT-RTM-26-Tele-11

Closing Date/Time: 30/06/2026 15:00

Commercial-Compliance

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	No	Yes	Allowed (Optional)

Technical-Compliances

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	The tenderer whether sole proprietor / a company or a partnership firm / joint venture (JV) / registered society /registered Trust / HUF / LLP etc if they want to act through agent or individual partner(s), should submit along with the tender, a copy of power of attorney duly stamped and authenticated by a Notary Public or by Magistrate in favour of the specific person whether he/they be partner(s) of the firm or any other person, specifically authorizing him/them to sign the tender, submit the tender and further to deal with the Tender/ Contract up to the stage of signing the agreement except in case where such specific person is authorized for above purposes through a provision made in the partnership deed / Memorandum of Understanding / Article of Association /Board resolution, failing which tender shall be summarily rejected. Note:- Power of attorney on non-judicial stamp paper as per MP state stamp duty.	Yes	Yes	Allowed (Mandatory)
2	The tenderer shall clearly specify whether the tender is submitted on his own (Proprietary Firm) or on behalf of a Partnership Firm / Company /Joint Venture (JV) /Registered Society /Registered Trust / Hindu Undivided Family(HUF)/Limited Liability Partnership (LLP) etc. The tenderer(s)shall enclose the attested copies of the constitution of their concern, and copy of PAN Card along with their tender. Tender Documents in such cases are to be signed by such persons as may be legally competent to sign them on behalf of the firm, company, association, trust or society, as the case may be as follows:	Yes	Yes	Allowed (Mandatory)
2.1	a)Sole Proprietorship Firm: (i)The tenderer(s) shall enclose the attested copies of the constitution of Firm. (ii)Copy of PAN Card along with their tender.	Yes	Yes	Allowed (Optional)
2.1.1	(iii) All documents in terms of Para 10of the Tender Form (Second Sheet).	Yes	Yes	Allowed (Optional)
2.2	(b)HUF: (i)A copy of notarized affidavit on Stamp Paper declaring that he who is submitting the tender on behalf of HUF is in the position of 'Karta' of Hindu Undivided Family (HUF) and he has the authority, and consent given by other members to act on behalf of HUF.	Yes	Yes	Allowed (Optional)
2.2.1	(ii) All documents in terms of Para 10of the Tender Form (Second Sheet).	Yes	Yes	Allowed (Optional)
2.3	(c) Partnership Firm: (i) All documents as mentioned in para 18 of the Tender Form (Second Sheet) of GCC. (ii) The tenderer (s) shall enclose the A notarized copy of the Partnership Deed or a copy of the Partnership deed/partnership firm agreement registered with the Registrar. (iii)Copy of PAN Card of partnership firm along with their tender. (iv)A notarized or registered copy of Power of Attorney in favour of the individual to tender for the work, sign the agreement etc. and create liability against the firm. (v)An undertaking by all partners of the partnership firm that they are not blacklisted or debarred by Railways or any other Ministry/ Department of the Govt. of India from participation intenders /contracts as on the date of submission of bids, either in their individual capacity or in any firm/LLP in which they were /are partners/members.	Yes	Yes	Allowed (Optional)
2.3.1	(vi) All documents in terms of Para 10of the Tender Form (Second Sheet).	Yes	Yes	Allowed (Optional)

**RATLAM DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SnT-RTM-26-Tele-11

Closing Date/Time: 30/06/2026 15:00

2.4	(d) Company registered under Companies Act 2013: (i) The copies of MOA (Memorandum of Association)/ AOA (Articles of Association) of the company (ii) A copy of Certificate of Incorporation (iii)A copy of Authorization/Power of Attorney issued by the Company (backed by the resolution of Board of Directors) in favour of the individual to sign the tender on behalf of the company and create liability against the company.	Yes	Yes	Allowed (Optional)
2.4.1	(iv) All documents in terms of Para 10of the Tender Form (Second Sheet).	Yes	Yes	Allowed (Optional)
2.5	(e) LLP (Limited Liability Partnership): (i) A copy of LLP Agreement , (ii) A copy of Certificate of Incorporation , (iii) A copy of Power of Attorney / Authorization issued by the LLP in favour of the individual to sign the tender on behalf of the LLP and create liability against the LLP, (iv)An undertaking by all partners of the LLP that they are not blacklisted or debarred by Railways or any other Ministry/ Department of the Govt. of India from participation in tenders / contracts as on the date of submission of bids, either in their individual capacity or in any firm/LLP or JV in which they were / are partners/members. Concealment/wrong information in regard to above shall make the contract liable for determination under Clause 62 of the Standard General Conditions of Contract.	Yes	Yes	Allowed (Optional)
2.5.1	(v) All documents in terms of Para 10of the Tender Form (Second Sheet).	Yes	Yes	Allowed (Optional)
2.6	(f)Registered Society &Registered Trust: (i)A copy of Certificate of Registration (ii)A copy of Memorandum of Association of Society/Trust Deed (iii)A copy of Power of Attorney in favour of the individual to sign the tender documents and create liability against the Society/Trust. (iv)A copy of Rules & Regulations of the Society.	Yes	Yes	Allowed (Optional)
2.6.1	(v) All documents in terms of Para 10of the Tender Form (Second Sheet).	Yes	Yes	Allowed (Optional)
3	Please submit a certificate in the prescribed format {As per ANNEXURE-V & Annexure -VA (if applicable) of Tender Documents} for verification /confirmation of the documents submitted for compliance of eligibility / qualifying criteria. Non submission of the certificate, or submission of certificate either not properly filled in, or in a format other than the prescribed format shall lead to summary rejection of your offer.	Yes	Yes	Allowed (Mandatory)
4	Information as per Para 16 of GCC Part (1) (Tender form second sheet Annex I) related to Employment/Partnership Etc. of Retired Railway Employees and clauses 59 (9) & 62 (1)(xv) to GCC regarding employment etc. Of retired government officers by railway contractors".	Yes	Yes	Allowed (Mandatory)
4.1	Certificate of Information regarding EMPLOYMENT/PARTNERSHIP etc. of Retired Railway Employees with the tender as per the attached proforma,Annexure XIX of tender document.	Yes	Yes	Allowed (Optional)
4.2	Document :- Certificate of NO RELATIVE being an employee of Western Railway as per attached Performa Annexure XVIII of Tender document.	Yes	Yes	Allowed (Optional)

Undertakings

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	I/We have read the tender notice (NIT)detail,schedule of material and works and Tender document along with all the conditions attached/referred to, in this tender document and agree to abide by the said conditions.	No	No	Not Allowed
2	It is certified that i am the authorised person to represent the firm and i am authorised to sign the tender and all the document on behalf of the firm.	No	No	Not Allowed
3	I/We hereby agree to abide by the indian Railway Standard General Condition of contract (GCC) with all correction slip up to date and to carry out the work according to the special conditions of contract and specification of material and works as laid down by Railway as mentioned in the tender document.	No	No	Not Allowed

**RATLAM DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SnT-RTM-26-Tele-11

Closing Date/Time: 30/06/2026 15:00

6. Documents attached with tender

S.No.	Document Name	Document Description
1	SpecialConditionFinalUploadDt250526.pdf	Special Condions
2	FirstSecondsheetFinalUploadDt250526.pdf	First and Second sheets
3	TECNICALSPECIFICATIONMPLSNOCdt120526.pdf	Tech Specs
4	VariousformatfinalUploadDt250526.pdf	Various formats
5	TANMPLS.pdf	TAN MPLS
6	TANEarthDt040725.pdf	TAN Earth
7	CCESirLetterdt101023for4x48OFC.pdf	CCE Sir Letter OFC

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

Signed By: DIVYA PAREEK

Designation : DSTE/SPL/W/RTM