

**MUMBAI CENTRAL DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SG_216_2_155_WA_PH31

Closing Date/Time: 10/06/2026 15:00

Sr.DSTE/BCT acting for and on behalf of The President of India invites E-Tenders against Tender No **SG_216_2_155_WA_PH31** Closing Date/Time 10/06/2026 15:00 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

1. NIT HEADER

Name of Work	Signal & Telecom work in connection with (1)Joravasan - Surat Section - CTR(P) - 14.624 TKM for Passenger Loops (2)Virar - Joravasan - TRR(P) - 13.405 TKM for passenger loops (3) Providing RGM Siding facilities at Gholvad, Billimora, Sachin, Bhestan & Surat of Mumbai Division.		
Bidding type	Normal Tender		
Tender Type	Open	Bidding System	Single Packet System
Tender Closing Date Time	10/06/2026 15:00	Date Time Of Uploading Tender	13/05/2026 15:49
Pre-Bid Conference Required	No	Pre-Bid Conference Date Time	Not Applicable
Advertised Value	15096933.26	Tendering Section	SIG/NORTH
Bidding Style	Single Rate for Tender	Bidding Unit	Above/Below/Par
Earnest Money (Rs.)	301900.00	Validity of Offer (Days)	60
Tender Doc. Cost (Rs.)	0.00	Period of Completion	6 Months
Contract Type	Works - General	Contract Category	Expenditure
Bidding Start Date	27/05/2026		
Are JV allowed to bid	No	Number of JV Member Allowed	0
Are Consortium allowed to bid	No	Number of Consortium Member Allowed	0
Ranking Order For Bids	Lowest to Highest	Expenditure Type	Capital (Works)

2. SCHEDULE

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () A-Joravasan -Surat Section-CTR(P)-14.624 TKM for Passenger Loops. (IRPSM Id 15.03.31.25.3.52.009)							6694950.08	
1	Please see Item Breakup for details.				3981049.74	AT Par	3981049.74	
	Description:- Signal- Supply Portion							
2	Please see Item Breakup for details.				863358.14	AT Par	863358.14	
	Description:- Telecom-Supply Portion							
3	Please see Item Breakup for details.				1850542.20	AT Par	1850542.20	
	Description:- Execution Portion							
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () B-Virar-Joravasan -TRR(P)-13.405 TKM for passenger loops.(IRPSM Id 15.03.31.25.3.52.010)							6112227.34	
1	Please see Item Breakup for details.				3641286.79	AT Par	3641286.79	
	Description:- Signal- Supply Portion							
2	Please see Item Breakup for details.				629435.45	AT Par	629435.45	
	Description:- Telecom-Supply Portion							
3	Please see Item Breakup for details.				1841505.10	AT Par	1841505.10	
	Description:- Execution Portion							
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () C-Providing RGM Siding facilities at Golvad, Billimora, Sachin, Bhestan & Surat.(IRPSM ID : 15.03.31.25.3.52.016)							2289755.84	
1	Please see Item Breakup for details.				658971.72	AT Par	658971.72	
	Description:- Telecom-Supply Portion							

**MUMBAI CENTRAL DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SG_216_2_155_WA_PH31

Closing Date/Time: 10/06/2026 15:00

2	Please see Item Breakup for details.	1630784.12	AT Par	1630784.12
Description:- Telecom-Execution Portion				

3. ITEM BREAKUP

Schedule	Schedule A-Joravasani -Surat Section-CTR(P)-14.624 TKM for Passenger Loops.(IRPSM Id 15.03.31.25.3.52.009)					
Item- 1	Signal- Supply Portion					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
1	1	G.I. Bonding wire soft for track circuit bonding 8 S.W.G. (4mm Dia.) or as per instructions of Engineer In-Charge.	Kg	500.00	68.17	34085.00
2	2	Channel Pins MS(Galvanized) single roove, 7 mm suitable for 4mm dia bonding wire as per spec No IRS S 17 & RDSO Drg No. S-69/M.	Numbers	2000.00	6.04	12080.00
3	3	Drill bits 7.2 mm or as per instructions of Engineer In-Charge.	Numbers	250.00	89.84	22460.00
4	4	Copper Lugs 16 to 25 Sqmm for power cable or as per instructions of Engineer In-Charge.	Numbers	500.00	9.55	4775.00
5	5	Maintenance Free Earth Electrode of length 3m, including supply of 3bags of Earth enhancement material for earthing (10KGs/bag) for each electrode & other accessories as per Drg. No. SDO/RDSO/E&B/001 and RDSO Spec No. RDSO/SPN/197/2008. This item includes the following items: (a) Copper bonded steel earth electrode of 3.0 meter long & 17.2mm dia with Cu-bonding thickness of min 250micron - 1 no. (b) Earth-enhancing compound (10Kg/Bag) - 3 No. (c) Cu-strip 200 X 25 X 6 mm to terminate earth rod = 1 no. (d) Cu-strip 300 X 25 X 6 mm (MEEB) = 1 no. (e) Cu-strip 150 X 25 X 6mm (SEEB) = 1 no. (Inspection by RDSO)	Numbers	20.00	10403.08	208061.60
6	6	Point insulation Complete set as per RDSO Specification IRS: S-40/84 for Switch racket, Split-Stretcher bar & Gauge tie plates (52 Kg/60Kg as per site requirement)	Numbers	50.00	1345.93	67296.50
7	7	PVC tube for bootleg outside dia 15mm, inside dia 11mm thickness 2 mm 50 mtrs each coil or or as per instructions of Engineer In-Charge.	Metre	1000.00	8.62	8620.00
8	8	SS taper pin (stud) 15mm dia/65mm long with one plain washer, one spring washer & two nuts for siemens AFTCas per drg no: DRM/SG/942.	Numbers	200.00	185.20	37040.00
9	9	Supply of HSS drill tapper shunk size 12 mm, Length 233 mm or as per instructions of Engineer In-Charge.	Numbers	200.00	548.87	109774.00
10	10	Supply of HSS drill tapper parallel shunk size 16 mm as per ISI 5101 or as per instructions of Engineer In-Charge.	Numbers	200.00	576.03	115206.00
11	11	Rail mounting accessoris for AFTC connecting 02 nos M-6 tapper pin (Stainless steel) each pin consist with 03 plan washer 01 spring 02 nos nut, 01 Nynol nut & 01 L plate as per drg S&T /BL -600 , HSN code-7318.	Numbers	200.00	100.74	20148.00
12	12	Modified Housing for trackside connection with 2 Locks key, Model ACM 200 for SIEMENS make MSDAC.	Numbers	20.00	7379.13	147582.60
13	13	Housing for Trackside Connection with GI pipe and base, Model AzS 350U. for SIEMENS make MSDAC.	Numbers	20.00	12343.27	246865.40
14	14	Reduction plate 60 kg for SIEMENS make MSDAC.	Numbers	25.00	1972.24	49306.00

**MUMBAI CENTRAL DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SG_216_2_155_WA_PH31

Closing Date/Time: 10/06/2026 15:00

15	15	Rail deflector for SIEMENS make MSDAC.	Numbers	25.00	12578.06	314451.50
16	16	L-Sensor Clamp for SIEMENS make MSDAC.	Numbers	20.00	939.16	18783.20
17	17	Earthing Stud for SIEMENS make MSDAC.	Numbers	20.00	3662.73	73254.60
18	18	Outdoor Lightning Protection Module (LPD), Model AzS 350U. for SIEMENS make MSDAC.	Numbers	10.00	22808.22	228082.20
19	19	Switch Plate lubricant Cenolube 100 or better NLGI 1.5 GRADE Black colored Grease which should be non asphaltic Non bituminous blend of very heavy oils, inert thickeners and lubricating solids coupled with molybdenum disulfide and graphite with no traces of chlorinated solvent such as 1,1,1 trichloroethane which are flammable and harmful to the environment. Should have a blend of select high viscosity index solvent refined severely hydrofinished paraffin base oils and synthetic base fluids. It should incorporate solid lubricants & additives to fill & lubricate micronized asperities to provide & form many films on the contact surfaces to prevent metal-to-metal contact. It shall be designed to be hand applied providing a tough adherent Lubricant film with Tacky semi-dry finish reducing contaminant adhesion. It should act as a SURFACE POLISH with high shear stability and UV protection. The grease Should Not form a difficult to remove thick DRY film which requires scrapping & solvent cleaning of Switch Plate specially before reapplication The grease should Not need Cleaning or scrapping before Reapplication. The Grease should be formulated for tropical climates and should not contain pour point depressants and should Not be too thin. The grease shall be Resistant to water wash off & dilution, water insoluble, non-melt and chemically resistant to exposed environment. The grease shall be formulated with Extreme Pressure additives, rust and corrosion inhibitors, anti-wear additives to protect external surfaces against the harsh elements in severe climates, thus reducing rust binding and adhesive wear on switch plates. Water washout-Excellent (ASTMD1264) <1% ASTM D4049 -water Spray Resistance (simulating rain). Minimal grease loss (<10%) under high-pressure water spray.(ASTM G154)- UV Resistance (Fluorescent UV Light Exposure-Gloss retention of 90% or higher after 1,000-2,000 hours of exposure. Four Ball Weld LOAD (ASTM- D2596) >600 Kg, Copper corrosion 24 hrs. @ 100c (ASTM D 4048) 1a -1b,(ASTM D4289) - Compatibility with Rubber Seals Minimal swelling (<5% change in volume). No softening or hardening (<10% change in hardness). No cracking or surface degradation. packing /25kg Drum. /180 kg drum Inspection by RITES with GCTC from NABL accredited lab .	Kg	100.00	4900.00	490000.00

**MUMBAI CENTRAL DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SG_216_2_155_WA_PH31

Closing Date/Time: 10/06/2026 15:00

20	20	Supply of Nylon Insulation for Thick Web point machine, consist of Insulating. (1) plate- 02 Nos . as per RDSO Drg. No-S-34041(2) Nylon Insulation bush-8 Nos , as per RDSO Drg. No- (a) S32199-04 Nos . (b) S-8813-04 Nos , (3) Nylon Insulation Washer 08 Nos, as per RDSO Drg. No. (a) S8640/1-04 Nos . (b) S-8640- 04 Nos. 2) Through rod Insulation = 1 no Bush(RDSO Drg No. CSE8640/1, 2 nos Washers (CSE8640/2) 3) Lock slideInsulation -2 nos Bushes (RDSO Drg No- CSE 8640/A) 4 nos Washers (RDSODrg No. CSE-8640/1). 4) Detection slide insulation =2 nos Bushes (RDSO Drgno. 8641/A), 4 nos Washers (RDSO Drg No-8640/1). 5) SSD Insulation Rod =1no. Plate (RDSO Drg No S325/M), 2 nos . Bushes (RDSO Drg No-T10372), 4nos. Washers (RDSO Drg No T-10371). 6) SSD Insulation in Rail 1 no . Washer(RDSO Drg No washer : S8640) 1 no Bush (RDSO Drg No S8641/A) 7) Pbracket Insulation :- Insulation Plate 01 (RH) RDSO Drg No: S3265 Insulation Plate = 01 No (LH) RDSO Drg no. S3266 , Insulation Bushes=04 nos. RDSO Drgno S23199 Insulation Washer : 04 nos . RDSO Drg no. S8640.	Set	25.00	995.92	24898.00
21	21	Ground connections, complete set suitable for IRS type / approved point Machine for ordinary turnout with tongue attachment insulation and other insulation as per RDSO Drg. S/3361@47>47@63 (for IRS type point machine) with latest amendments. However the ground connection shall be procured only after confirmation from Railway engineer as per site condition /type of machine/turnout.	Set	10.00	8881.48	88814.80
22	22	Ground connections, complete set suitable for IRS type/approved TWS point Machine 220mm with hot dip galvanised.	Set	10.00	44326.00	443260.00
23	23	Contractor Unit Assly CU Base Assly 851241034-S, RDSO Drg.No. RDSO/S 10911, CG Drg.No.CHS-10911.	Numbers	10.00	12155.42	121554.20
24	24	Transparent cover sub assembly complete with Cover support LH RH, 853087001-S as per RDSO, approved CG drg. No. CSQ-10920 10915.	Numbers	10.00	368.16	3681.60
25	25	Terminal Bank Assembly complete, 855032009-S as per RDSO, approved CG Drg. No.CPME-1124	Numbers	10.00	1963.52	19635.20
26	26	Waterproof Galvanized MAIN COVER ASSEMBLY complete spare for POINT Machine comprising of Main cover, CRANK HANDLE HOLE SUB. ASSY, KEY HOLE LOCK SUB. ASSY, DOOR LOCK, RUBBER GASKET of MAIN COVER ASSY, Rubber GASKET (C.H. HOLE LOCK ASSY.), CRANK HANDLE HOLE LOCK BASE, CRANK HANDLE HOLE LOCK LID, PIN (for C.H. HOLE LOCK S/A), RUBBER GASKET (C.H. HOLE LOCK ASSY. LOCKING CAM, KEY code 856051010-s along with Fixing material to trap accumulated air as per Drg no R-ST- 12161, modification in cover as per consignee requirement. Thickness of cover material:- 2mm, galvanizing and power coating shall be done on cover. (Inspection Agency-RITIES/Consignee)	Set	10.00	17211.48	172114.80
27	27	Supply of Digital Insulation Tester 100V/250V/500V range of Model Rish insu 20 Make :RISHABH or MECO or similar.	Numbers	2.00	8240.40	16480.80

**MUMBAI CENTRAL DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SG_216_2_155_WA_PH31

Closing Date/Time: 10/06/2026 15:00

28	28	Digital Multimeter of Fluke 287 Industrial, True RMS with temperature, Analog bar graph, Digital display, Backlight, 1000V AC/DC, measure up to 10A, 20A for up to 30 seconds or Superior.	Numbers	2.00	44774.52	89549.04
29	29	Digital low current clamp meter to measure current leaks (parasitic draw down to 1 mA) and electric loads from 1mA to 100 Amp AC/DC, Voltages from 0 to 600V AC/DC, small jaw size to measure current in signalling circuit, 4 digit display. Make -Fluke, GTC/KEW, Scope or superior with better specification as mentioned with all accessories like test lead, batteries and carrying case, sample may be got approved from consignee before supply.	Numbers	2.00	18194.34	36388.68
30	30	Professional AC/DC clamp meter 3 ¾ digit, true RMS measurement, For Measurement of DC/AC currents up to 1000A, Voltage up to 600V, resistance up to 40 M, and frequency up to 1 MHz with a set of leads & carrying case. Model - DCM39A or equivalent/ higher make Motwane /Stanley /Fluke/ Megger.	Numbers	2.00	12853.59	25707.18
31	31	Hand Operated Hydraulic crimping tool with die sets of capacity from 16 sq.mm to 400 Sq.mm and carry bag for transportation ACCEPTED MAKE/BRAND Voltz and similar(Warranty Period : Upto 30 months from the date of supply)	Numbers	2.00	5935.40	11870.80
32	32	Supply of Digital Earth Resistance tester three terminal type with LED display, 1999 count, KOICO model 5600 or any reputed make approved by engineer in-charge.	Numbers	2.00	13356.84	26713.68
33	33	Supply of Standard Tools set.	Set	2.00	35317.28	70634.56
34	34	Road Measuring Cycle, made of Aluminum with 05 digit counter, foldable with the bag.	Numbers	2.00	4515.84	9031.68
35	35	Radio detection Precision Pipe and Cable locator / Route tracer Brand: Radiodetection (Detailed Description/Specification as per Product # 1 of GeM Contract No. GEMC-511687782278007 dt.21/02/2025)	Numbers	1.00	499995.00	499995.00
36	36	Battery operated Rail core drilling machine with quick action clamping system on track along with 18 mm TCT rail core drill. Maximum core cutting capacity 36 mm, rated speed 250/450 RPM.Battery type Lion, Battery voltage 50V, battery pack capacity 4AH. Number of batteries supplied- 2 Nos with suitable charger 1 no. Special designed pressurized internal spindle cooling to give maximum life of core cutter by avoiding heating. 3 sets of 22, 13, 16, 7.2 gauze drills adapters to be provided along with the machine. Weight of the machine 18.5 kgs maximum. Make- Eibenstok, Bosch, KPT with all accessories suitable for the Railway Signalling and along with carrying case.	Numbers	1.00	112848.12	112848.12
					Total	3981049.74
Item- 2	Telecom-Supply Portion					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
1	1	Supply of Optical Time Domain Reflectometer (OTDR) as per TEC Spec No.:TEC/GR/TX/OTD001/05/SEP-19 or latest. Make-Yokogawa/ Fuzikura/Sumimoto or similar.	Numbers	2.00	197756.38	395512.76
2	2	Supply of Splicing Machine as per specification.	Numbers	2.00	203065.64	406131.28

**MUMBAI CENTRAL DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SG_216_2_155_WA_PH31

Closing Date/Time: 10/06/2026 15:00

3	3	Supply of hand held optical power meter as per specification.	Numbers	2.00	30857.05	61714.10
					Total	863358.14
Item- 3	Execution Portion					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
1	1	Drilling of holes of different sizes in rails 7.2mm/12mm/16mm/22mm as per instructions of Railway Engineer incharge.	Numbers	1000.00	35.33	35330.00
2	2	Drilling of holes(6 to 25 mm) as per instruction of Engineer in-charge.	Numbers	1000.00	183.36	183360.00
3	3	Fixing of Electrical point machine on the extended sleepers at points as per standard practice and as per RDSO Drg. No. S/3454 Alt-A (TWS) per section of rail used. All material required for installation such as Point machine, Ground Connection , nut bolts washer Glpipers, terminals and any other material will be supplied by railway.	Numbers	20.00	28347.26	566945.20
4	4	Refixing of electrical point machine, ground connection during phase working (Non interlocked working) after removing the existing fitting if any, adjustment if necessary, cable termination, wiring , testing and commissioning of electrically operated point, fixing and connecting point indicator on derail switch if necessary. The work shall be done as per extant practice on WR & the instruction of Railway Engineer at site	Turn-out	10.00	3349.12	33491.20
5	5	Maintenance of Track mounted equipments like S&T fitting on turn outs including different activities during BCM/TTM/TRR works as follows:- Specially opening and refixing of DC-TC jumpers/AFTC jumpers / Axle counter, transducers during different Engg. works Opening of DC-TC /AFTC jumpers /axle counter transducers digging work from rail to TLJB /TMU /0 bond /location is required to be done as per site requirement also after refixing of DC-TC /AFTC jumpers /Axle counter transducers needs to be buried in proper depth. It includes drilling hole in rail as per site requirement. The team to be provided for this work should comprise of : Fitter- 1 Nos., Blacksmith 1 Nos. Mason/Carpenter- 1 No. and Helpers-5 Nos. also it include any work of EOLB or sliding boom and earthing arrangement of Signalling gears. Any other work as per instruction of Railway Engineer. All T&P & Jigs required to execute the work will be supplied by the contractor.	Job	100.00	6775.78	677578.00

**MUMBAI CENTRAL DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SG_216_2_155_WA_PH31

Closing Date/Time: 10/06/2026 15:00

6	6	Complete works associated to Track mounted equipment's of S&T department during machine working on tracks. The activity mainly consists of: 1. Specially opening of point machine ground connections before the arrival of machine at said location during block working. 2. Securing the Track circuit jumpers/Audio frequency track circuit jumpers / Axle counter/Point machine, transducers cables from rail to TLJB /TMU location during machine working in block duration. 3. Refixing of point machine with new ground connections on completion of the machine working to re-function the S&T gears in normal condition at the said location during block working. Any adjustment on both sides i.e. Normal and Reverse position in point required to normalise the block should be ensured by the contractor. Note: The location of working will be informed at least a day in advance by site engineer. All T&P & Jigs required to execute the work will be supplied by the contractor. " (Unit may be read as Per day)	Day	20.00	13582.80	271656.00
7	7	Skilled man power to be provided by contractor for Engg. JCBs working to provide marking & supervisory work for the S&T cables during digging work by JCB's and repairing /restoring/jointing of cables, if damaged Cables & Joints Material will be provided by railway. While Chuna marking will be done by his/her Chuna will provided by contractor information for deputing skilled man power for above work will be provided by Railway Engineer incharge before 24 hours from commencement of digging by JCBs. They will check cables route by Cable route tracer and will do chuna marking and will show the cables (on rough sketch) available in a small length approximate 50-100 meters of digging. Note: Minimum two man will be provided at a time including Cable jointer, they will stay whole time during JCB digging work. (The CV to be got approved by Railway).	Man-Days	75.00	707.28	53046.00
8	8	Installation of Maintenance Free Earth Electrode for Maintenance Free Earth spec of RDSO/SPN/197/2008.	Numbers	20.00	1456.79	29135.80
					Total	1850542.20
Schedule	Schedule B-Virar-Joravasan -TRR(P)-13.405 TKM for passenger loops.(IRPSM Id 15.03.31.25.3.52.010)					
Item- 1	Signal- Supply Portion					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
1	1	G.I. Bonding wire soft for track circuit bonding 8 S.W.G. (4mm Dia.) or as per instructions of Engineer In-Charge.	Kg	600.00	68.17	40902.00
2	2	Channel Pins MS(Galvanized) single roove, 7 mm suitable for 4mm dia bonding wire as per spec No IRS S 17 & RDSO Drg No. S-69/M.	Numbers	1500.00	6.04	9060.00
3	3	Drill bits 7.2 mm or as per instructions of Engineer In-Charge.	Numbers	200.00	89.84	17968.00
4	4	Copper Lugs 16 to 25 Sqmm for power cable or as as per instructions of Engineer In-Charge.	Numbers	200.00	9.55	1910.00

**MUMBAI CENTRAL DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SG_216_2_155_WA_PH31

Closing Date/Time: 10/06/2026 15:00

5	5	Maintenance Free Earth Electrode of length 3m,including supply of 3 bags of Earth enhancement materialfor earthling(10KGs/bag) foreach electrode & other accessories as per Drg.No. SDO / RDSO/E&B/001 andRDSO Spec No. RDSO/SPN/197/2008. This itemincludes thefollowing items: (a)Copper bonded steel earthelectrode of 3.0 meter long &17.2mm dia with Cu-bondingthickness of min250 micron - 1no. (b) Earth-enhancingcompound (10Kg/Bag) - 3 No. (c) Cu-strip200 X 25 X 6 mm to terminateearthrod = 1no. (d) Cu-strip300 X 25 X 6 mm(MEEB) = 1no. (e) Cu-strip 150 X 25 X6mm (SEEB) = 1 no.(Inspection by RDSO)	Kilometre	20.00	10403.08	208061.60
6	6	Point insulation Complete set as per RDSO Specification IRS: S-40/84 for Switch racket, Split-Stretcher bar & Gauge tie plates (52 Kg/60Kg as per site requirement)	Numbers	30.00	1345.93	40377.90
7	7	PVC tube for bootleg outside dia 15mm, inside dia 11mm thickness 2 mm 50 mtrs each coil or as per instructions of Engineer In-Charge.	Metre	600.00	8.62	5172.00
8	8	SS taper pin(stud) 15mm dia/65mm long with one plain was er, one spring washer & two nuts for siemens AFTCas per drg no:DRM/SG/942.	Numbers	150.00	185.20	27780.00
9	9	Supply of HSS drill taper shank size 12 mm, Length 233 mm.	Numbers	150.00	548.87	82330.50
10	10	Supply of HSS drill taper parallel shank size 16 mm as per ISI 5101.	Numbers	150.00	576.03	86404.50
11	11	Rail mounting accessoris for AFTC connecting 02 nos M-6 taper pin (Stainless steel) each pin consist with 03 plan washer 01 spring 02 nos nut, 01 Nynol nut & 01 L plate as per drg S&T /BL -600 , HSN code-7318.	Numbers	300.00	100.74	30222.00
12	12	Modified Housing for trackside connection with 2 Locks key, Model ACM 200 for SIEMENS make MSDAC.	Numbers	15.00	7379.13	110686.95
13	13	Housing for Trackside Connection with GI pipe and base, Model AzS 350U. for SIEMENS make MSDAC.	Numbers	15.00	12343.27	185149.05
14	14	Reduction plate 60 kg for SIEMENS make MSDAC.	Numbers	15.00	1972.24	29583.60
15	15	Rail deflector for SIEMENS make MSDAC.	Numbers	25.00	12578.06	314451.50
16	16	L-Sensor Clamp for SIEMENS make MSDAC.	Numbers	15.00	939.16	14087.40
17	17	Earthing Stud for SIEMENS make MSDAC.	Numbers	15.00	3662.73	54940.95
18	18	Outdoor Lightning Protection Module (LPD), Model AzS 350U. for SIEMENS make MSDAC.	Numbers	5.00	22808.22	114041.10

**MUMBAI CENTRAL DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SG_216_2_155_WA_PH31

Closing Date/Time: 10/06/2026 15:00

19	19	Switch Plate lubricant Cenolube 100 or better NLGI 1.5 GRADE Black colored Grease which should be non asphaltic Non bituminous blend of very heavy oils, inert thickeners and lubricating solids coupled with molybdenum disulfide and graphite with no traces of chlorinated solvent such as 1,1,1 trichloroethane which are flammable and harmful to the environment. Should have a blend of select high viscosity index solvent refined severely hydrofinished paraffin base oils and synthetic base fluids. It should incorporate solid lubricants & additives to fill & lubricate micronized asperities to provide & form many films on the contact surfaces to prevent metal-to-metal contact. It shall be designed to be hand applied providing a tough adherent Lubricant film with Tacky semi-dry finish reducing contaminant adhesion. It should act as a SURFACE POLISH with high shear stability and UV protection. The grease Should Not form a difficult to remove thick DRY film which requires scrapping & solvent cleaning of Switch Plate specially before reapplication The grease should Not need Cleaning or scrapping before Reapplication. The Grease should be formulated for tropical climates and should not contain pour point depressants and should Not be too thin. The grease shall be Resistant to water wash off & dilution, water insoluble, non-melt and chemically resistant to exposed environment. The grease shall be formulated with Extreme Pressure additives, rust and corrosion inhibitors, anti-wear additives to protect external surfaces against the harsh elements in severe climates, thus reducing rust binding and adhesive wear on switch plates. Water washout-Excellent (ASTMD1264) <1% ASTM D4049 -water Spray Resistance (simulating rain). Minimal grease loss (<10%) under high-pressure water spray.(ASTM G154)- UV Resistance (Fluorescent UV Light Exposure- Gloss retention of 90% or higher after 1,000-2,000 hours of exposure. Four Ball Weld LOAD (ASTM- D2596) >600 Kg, Copper corrosion 24 hrs. @ 100c (ASTM D 4048) 1a -1b,(ASTM D4289) - Compatibility with Rubber Seals Minimal swelling (<5% change in volume). No softening or hardening (<10% change in hardness). No cracking or surface degradation. packing /25kg Drum. /180 kg drum Inspection by RITES with GCTC from NABL accredited lab .	Kg	100.00	4900.00	490000.00
----	----	--	----	--------	---------	-----------

**MUMBAI CENTRAL DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SG_216_2_155_WA_PH31

Closing Date/Time: 10/06/2026 15:00

20	20	Supply of Nylon Insulation for Thick Web point machine, consist of Insulating. (1) plate- 02 Nos . as per RDSO Drg. No-S-34041(2) Nylon Insulation bush-8 Nos , as per RDSO Drg. No- (a) S32199-04 Nos . (b) S-8813-04 Nos , (3) Nylon Insulation Washer 08 Nos, as per RDSO Drg. No. (a) S8640/1-04 Nos . (b) S-8640- 04 Nos. 2) Through rod Insulation = 1 no Bush(RDSO Drg No. CSE8640/1, 2 nos Washers (CSE8640/2) 3) Lock slideInsulation -2 nos Bushes (RDSO Drg No- CSE 8640/A) 4 nos Washers (RDSODrg No. CSE-8640/1). 4) Detection slide insulation =2 nos Bushes (RDSO Drgno. 8641/A), 4 nos Washers (RDSO Drg No-8640/1). 5) SSD Insulation Rod =1no. Plate (RDSO Drg No S325/M), 2 nos . Bushes (RDSO Drg No-T10372), 4nos. Washers (RDSO Drg No T-10371). 6) SSD Insulation in Rail 1 no . Washer(RDSO Drg No washer : S8640) 1 no Bush (RDSO Drg No S8641/A) 7) Pbracket Insulation :- Insulation Plate 01 (RH) RDSO Drg No: S3265 Insulation Plate = 01 No (LH) RDSO Drg no. S3266 , Insulation Bushes=04 nos. RDSO Drgno S23199 Insulation Washer : 04 nos . RDSO Drg no. S8640.	Set	30.00	995.92	29877.60
21	21	Ground connections, complete set suitable for IRS type / approved point Machine for ordinary turnout with tongue attachment insulation and other insulation as per RDSO Drg. S/3361@47>47@63 (for IRS type point machine) with latest amendments. However the ground connection shall be procured only after confirmation from Railway engineer as per site condition /type of machine/turnout.	Set	10.00	8881.48	88814.80
22	22	Ground connections, complete set suitable for IRS type/approved TWS point Machine 220mm with hot dip galvanised.	Set	10.00	44326.00	443260.00
23	23	Contractor Unit Assly CU Base Assly 851241034-S, RDSO Drg.No. RDSO/S 10911, CG Drg.No.CHS-10911.	Numbers	10.00	12155.42	121554.20
24	24	Transparent cover sub assembly complete with Cover support LH RH, 853087001-S as per RDSO, approved CG drg. No. CSQ-10920 10915.	Numbers	10.00	368.16	3681.60
25	25	Terminal Bank Assembly complete, 855032009-S as per RDSO, approved CG Drg. No.CPME-1124.	Numbers	10.00	1963.52	19635.20
26	26	Waterproof Galvanized MAIN COVER ASSEMBLY complete spare for POINT Machine comprising of Main cover, CRANK HANDLE HOLE SUB. ASSY, KEY HOLE LOCK SUB. ASSY, DOOR LOCK, RUBBER GASKET of MAIN COVER ASSY, Rubber GASKET (C.H. HOLE LOCK ASSY.), CRANK HANDLE HOLE LOCK BASE, CRANK HANDLE HOLE LOCK LID, PIN (for C.H. HOLE LOCK S/A), RUBBER GASKET (C.H. HOLE LOCK ASSY. LOCKING CAM, KEY code 856051010-s along with Fixing material to trap accumulated air as per Drg no R-ST- 12161, modification in cover as per consignee requirement. Thickness of cover material:- 2mm, galvanizing and power coating shall be done on cover. (Inspection Agency-RITIES/Consignee)	Set	10.00	17211.48	172114.80
27	27	Supply of Digital Insulation Tester 100V/250V/500V range of Model Rish insu 20 Make :RISHABH or MECO or similar.	Numbers	2.00	8240.40	16480.80

**MUMBAI CENTRAL DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SG_216_2_155_WA_PH31

Closing Date/Time: 10/06/2026 15:00

28	28	Digital Multimeter of Fluke 287 Industrial, True RMS with temperature, Analog bar graph, Digital display, Backlight, 1000V AC/DC, measure up to 10A, 20A for up to 30 seconds or Superior.	Numbers	2.00	44774.52	89549.04
29	29	Digital low current clamp meter to measure current leaks (parasitic draw down to 1 mA) and electric loads from 1mA to 100 Amp AC/DC, Voltages from 0 to 600V AC/DC, small jaw size to measure current in signalling circuit, 4 digit display. Make -Fluke, GTC/KEW, Scope or superior with better specification as mentioned with all accessories like test lead, batteries and carrying case, sample may be got approved from consignee before supply.	Numbers	2.00	18194.34	36388.68
30	30	Professional AC/DC clamp meter 3 ¾ digit, true RMS measurement, For Measurement of DC/AC currents up to 1000A, Voltage up to 600V, resistance up to 40 M, and frequency up to 1 MHz with a set of leads & carrying case. Model - DCM39A or equivalent/ higher make Motwane /Stanley /Fluke/ Megger.	Numbers	2.00	12853.59	25707.18
31	31	Hand Operated Hydraulic crimping tool with die sets of capacity from 16 sq.mm to 400 Sq.mm and carry bag for transportation ACCEPTED MAKE/BRAND ? Voltz and similar(Warranty Period : Upto 30 months from the date of supply)	Numbers	2.00	5935.40	11870.80
32	32	Supply of Digital Earth Resistance tester three terminal type with LED display, 1999 count, KOICO model 5600 or any reputed make approved by engineer in-charge.	Numbers	2.00	13356.84	26713.68
33	33	Supply of Standard Tools set.	Set	2.00	35317.28	70634.56
34	34	Road Measuring Cycle, made of Aluminum with 05 digit counter, foldable with the bag.	Numbers	2.00	4515.84	9031.68
35	35	Radiodetection Precision Pipe and Cable locator / Route tracer Brand: Radiodetection (Detailed Description/Specification as per Product # 1 of GeM Contract No. GEMC-511687782278007 dt.21/02/2025)	Numbers	1.00	499995.00	499995.00
36	36	Battery operated Rail core drilling machine with quick action clamping system on track along with 18 mm TCT rail core drill. Maximum core cutting capacity 36 mm, rated speed 250/450 RPM.Battery type Lion, Battery voltage 50V, battery pack capacity 4AH. Number of batteries supplied- 2 Nos with suitable charger 1 no. Special designed pressurized internal spindle cooling to give maximum life of core cutter by avoiding heating. 3 sets of 22, 13, 16, 7.2 gauze drills adapters to be provided along with the machine. Weight of the machine 18.5 kgs maximum. Make- Eibenstok, Bosch, KPT with all accessories suitable for the Railway Signalling and along with carrying case.	Numbers	1.00	112848.12	112848.12
					Total	3641286.79
Item- 2	Telecom-Supply Portion					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
1	1	Supply of Optical Time Domain Reflectometer (OTDR) as per TEC Spec No.:TEC/GR/TX/OTD001/05/SEP-19 or latest. Make-Yokogawa/ Fuzikura/Sumimoto or similar.	Numbers	2.00	197756.38	395512.76
2	2	Supply of Splicing Machine as per specification.	Numbers	1.00	203065.64	203065.64

**MUMBAI CENTRAL DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SG_216_2_155_WA_PH31

Closing Date/Time: 10/06/2026 15:00

3	3	Supply of hand held optical power meter as per specification.	Numbers	1.00	30857.05	30857.05
					Total	629435.45
Item- 3	Execution Portion					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
1	1	Drilling of holes of different sizes in rails 7.2mm/12mm/16mm/22mm as per instructions of Railway Engineer incharge.	Numbers	600.00	35.33	21198.00
2	2	Drilling of holes(6 to 25 mm) as per instruction of Engineer in-charge	Numbers	600.00	183.36	110016.00
3	3	Fixing of Electrical point machine on the extended sleepers at points as per standard practice and as per RDSO Drg. No. S/3454 Alt-A (TWS) per section of rail used. All material required for installation such as Point machine, Ground Connection , nut bolts washer Glpipers, terminals and any other material will be supplied by railway.	Numbers	15.00	28347.26	425208.90
4	4	Refixing of electrical point machine, ground connection during phase working (Non interlocked working) after removing the existing fitting if any, adjustment if necessary, cable termination, wiring , testing and commissioning of electrically operated point, fixing and connecting point indicator on derail switch if necessary. The work shall be done as per extant practice on WR & the instruction of Railway Engineer at site	Turn-out	15.00	3349.12	50236.80
5	5	Maintenance of Track mounted equipments like S&T fitting on turn outs including different activities during BCM/TTM/TRR works as follows:- Specially opening and refixing of DC-TC jumpers/AFTC jumpers / Axle counter, transducers during different Engg. works Opening of DC-TC /AFTC jumpers /axle counter transducers digging work from rail to TLJB /TMU /0 bond /location is required to be done as per site requirement also after refixing of DC-TC /AFTC jumpers /Axle counter transducers needs to be buried in proper depth. It includes drilling hole in rail as per site requirement. The team to be provided for this work should comprise of : Fitter- 1 Nos., Blacksmith 1 Nos. Mason/Carpenter- 1 No. and Helpers-5 Nos. also it include any work of EOLB or sliding boom and earthing arrangement of Signalling gears. Any other work as per instruction of Railway Engineer. All T&P & Jigs required to execute the work will be supplied by the contractor.	Job	120.00	6775.78	813093.60

**MUMBAI CENTRAL DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SG_216_2_155_WA_PH31

Closing Date/Time: 10/06/2026 15:00

6	6	Complete works associated to Track mounted equipment's of S&T department during machine working on tracks. The activity mainly consists of: 1. Specially opening of point machine ground connections before the arrival of machine at said location during block working. 2. Securing the Track circuit jumpers/Audio frequency track circuit jumpers / Axle counter/Point machine, transducers cables from rail to TLJB /TMU location during machine working in block duration. 3. Refixing of point machine with new ground connections on completion of the machine working to re-function the S&T gears in normal condition at the said location during block working. Any adjustment on both sides i.e. Normal and Reverse position in point required to normalise the block should be ensured by the contractor. Note: The location of working will be informed at least a day in advance by site engineer. All T&P & Jigs required to execute the work will be supplied by the contractor. " (Unit may be read as Per day)	Day	25.00	13582.80	339570.00
7	7	Skilled man power to be provided by contractor for Engg. JCBs working to provide marking & supervisory work for the S&T cables during digging work by JCB's and repairing /restoring/jointing of cables, if damaged Cables & Joints Material will be provided by railway. While Chuna marking will be done by his/her Chuna will provided by contractor information for deputing skilled man power for above work will be provided by Railway Engineer incharge before 24 hours from commencement of digging by JCBs. They will check cables route by Cable route tracer and will do chuna marking and will show the cables (on rough sketch) available in a small length approximate 50-100 meters of digging. Note: Minimum two man will be provided at a time including Cable jointer, they will stay whole time during JCB digging work. (The CV to be got approved by Railway).	Man-Days	75.00	707.28	53046.00
8	8	Installation of Maintenance Free Earth Electrode for Maintenance Free Earth spec of RDSO/SPN/197/2008.	Numbers	20.00	1456.79	29135.80
					Total	1841505.10
Schedule	Schedule C-Providing RGM Siding facilities at Golvad, Billimora, Sachin, Bhestan & Surat.(IRPSM ID : 15.03.31.25.3.52.016)					
Item- 1	Telecom-Supply Portion					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
1	1	Supply of Pre-lubricated HDPE duct, 40 mm OD, 33 ID as per RDSO specification No. RDSO/SPN/TC/45/2013 Rev. 2.0 or latest. The item also includes supply of all the accessories of HDPE duct like end caps, collars, bends, couplers etc. Inspection: (i) RDSO/RITES if value of item in work more than 5 lakhs (ii) Consignee subject to procurement from RDSO approved vendors if value of whole item in work less than 5 lakhs as per extant instructions by Railway Board.	Kilometre	11.00	42930.55	472236.05
2	2	Supply of Fiber Distribution management (FDMS) of 2x24 Fiber as per RDSO specification.	Numbers	2.00	53458.92	106917.84

**MUMBAI CENTRAL DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SG_216_2_155_WA_PH31

Closing Date/Time: 10/06/2026 15:00

3	3	Supply of VF Transformers (2T/3T), 1120/470 Ohms as per RDSO Spec. No. IRS: TC-76-2000 with Amnd. 1 or latest for emergency joints in 6-Quad Cable.	Numbers	4.00	820.27	3281.08
4	4	Supply of Double Walled Corrugated (DWC) HDPE Pipe/duct with associated collars etc. as per RDSO Specification No. RDSO/SPN/204/2011 or latest anti-rodent & anti-oxidant and non flame propagating type in 6 meters straight length and of size 120 mm outer dia,& 103.5 mm inner dia. (The manufacturers, suppliers must produce valid IS license and should be certified under ISO 9000 and shall submit copy of certificate). One of the following coupling arrangements should also be supplied with each pipe as per the site requirement. 1) Suitable snap fit coupler with rubber O-Ring 2) Spacers 3) Tees 4) Bend, 5) End-cap (The total quantity of above items is equal to no. of pipes supplied.) DWC pipe shall be marked at every 1 mtr length in such a way that manufacturer's name, vendor name and year of manufacture can be easily identified.	Numbers	15.00	1597.85	23967.75
5	5	Supply of RCC cable route marker engraved and painted on both side along the route at every 50 meter and route diversion as per Drg. No 4014/00/CC4 or latest/ Stone marker.	Numbers	180.00	292.05	52569.00
					Total	658971.72
Item- 2	Telecom-Execution Portion					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
1	1	Blowing and drawing of OFC through laid HDPE duct as per approved route plan , taking due care while transporting and sealing both ends as per specifiacion.	Metre	11000.00	9.60	105600.00
2	2	Excavation of cable trench as per cable route plan, 1.2 Mtr. deep and of 0.3 Mtr. to 0.6 Mtr. wide at bottom as per RDSO sketch No. SDO/CABLE LAYING/003 or latest alongside the track in normal (all type) soil/strata, conforming to distances as per cable route plan and refilling. This work includes clearing of route from bushes etc, covering of cable laid in trench by loose soil for a layer of 50mm thickness approximately before covering by bricks. The work shall be done as per the extant practice on North Western Railway and instructions of Railway Engineer at site. In case 1.2m depth of trench is not achievable due to site conditions, specific approval of JA grade officer will be required for each site where trench depth of 1.2m is not possible. Without the approval of JA Grade officer, no payment for trenching will be made for trench depth less than 1.2m.	cum	2700.00	243.71	658017.00

**MUMBAI CENTRAL DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SG_216_2_155_WA_PH31

Closing Date/Time: 10/06/2026 15:00

3	3	Horizontal direction drilling/boring without damage of surface road /track using Auger Machine(HDD machine). The bore shall be upto 200 mm dia & shall be done at the depth of minimum 1200 mm from the ground level. The ground level shall be considered ignoring the bank height of the bank of the road. The length of the bore shall be minimum 4 Mtrs long. This include insertion of different dia DWC-HDPE pipe/ GI pipes coupling etc. as per direction of Engineer In charge. Note:- Pipe Supply is not covered under this item. Contactor shall provide all material required for boring and adequate nos. of labours for proper laying of cables into the bore. Cable shall be laid cautiously so that it should not get damage due to rough handling & pressure on cable.	Running Metre	100.00	1068.94	106894.00
4	4	Placing of DWC HDPE/RCC/GI pipes along with collars in trenches at places near track and road, crossings, platform cuttings etc. Inspection: Consignee Inspection Charges: None. Payment Terms: 100% after Execution(Unit is RM running meter.)	Metre	90.00	26.28	2365.20
5	5	Laying of HDPE pipe duct in trenches/GI Pipe/RCC pipe/on wall/on PF, including jointing and levelling using couplers and sealing the section etc as per site requirement as per specification.	Metre	11000.00	10.80	118800.00
6	6	Transportation at site and Installation of RCC cable route marker engraved and painted on both side along the route at every 50 meter and route diversion as per Drg. No 4014/00/CC4 or latest/ Stone marker	Numbers	180.00	73.00	13140.00
7	7	Supply and installation of OFC Joint closure OFC conforming to TEC Spec. and splicing of Optic Fibre Cable' (48 Fibres)and testing of fibre for 1310 :1550 nm. .Inspection: Consignee Inspection Charges: None. PaymentTerms: 80% after supply and rest 20 % after execution.	Numbers	16.00	8775.07	140401.12
8	8	Installation of Fiber distribution management system splicing and termination of 2X24 Fiber cables. As per specification.	Numbers	2.00	5709.10	11418.20
9	9	Supply and execution of Rapid Joint LS3 suitable for cable Jonting of cable of various size, having dielectric strength > 20KV/mm, Non Toxic, low viscosity, Flamability point > 200 C, Re-entrable, Long storage life Make RAYTECH or Similar. Cable size 4/6 Quad	Numbers	12.00	12131.28	145575.36
10	10	Laying of S&T Cables of various cores/ pairs/quads in trenches/ GI pipes/ RCC pipes/ DWC pipes/ Trunking. This also includes laying of cables in track crossings & road crossings. Item includes provision of labels of coloured plastic adhesive tapes or any other identifiable material on each cable to give the cable number at each Gantry Post/hectometer post. (Cables will be meggered before and after its laying by contractor under supervision of Railway Representative and he will submit the meggering report of each testing). Length of the cable laid includes the length of the cable coiled for termination purposes.	Metre	6000.00	8.07	48420.00
11	11	Cement concrete work for miscellaneous items in the ratio 1 : 3 : 6 . Item includes excavation, ramming, curing and plastering with cement & sand mixture (aggregate not exceeding 3.8 cm.) (Aggregate cement & sand to be supplied by the contractor).	cum	10.00	3224.02	32240.20

**MUMBAI CENTRAL DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SG_216_2_155_WA_PH31

Closing Date/Time: 10/06/2026 15:00

12	12	Supply & Installation of OFC jointing pits size 0.6m X 0.8X 1m. The material shall be supplied as per engineer in charge instructions. As per specification.	Numbers	16.00	7159.68	114554.88
13	13	Digging of cable pit (min 2x2x1m) as per instruction of Site Engineer, supplying and filling of sand before and after coiling the cables, covering top of the cable pit with stones and providing brick masonry on all four sides of the cable pit and plastering thereafter.	Numbers	12.00	11113.18	133358.16
					Total	1630784.12

4. ELIGIBILITY CONDITIONS

Special Financial Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	The tenderer must have minimum average annual contractual turnover of V/N or V whichever is less ;where V= Advertised value of the tender in crores of Rupees N=Number of years prescribed for completion of work for which bids have been invited. The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years, as per the audited balance sheet. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover. The tenderers shall submit requisite information as per format-6, along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet.	No	No	Allowed (Mandatory)

Special Technical Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	The tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07 (seven) years, ending last day of month previous to the one in which tender is invited:(i)Three similar works each costing not less than the amount equal to 30% of advertised value of the tender, or (ii)Two similar works each costing not less than the amount equal to 40% of advertised value of the tender, or (iii)One similar work costing not less than the amount equal to 60% of advertised value of the tender.	No	No	Allowed (Mandatory)
1.1	Definition of Similar Work :- Any signaling work involving outdoor work and / or addition and /or alteration in existing Indoor signaling system. OR any CLS or RI or EI or TPWS or IBS or ABS or BPAC work involving indoor and/or outdoor. Similar work to include indoor if the tendered work involves addition and / or alteration in existing indoor signaling system and outdoor if the tendered work involves outdoor work. OR Any such work involving activities as given in the name of the tendered work.	No	No	Not Allowed

Bidders shall confirm and certify on the behalf of the tenderer including its constituents as under:

S.No.	Description
1	I/we the tenderer (s) am/are signing this document after carefully reading the contents.
2	I/We the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof.
3	I/we hereby declare that I/we have downloaded the tender documents from Indian Railway website www.ireps.gov.in . I/we have verified the content of the document from the website and there is no addition, no deletion or no alteration to the content of the tender document. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of work or final payment of the contract, the master copy available with the railway Administration shall be final and binding upon me/us.
4	I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements.
5	I/We also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us.

**MUMBAI CENTRAL DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SG_216_2_155_WA_PH31

Closing Date/Time: 10/06/2026 15:00

6	I/We declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us.
7	I/we certify that I/we the tenderer(s) is/are not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a HUF/ member of the partnership firm/LLP/JV/Society/Trust.
8	I/we understand that if the contents of the certificate submitted by us are found to be forged/false at any time during process for evaluation of tenders, it shall lead to forfeiture of the Bid Security and may also lead to any other action provided in the contract including banning of business for a period of upto two year. Further, I/we and all my/our constituents understand that my/our offer shall be summarily rejected.
9	I/we also understand that if the contents of the certificate submitted by us are found to be false/forged at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of Bid Security/Security Deposit and Performance guarantee and may also lead to any other action provided in the contract including banning of business for a period of upto two year.
10	I/We have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India and certify that I am/We are not from such a country or, if from such a country, have been registered with the competent Authority. I/We hereby certify that I/we fulfil all the requirements in this regard and am/are eligible to be considered (evidence of valid registration by the competent authority is enclosed)

Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.

S.No.	Description
1	Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. Please submit a certificate in the prescribed format (please download the format from the link given below). Non submission of the certificate, or submission of certificate either not properly filled in, or in a format other than the prescribed format shall lead to summary rejection of your offer. (Click here to download the Format of Self Certification)

5. COMPLIANCE

Commercial-Compliance

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	No	Yes	Allowed (Optional)

Technical-Compliances

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	The tenderer shall clearly specify whether the tender is submitted on his own or on behalf of a partnership concern. If the tender is submitted on behalf of a partnership concern, he should submit the certified copy of partnership deed (PD) along with the tender and authorization to sign the tender documents on behalf of partnership firm. If these documents are not enclosed along with the tender documents, the tender will be treated as having been submitted by individual signing the tender documents. The tenderer whether sole proprietor, a limited company or a partnership firm if they want to act through agent or individual partners should submit along with the tender or at a later stage, a power of attorney(POA) duly stamped and authenticated by a Notary public or by Magistrate in favour of the specific person whether he or they be partners of the firm or any other person specifically authorizing him or them to submit the tender, sign the agreement ,receive money, witness measurement, sign Measurement Books, compromise, settle, relinquish any claims preferred by the firm and signed No claim certificate and refer all or any dispute to arbitration.	No	No	Not Allowed

**MUMBAI CENTRAL DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SG_216_2_155_WA_PH31

Closing Date/Time: 10/06/2026 15:00

1.1	Tenderer should clearly state the status of firm and submit the relevant document in support of authentication, in absence of following/relevant documents the offer of tenderer is summarily rejected: (A)Self-declaration /proprietorship certificate in case of proprietor firm along with POA if any. (B) Partnership deed and power of attorney in case of partnership firm. (C)Certified copy of an extract of resolution passed by the board of directors in case of limited firm or Private Limited Company	No	No	Allowed (Mandatory)
1.1.1	(a) Sole Proprietorship Firm: (i)All documents in terms of Para 10 of the Tender Form (Second Sheet)of Tender document	No	No	Allowed (Optional)
1.1.2	(b) HUF: (i)A copy of notarized affidavit on Stamp Paper declaring that he who is submitting the tender on behalf of HUF is in the position of 'Karta' of Hindu Undivided Family (HUF) and he has the authority, power and consent given by other members to act on behalf of HUF. (ii)All other documents in terms of Para10 of the Tender Form (Second Sheet)of Tender document	No	No	Allowed (Optional)
1.1.3	(c) Partnership Firm: (i)All documents as mentioned in para18 of the Tender Form document	No	No	Allowed (Optional)
1.1.4	(d) Company registered under Companies Act2013: (i)The copies of MOA (Memorandum of Association) / AOA (Articles of Association) of the company (ii)A copy of Certificate of Incorporation(iii)A copy of Authorization/Power of Attorney issued by the Company (backed by the resolution of Board of Directors) in favour of the individual to sign the tender on behalf of the company and create liability against the company. (iv)All other documents in terms Para 10 of the Tender Form (Second Sheet) of Tender document	No	No	Allowed (Optional)
1.1.5	(e) LLP (Limited Liability Partnership): (i)A copy of LLP Agreement (ii)A copy of Certificate of Incorporation (iii)A copy of Power of Attorney/Authorization issued by the LLP in favour of the individual to sign the tender on behalf of the LLP and create liability against the LLP. (iv)An undertaking by all partners of the LLP that they are not blacklisted or debarred by Railways or any other Ministry / Department of the Govt. of India from participation intenders / contracts as on the date of submission of bids, either in their individual capacity or in any firm/ LLP or JV in which they were/ are partners/members. Concealment /wrong information in regard to above shall make the contract liable for determination under Clause 62 of the Standard General Conditions of Contract.(v)All other documents in terms of Para 10 of the Tender Form(Second Sheet).	No	No	Allowed (Optional)
1.1.6	(f) Registered Society & Registered Trust: (i)A copy of Certificate of Registration (ii)A copy of Memorandum of Association of Society/Trust Deed (iii)A copy of Power of Attorney in favour of the individual to sign the tender documents and create liability against the Society/Trust. (iv)A copy of Rules & Regulations of the Society (v)All other documents in terms of Para 10 of the Tender Form (Second Sheet) of tender document	No	No	Allowed (Optional)
2	Information as per Para 16 of GCC Part (1)(Tender form second sheet Annex-I) related to Employment/Partnership Etc. of Retired Railway Employees and Clauses 59 (9) & 62 (1) (xv) to GCC regarding employment etc. Of retired government officers by railway contractors	No	No	Not Allowed
2.1	Certificate of Information regarding EMPLOYMENT/PARTNERSHIP etc. of Retired Railway Employees with the tender as per the attached proforma, Format 11 of tender document	No	No	Allowed (Mandatory)
2.2	Certificate of NO RELATIVE being an employee of Western Railway as per attached Performa Format10 of Tender document	No	No	Allowed (Mandatory)

Custom

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
-------	-------------	-----------------------	-----------------	---------------------

**MUMBAI CENTRAL DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SG_216_2_155_WA_PH31

Closing Date/Time: 10/06/2026 15:00

1	Please submit a certificate in the prescribed format {As per Annexure II & Annexure II-A (if applicable) of Tender Documents} for verification/ confirmation of the documents submitted for compliance of eligibility / qualifying criteria. Non submission of the certificate, or submission of the certificate either not properly filled in, or in a format other than the prescribed format shall lead to summarily rejection of your offer	No	No	Allowed (Mandatory)
1.1	Partnership firm/Joint Venture (JV) /Hindu Undivided Family (HUF) /Limited Liability Partnership (LLP)etc. Please submit Annexure II A of the Tender document by each member of a Partnership firm/JV/HUF/LLP etc. as the case may be. Non-submission of the copy of the certificate by the bidder shall result in summarily rejection of is/her bid. It shall be mandatorily incumbent upon the Tenderer to identify , state and submit the supporting documents duly self attested/ digitally signed by which he/they are/is qualifying the qualifying criteria mentioned in the Tender document	No	No	Allowed (Mandatory)

6. Documents attached with tender

S.No.	Document Name	Document Description
1	TD-155-PH31.pdf	Tender Document

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

Signed By: ANKIT LODHA

Designation : Sr.DSTE/North/BCT