

**JABALPUR DIVISION-S AND T/WEST CENTRAL RLY
TENDER DOCUMENT**

Tender No: JBP-N-SIG-TENDER-2026-18

Closing Date/Time: 08/06/2026 15:00

DRM/S T/JBP acting for and on behalf of The President of India invites E-Tenders against Tender No **JBP-N-SIG-TENDER-2026-18** Closing Date/Time 08/06/2026 15:00 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

1. NIT HEADER

Name of Work	S&T work in connections with modification of existing installed UFSBI system with provision of dual electronics UFSBI system at 20 nos. IBS in ET-MKP sections on Jabalpur division of West Central Railway (Signalling work)		
Bidding type	Normal Tender		
Tender Type	Open	Bidding System	Single Packet System
Tender Closing Date Time	08/06/2026 15:00	Date Time Of Uploading Tender	14/05/2026 16:10
Pre-Bid Conference Required	No	Pre-Bid Conference Date Time	Not Applicable
Advertised Value	38927494.61	Tendering Section	WORKS
Bidding Style	Single Rate for Tender	Bidding Unit	Above/Below/Par
Earnest Money (Rs.)	778600.00	Validity of Offer (Days)	60
Tender Doc. Cost (Rs.)	0.00	Period of Completion	11 Months
Contract Type	Works - General	Contract Category	Expenditure
Bidding Start Date	25/05/2026		
Are JV allowed to bid	No	Number of JV Member Allowed	0
Are Consortium allowed to bid	No	Number of Consortium Member Allowed	0
Ranking Order For Bids	Lowest to Highest	Expenditure Type	Capital (Works)

2. SCHEDULE

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () 01-SCHEDULE A							13741971.51	
01	01	40.00	Pair	166191.92	6647676.80	AT Par	6647676.80	
	Description:- Supply of dual redundant arrangement of UFSBI with error logger electronics for exchange of vital relay state exchange pertaining to IB signalling etc. The system comprises for following sub system: Supply of pre wired at least 42-U floor mounting MS Cabinet suited to fit 2 sets of UFSBI Electronics with Siemens grey/Smoke grey powder coating (Rust proof and long life), tinted 3-4 mm thick tinted AK relic/ Poly carbonated/ Glass sheet fitted on front door and metal back door, with double lock and bottom cable entry facility. INSPECTION BY RITES/TPI.							
02	02	20.00	Pair	45081.90	901638.00	AT Par	901638.00	
	Description:- Supply of RS232 to Fiber Converter for operating UFSBI equipment as per IRS Specn. No. IRS:S- 104/2012Ver.0 with latest amendment on dark fiber. INSPECTION BY RITES/TPI							
03	03	875.00	Numbers	3538.89	3096528.75	AT Par	3096528.75	
	Description:- Supply of QNN1 twin relay 24V DC, 4F/4B along with plug board (Base plate), retaining clips and connectors confirming to BRS:960, IRS:S34 & IRS:S23. INSPECTION BY RDSO							
04	04	40.00	Numbers	550.59	22023.60	AT Par	22023.60	
	Description:- Supply of VF tapping transformer as per IRS/TC/22/76 of impedance ratio 600:470.INSPECTION BY RITES/TPI							
05	05	610.00	Metre	25.84	15762.40	AT Par	15762.40	
	Description:- Supply of Cat 6 shielded cable D-Link or Similar. INSPECTION BY CONSIGNEE							
06	06	80.00	Numbers	1212.49	96999.20	AT Par	96999.20	
	Description:- Supply of APC Euro 2000-LC patch cord single mode 15 mts length. INSPECTION BY CONSIGNEE							
07	07	100.00	Numbers	180.44	18044.00	AT Par	18044.00	
	Description:- Supply of cartridge fuse block made of PBT as per RDSO Drg. Nos. SA - 23748 Alt. 4 and Spec. Nos. IRS-S-75/2006 with latest amendment. Fuse block shall be suitable for round head type fuses. INSPECTION BY RDSO							
	08	200.00	Numbers	78.11	15622.00	AT Par	15622.00	

**JABALPUR DIVISION-S AND T/WEST CENTRAL RLY
TENDER DOCUMENT**

Tender No: JBP-N-SIG-TENDER-2026-18

Closing Date/Time: 08/06/2026 15:00

08	Description:- Supply of non-deteriorating type low voltage cartridge fuse rate current 2Amp (qty (30%) / 4A(qty. 40%) /6A(qty. 10%) /10 A(qty 20%) in equal proportion round head type as per spec No IRS/S/78/92 with latest amendment. INSPECTION BY RDSO							
09	09	4000.00	Numbers	80.94	323760.00	AT Par	323760.00	
	Description:- Supply of two in two out (4 conductor) Knife edge disconnect terminal block set as per RDSO/SPN/189/2004 ver 3.0 with latest amendment. INSPECTION BY CONSIGNEE							
10	10	400.00	Numbers	12.09	4836.00	AT Par	4836.00	
	Description:- Supply of end plate suitable for disconnect terminal. INSPECTION BY CONSIGNEE							
11	11	80.00	Metre	143.42	11473.60	AT Par	11473.60	
	Description:- Supply of steel carrier Din rail suitable for fixing disconnect terminal 1 meter long of dimension 35mm X 7.5 mm, 1mm thickness, unslotted. INSPECTION BY CONSIGNEE							
12	12	800.00	Numbers	10.58	8464.00	AT Par	8464.00	
	Description:- Supply of end stop suitable for disconnect terminal block INSPECTION BY CONSIGNEE							
13	13	3.00	Kilometre	148542.53	445627.59	AT Par	445627.59	
	Description:- Supply of PVC indoor cable 1x24x1 mm dia having colour coding of insulation of inner core shall be six colours viz. Blue, Red, Grey, Green, Brown & Black and shall be confirming to RDSO specification IRS:S-76/89(Amdt.3) or latest.. INSPECTION BY RDSO							
14	14	2.00	Kilometre	127691.66	255383.32	AT Par	255383.32	
	Description:- Supply of PVC indoor cable 1x40x0.6 mm dia having colour coding of insulation of inner core shall be four colours viz Yellow, White, Pink & Violet and shall be confirming to RDSO specification IRS:S-76/89(Amdt.3) or latest INSPECTION BY RDSO							
15	15	2.00	Kilometre	3962.80	7925.60	AT Par	7925.60	
	Description:- Supply of PVC insulated railway signalling indoor single core [tinned jumper wire] 1X 0.6 mm dia as per RDSO spec. IRS:S-76/89(Amdt.3) or latest of various colours. INSPECTION BY RDSO.							
16	16	2.00	Kilometre	6294.69	12589.38	AT Par	12589.38	
	Description:- Supply of PVC insulated flexible wire 16/ 0.2 mm dia as per RDSO spec. Nos. IRS:S-76/89(Amdt.3) or latest of various colours. Inspection by RDSO							
17	17	2.00	Kilometre	109328.65	218657.30	AT Par	218657.30	
	Description:- Supply of flexible cable single core multistrand copper conductors, 1x10 sq.mm confirming to RDSO specification IRS:S-76/89(Amdt.3) or latest . INSPECTION BY RDSO							
18	18	120.00	Numbers	11286.15	1354338.00	AT Par	1354338.00	
	Description:- Supply of DC-DC converter (24-40V/5A) suitable for existing IPS system as per site condition. Prior approval of engineer to be taken for make of DC-DC converter to be supplied in this item. INSPECTION BY RDSO							
19	19	1.00	Kilometre	177048.01	177048.01	AT Par	177048.01	
	Description:- Supply of flexible cable single core multi strand copper conductors, 1x16sq.mm confirming to RDSO specification IRS:S-76/89(Amdt.3) or latest . Inspection by RDSO							
20	20	2.00	Numbers	53786.98	107573.96	AT Par	107573.96	
	Description:- Supply of Color Ink Tank MFD Printer- A3 size print speed black/color-22/20 ipm, separate toner and drum, Resolution-2400x600, Memory-128, Processor speed- 800 MHz, Network connectivity -10/100, Duplexing- Yes., 50 pages ADF, Wireless 802.11. b/g/n, USB port, By pass tray facility duty cycle-30000 or equivalent , warranty-3year of reputed make. Accepted Make: BROTHER MODEL-MFC-T4500DW OR SIMILAR, 36 MONTHS Warranty. INSPECTION BY CONSIGNEE							
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () 02-SCHEDULE B							13808851.50	
01	01	5.00	Numbers	19431.50	97157.50	AT Par	97157.50	
	Description:- Alterations/modifications works on existing relay rack (Q series/ Composite Relay Racks) /Cable Termination Racks (CTR) including works of installation, wiring, termination, testing and commissioning. The work includes fixing of aluminium/ steel/M. S ladder along with supply as per requirement to accommodate additional plug board, relays, terminals/blocks, terminals, tag blocks, fuses, transformers, bus bars, TW shelves/strips etc. in the existing relay racks/CTR's, 6 mm Hylam sheets of required length for writing terminal description etc. fixing and termination of cables on the relay racks, CTR's with number embossed ferrules, bunching of cables with PVC tapes, earthing of cable armours, covers including painting and lettering, making anti tilting arrangement. Note:- a)Existing relay rack (Q-series/ Composite Relay Racks) : Payments for alterations in existing relays upto 20 nos. relays & above 20 nos. shall be made 50% & 100% respectively. b) Cable Termination Racks (CTR):- Payments for alterations in existing CTR upto 120 cores & above 120 nos. cores shall be made 50% & 100% respectively.							
	02	60.00	Numbers	52.80	3168.00	AT Par	3168.00	

**JABALPUR DIVISION-S AND T/WEST CENTRAL RLY
TENDER DOCUMENT**

Tender No: JBP-N-SIG-TENDER-2026-18

Closing Date/Time: 08/06/2026 15:00

02	Description:- Routing and connecting all the equipment in the equipment/relay room to SEEB with 10 sq. mm copper cable using copper lugs with stainless steel nut and bolts and fixtures. The work includes laying and routing the copper cable in PVC / conduits and fixing them on wall.						
03	03	60.00	Numbers	46349.55	2780973.00	AT Par	2780973.00
	Description:- Supply & installation of powder coated Relay Rack Assembly complete with scaffolding, fixtures and accessories including MS Bars / relay frames for fixing of relay plug boards, string rods, fuse strips with bracket, 11 Way Bus Bars with cover and mounting brackets, runway for cable/wires, frame, base assembly etc. Siemens' type or equivalent & as per extant practice on W.C. Rly. Typical part list as per Annexure-H and Rack arrangement as per Sketch Nos Sk-727 and Rack plan as approved by Engineer incharge. Rack should be made of first class steel powder coated painting and rack manufacturer's certificate should be submitted. All runway for cables / wires shall be provided with PVC sleeve of proper size. Installation of Relay Rack Assembly including IDF pillars complete with wall supports, scaffolding, ladders, runway for cables, Relay/Relay group base plates, fixing of Tag blocks etc. The work shall be done as per approved plan, extant practice on W.C.Railway & the instructions of Rly. engineer at site. SUPPLY PORTION INSPECTION BY RITES/TPI.						
04	04	2000.00	Numbers	13.22	26440.00	AT Par	26440.00
	Description:- Termination of cable cores on ARA terminal/8-way/Fuse Block/Wago/Phoenix terminals on the cable termination rack. This includes all associated works of pulling out the cable from underground, dressing of cable, making wiring tree with contractor lacing & threading material etc. This includes soldering of armour tree/ring of cables and connecting to Earth Bus bar. The work shall be done as per approved plan, extant practice on West Central Railways Railway & the instruction of Rly engineer at site. The termination of both ends of the cable core shall be counted as one Nos.						
05	05	1000.00	Numbers	20.37	20370.00	AT Par	20370.00
	Description:- Fixing of ARA /WAGO Terminals and fuse blocks with provision of holes on hylem sheets and fixing by galvanised nuts & bolts. This includes provision of two additional holes on the hylam board on either side for cable conductor entry. The work shall be done as per Engg. at site.						
06	06	40.00	Pair	85154.70	3406188.00	AT Par	3406188.00
	Description:- Installation, wiring, testing & commissioning of Dual Redundant Arrangement of UFSBI Electronics for exchange of vital relay state information between two different Signalling installations pertaining to ABS / IB signalling application working on OFC/Quad media in set and consisting of installation of following sub systems: a) Electronics for UFSBI interface in redundancy as per IRS spec. No. IRS:S-104/2012ver. 0 (latest amendment). Qty: 2No.; b) Modem for UFSBI (for use of secondary media OFC / Quad). Qty: 2No.; c) Automatic Media changeover of modem working on redundant channels for data transmission on OFC/Quad. Qty: 2 No.; d) Pre wired 42-U floor mounting MS Cabinet suited to fit 2 sets of UFSBI Electronics with Siemens grey/Smoke grey powder coating (Rust proof and long life), tinted 3-4 mm thick tinted Acrylic/ Polycarbonate/ Glass sheet fitted on front door and metal backdoor, with double lock.						
07	07	60.00	Lot	60541.92	3632515.20	AT Par	3632515.20
	Description:- Preparation and supply of Detailed Signalling Circuits including Fuse & Negative Tag Analysis, Contact Analysis, Relay Rack Arrangement in A3 size as per the data/hard copy, Completion circuit shall be plotted in Auto cad. The contractor shall initially supply 1 Set of circuits duly signed by the contractor having substantial experience on design side for making such circuits, complete for approval of Railways. Railway will return circuit to the contractor duly approved with alterations/ corrections, if any. The contractor shall incorporate Railway's alterations/corrections in the original tracings & CD without any deviation and submit original tracing of the modified circuits & final CD complete in all respects along with 4 sets of final approved circuits (out of which one set shall be supplied in transparent polythene bags. Only two sheets of circuits shall be placed in one polythene bag/cover each) shall be submitted to the Railways in case there are no further alteration suggested by Railways. (1 unit= 1stn/LC gate/IBH/ABS)						
08	08	40.00	Pair	29492.15	1179686.00	AT Par	1179686.00
	Description:- Dismantling/Releasing, packing and transportation of released/ old/existing UFSBI from old/existing S&T station building of one station/ABS/IBS to another station/IBS/ABS or centralized depot under SSE/SIG/jbp for re-installation or for releasing as per instruction of engineer in charge.						
09	09	60.00	Per Unit	10656.55	639393.00	AT Par	639393.00
	Description:- Alteration in data logger wiring, testing & commissioning of Data logger complete along with accessories with contractors own material. This include programming of data logger for fault diagnostic in suitable structured language in consultation with Railway The item unit will be Per Station						
	10	60.00	Per Unit	10046.31	602778.60	AT Par	602778.60

**JABALPUR DIVISION-S AND T/WEST CENTRAL RLY
TENDER DOCUMENT**

Tender No: JBP-N-SIG-TENDER-2026-18

Closing Date/Time: 08/06/2026 15:00

10	Description:- Fixing of Q series relay baseplate/ Metal to Metal relay mini group and major group baseplates, laying, lacing, dressing& picketing of 60/40/24 core PVC indoor cable and termination of 60/40/24 core cable on tag block & baseplates & its soldering. Wiring of circuits including alteration in existing installation to be done as per the approved diagram based on relay interlocking system using metal to metal/metal to carbon type relays and soldering after testing. This also includes fuse wiring, function wiring(Including interconnection between relay rack, & CT rack),power supply wiring (power wiring from power supply distribution board / rack to relay racks and cable termination racks with provision of wiring of ring connection with the help of contractors own single core flexible multistrend copper wire of 16 sq mm and10 sq mm as per RDSO specification no. IRS-S 76/89with latest amendment. This includes complete wiring of dual BPAC and auto reset circuit...16 sq mm wire for All 110VDC, 110V AC & 60V DC internal supply and 10 sq mm wire for balance supply is to be used)Materials required like jumper wire of 0.6 mm, 1.0 mm,16/0.02 multistrend flexible etc, resin core, solder wire, lacing thread, adhesive tapes resistance, condensers, diodes, lugs etc of various ratings and capacity as per site requirement to arranged by the contractor free of cost and used after approval of Rly engineer at site. The jumper wire of 0.6mm,1mm , flexible wire of 16/0.02,power wire of 16 & 10 sqmm enquired for carrying out the indoor work shall be supplied by contractor as per RDSO specification no. IRS-S 76/89with latest amendment after RDSO inspection. The quantity of jumper wire should be assessed jointly with the engineer in charge in beginning itself.). The work shall be done as per approved plan extant practice on W. C. Rly & the instruction of Rly engineer at site. Required quantity of60/40/24 core PVC indoor cables will be supplied by Railway. QTY UNIT MENTIONEDAS "PER UNIT" TO BE READ AS"PER RACK"							
11	11	160.00	Numbers	219.89	35182.40	AT Par	35182.40	
	Description:- Soldering of tag block, fixing and wiring of G type fuse, bus bar wiring per tag block as preapproved plan, extant practice of WCR & as per instruction of site engineer (Solder wire, resin core, etc. material will be supplied by contractor) Unit-Tag block							
12	12	2000.00	Numbers	14.34	28680.00	AT Par	28680.00	
	Description:- Circuit wiring/ jumpering as per diagram in the relay rack/ID Frack/tag block. This include preparation of jumper sheet duly checked by firm's site supervisor & wire to wire testing as per wiring diagram. Any wrong jumper done by wire man will be consider & payment for wrong jumper will not be done by the railway. Jumper wire will be supplied by railway & other material like solder wire will be supplied by contractor. Unit- per jumper							
13	13	60.00	Numbers	7911.97	474718.20	AT Par	474718.20	
	Description:- Lettering & Numbering of detail and description writing of particulars of terminations & equipment's on relay rack, relays, cable termination rack, battery & power equipment's, IPS, operating panel, axle counter etc constituting entire system with contractor's own paint and writing material ("Asian" make or similar enamel paints or similar paint only to be used). This includes supply and fixing of Teflon strips 3mm thick and 25 mm wide for each row of relays and cable terminations. The work shall be done as per extant practice on W.C.Rly & instruction of Rly engineer at site. Unit-perstation. PER UNIT = PER STATION							
14	14	20.00	Pair	44080.08	881601.60	AT Par	881601.60	
	Description:- Supply and installation of Automatic media changeover working on redundant channels for data transmission on OFC/Quad as per IRS Specn. No. IRS-S- 104/2012 Ver.0 with latest amendment. SUPPLY PORTION INSPECTION BY RITES/TPI.							
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () 03-SCHEDULE C							11376671.60	
01	01	20.00	Pair	568833.58	11376671.60	AT Par	11376671.60	
	Description:- Supply of dual redundant arrangement of UFSBI electronics for exchange of vital relay state exchange pertaining to IB signalling etc. The system comprises for following sub system. Supply of Electronics for UFSBI interface as per IRS spec no IRS-S-14/2012 ver 0 (Latest Amendment). It should be suitable with existing Delton make system. INSPECTION BY RDSO.							

3. ITEM BREAKUP

No item break up added

4. ELIGIBILITY CONDITIONS

Special Financial Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
-------	-------------	-----------------------	-----------------	---------------------

**JABALPUR DIVISION-S AND T/WEST CENTRAL RLY
TENDER DOCUMENT**

Tender No: JBP-N-SIG-TENDER-2026-18

Closing Date/Time: 08/06/2026 15:00

1	IRGCC 2022 TENDER FORM SECOND SHEET & ACS 1 CLAUSE 10.2 2.Financial Eligibility Criteria: (As Per IRGCC Clause 10.2) 10.2.Financial Eligibility Criteria: The tenderer must have minimum average annual contractual turnover of V/N or 'V' whichever is less; where: V= Advertised value of the tender in Crores of Rupees. N= Number of years prescribed for completion of work for which bids have been invited. The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years, as per the audited balance sheet. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover. The Tenderers shall submit requisite information as per Annexure-VIB, along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet. 10.3 Bid Capacity: The tender/technical bid will be evaluated based on bid capacity formula detailed as Annexure-VI. PLEASE READ ALL IRGCC TENDER FORM SECOND SHEET & ACS 1 CLAUSE 10.2 TO EVALUATE THE FINANCIAL ELIGIBILITY CRITERIA Non submission of Annexure-VIB, along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet by the tenderer shall result in summarily rejection of his / their bid" (Click here to download Format)	No	No	Allowed (Mandatory)
---	--	----	----	------------------------

Standard Technical Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	IRGCC 2022 TENDER FORM SECOND SHEET & ACS 1 CLAUSE 10.1 1.Technical Eligibility Criteria: (As Per IRGCC Clause 10.1) (a)The tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: 1Three similar works each costing not less than the amount equal to 30% of advertised value of the tender OR 2Two similar works each costing not less than the amount equal to 40% of advertised value of the tender OR 3One similar work costing not less than the amount equal to 60% of advertised value of the tender Note for Item 10.1: Work experience certificate from private individual shall not be considered. However, in addition to work experience certificates issued by any Govt. Organisation, work experience certificate issued by Public listed company having average annual turnover of Rs 500 crore and above in last 3 financial years excluding the current financial year, listed on National Stock Exchange or Bombay Stock Exchange, incorporated/registered at least 5 years prior to the date of closing of tender, shall also be considered provided the work experience certificate has been issued by a person authorized by the Public listed company to issue such certificates. In case tenderer submits work experience certificate issued by public listed company, the tenderer shall also submit along with work experience certificate, the relevant copy of work order, bill of quantities, bill wise details of payment received duly certified by Chartered Accountant, TDS certificates for all payments received and copy of final/last bill paid by company in support of above work experience certificate. PLEASE READ ALL IRGCC TENDER FORM SECOND SHEET & ACS 1 CLAUSE 10.1 TO EVALUATE THE TECHNICAL ELIGIBILITY CRITERIA	No	No	Allowed (Mandatory)
1.1	Defination of Similar Work :- Any Signalling Work of EI/PI/RR/IBH/ABH/ LC Gate Interlocking/Track circuit works/Axle counter works/ RDPMs etc.	No	No	Not Allowed

Bidders shall confirm and certify on the behalf of the tenderer including its constituents as under:

S.No.	Description
1	I/we the tenderer (s) am/are signing this document after carefully reading the contents.
2	I/We the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof.

**JABALPUR DIVISION-S AND T/WEST CENTRAL RLY
TENDER DOCUMENT**

Tender No: JBP-N-SIG-TENDER-2026-18

Closing Date/Time: 08/06/2026 15:00

3	I/we hereby declare that I/we have downloaded the tender documents from Indian Railway website www.ireps.gov.in . I/we have verified the content of the document from the website and there is no addition, no deletion or no alteration to the content of the tender document. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of work or final payment of the contract, the master copy available with the railway Administration shall be final and binding upon me/us.
4	I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements.
5	I/We also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us.
6	I/We declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us.
7	I/we certify that I/we the tenderer(s) is/are not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a HUF/ member of the partnership firm/LLP/JV/Society/Trust.
8	I/we understand that if the contents of the certificate submitted by us are found to be forged/false at any time during process for evaluation of tenders, it shall lead to forfeiture of the Bid Security and may also lead to any other action provided in the contract including banning of business for a period of upto two year. Further, I/we and all my/our constituents understand that my/our offer shall be summarily rejected.
9	I/we also understand that if the contents of the certificate submitted by us are found to be false/forged at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of Bid Security/Security Deposit and Performance guarantee and may also lead to any other action provided in the contract including banning of business for a period of upto two year.
10	I/We have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India and certify that I am/We are not from such a country or, if from such a country, have been registered with the competent Authority. I/We hereby certify that I/we fulfil all the requirements in this regard and am/are eligible to be considered (evidence of valid registration by the competent authority is enclosed)

Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.

S.No.	Description
1	Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. Please submit a certificate in the prescribed format (please download the format from the link given below). Non submission of the certificate, or submission of certificate either not properly filled in, or in a format other than the prescribed format shall lead to summary rejection of your offer. (Click here to download the Format of Self Certification)

5. COMPLIANCE

Commercial-Compliance

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	No	Yes	Allowed (Optional)
2	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	No	Yes	Allowed (Optional)

General Instructions

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Complete tender document including NIT details, schedule, conditions is attached herewith. Tenderers are requested to read the tender document thoroughly before quoting their rates.	No	No	Not Allowed
2	Tender will be governed as per latest standard Indian Railways General Conditions of Contract, works 2022 and their all correction slips. Tenderer are requested to read the latest IR GCC works 2022 and their all correction slips before submission of their offer and must be submit the all Annexures, documentary evidences, data as mentioned in IRGCC Works 2022 and their all correction slips.	No	No	Not Allowed

**JABALPUR DIVISION-S AND T/WEST CENTRAL RLY
TENDER DOCUMENT**

Tender No: JBP-N-SIG-TENDER-2026-18

Closing Date/Time: 08/06/2026 15:00

3	All the documents in support of the Minimum Eligibility Criteria including Letter of Acceptance/Work Order, Documents showing the nature and total value of work, Completion report, Audited balance sheet, Attested certificate from Government employer, Copy of I.T. return etc. should be submitted along with the bid. Railway reserves the right to make or not to make any further reference to the tenderer regarding the fulfillment of the Minimum Eligibility Criteria and to award the tender only on the basis of the documents submitted by the tenderer along with the bid. The tenderer will not have any claim on this account.	No	No	Not Allowed
4	Rights of the Railway to deal with Tender: The authority for the acceptance of the tender will rest with the Railway. It shall not be obligatory on the said authority to accept the lowest tender or any other tender, and tenderer(s) shall neither demand any explanation for the cause of rejection of his/ their tender nor the Railway to assign reasons for declining to consider or reject any particular tender or tenders. If the tenderer(s) deliberately gives / give wrong information in his / their tender or creates / create circumstances for the acceptance of his / their tender, the Railway reserves the right to reject such tender at any stage.	No	No	Not Allowed
5	If the bidder submits Bid security in the form of Bank Guarantee "The original Bank Guarantee should be delivered in person receive and dispatch section of this office (i.e. DRM office, Signal & Telecom, Branch, West Central Railway, Jabalpur) before closing date for submission of bids (i.e. excluding the last date of submission of bids)	No	No	Not Allowed
6	IMPORTANT NOTES WITH NIT: 1.As per Railway Boards letter no. 94/CE-I/4 Pt.17 dated: 13.08.2012, for all work contract valuing more than Rs.10 Crore, "two Packet System" of tendering mandatorily be followed. 2.As per Railway Boards letter no. 2002/CE-I/CT/37 JV Pt.VIII dated: 14.12.2012, "JOINT VENTURE FIRMS" shall now be applicable to the works tenders of value More than Rs. 10 Crores. 3.This is highly technical work to be executed only by qualifying MEC stipulated in tender document as per IR GCC 2022 with similar work issued vide CSTE office letter no. WCR/N-HQ/150/Wks/Policy/14 dated: 03.08.2018. No any relaxation in MEC will be given for any consideration. Firm failing to satisfy the MEC will be treated as ineligible firm. (IF MEC APPLICABLE) 4.In terms of railway board's letter no. 2020/CE-I/CT/3E/GCC/Policy dated: 30.12.2020, If the bidder is banned for submission of bids on the date of closing of tender, such bid, even if received, shall be treated as invalid while evaluating the bids. 5.Change of inspection authority may be done by engineer-incharge at a later date. 6.In case of more than one valid & eligible L-1 bidders, tender may be awarded to tenderer having higher bid capacity. In case bid capacity is also the same, tenderer having done more value of similar work in last three previous financial years and current financial years up to the date of the opening of the tender, may be selected for the award. Instructions with respect to bid capacity will follow. Supporting document for this may be clearly uploaded by tenderer with their offer. 7.West Central Railway Joint procedure order for undertaking earth work in the vicinity of electrical, signalling, telecom cables issued vide no. WCR/N-HQ/110/JPO Corrsp/Sig.-99 dated: 08.01.2024 instructed vide GM (S&T) JBP letter no. JBP/N.H.Q.120/Policy/T-1/Part-V dated: 10.01.2024 and procedure for undertaking digging work in the vicinity of signalling, electrical and telecommunication cables issued by railway board vid eno.2021/Tele/5(2)/3-Part(1)(3425647) dated 12.06.2023 or any other latest JPO by railways will be applicable in this contract. 8.It is responsibility of the contractor during execution the work near the track, that all safety precautions will be taken like; Safety Jacket, wearing of Safety Shoes and Helmet to avoid any type of causality. 9.The provisions contained in railways circulars, JPO's regarding penalties will be applicable for works requiring digging. 10.As per railway boards letter no. 2017/CE-I/CT/9 dated: 31.05.2023 "for all contracts costing more than Rs.5 crore, Contractor's e-MB is mandatory and contractor's e-MB should be part of Tender Document. All other provisions of railway boards letter no. 2017/CE-I/CT/9 dated: 31.05.2023 will be followed. (If applicable)	No	No	Not Allowed

**JABALPUR DIVISION-S AND T/WEST CENTRAL RLY
TENDER DOCUMENT**

Tender No: JBP-N-SIG-TENDER-2026-18

Closing Date/Time: 08/06/2026 15:00

7	West Central Railway Joint procedure order for undertaking earth work in the vicinity of electrical, signalling, telecom cables issued vide no. WCR/N-HQ/110/JPO Corrsp/Sig.-99 dated: 08.01.2024 instructed vide GM (S&T) JBP letter no. JBP/N.H.Q.120/Policy/T-1/Part-V dated: 10.01.2024 and procedure for undertaking digging work in the vicinity of signalling, electrical and telecommunication cables issued by railway board vid eno.2021/Tele/5(2)/3-Part(1)(3425647) dated 12.06.2023 or any other latest JPO by railways will be applicable in this contract	No	No	Not Allowed
8	It is responsibility of the contractor during execution the work near the track, that all safety precautions will be taken like; Safety Jacket, wearing of Safety Shoes and Helmet to avoid any type of causality.	No	No	Not Allowed

Custom

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	FIRM S CONSTITUTION :- Documents regarding constitution of concern (Ref.: Para -14 to 18 of Tender form (Second sheet) Annexure -1 of SGCC):- The tenderer shall clearly specify whether the tender is submitted on his own (Proprietary Firm) or on behalf of a Partnership Firm / Company / Joint Venture (JV) / Registered Society / Registered Trust / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. The tenderer(s) shall enclose the attested copies of the constitution of their concern, and copy of PAN Card along with their tender. Tender Documents in such cases are to be signed by such persons as may be legally competent to sign them on behalf of the firm, company, association, trust or society, as the case may be. The tenderer shall submit the relevant documents as mentioned in the Para14 to Para 18 of Tender form (Second Sheet) Annexure -1 of SGCC. Non submission of these documents (as per Para -14 to Para 18 (as applicable) of Tender form (Second Sheet) Annexure -1 of SGCC) will lead to summarily rejection of his / their bid.	Yes	Yes	Allowed (Mandatory)

6. Documents attached with tender

S.No.	Document Name	Document Description
1	1GCCWORKS2022ACS1TO11.pdf	GCC WORKS 2022 WITH ACS 1 TO 11
2	3JPO10-1-2412-6-23.pdf	JPO CABLE CUT
3	4Letterforshramikkalyanportal_1.pdf	SHRAMIK KALYAN LETTER
4	TD-18-UFSBI-20Locations_compressed.pdf	TD 2026 18 DUAL UFSBI

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

Signed By: SHIVAM CHOUDHARY

Designation : DSTE/SIGNAL