

**VADODARA DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SandT_BRC_26-27_09_TEL

Closing Date/Time: 19/06/2026 15:00

Sr.DSTE/Co-ord/BRC acting for and on behalf of The President of India invites E-Tenders against Tender No **SandT_BRC_26-27_09_TEL** Closing Date/Time 19/06/2026 15:00 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

1. NIT HEADER

Name of Work	TELECOM WORKS In CONNECTION WITH "(1) Surat-Vadodara: Increasing CSR of Loop Line at Miyagam Karjan. (2) Increasing CSR of Lines at Kharsaliya and Ranoli Stations. (3) Vadodara Yard: Raising Speed of By-pass Line from 10 KMPH to 50 KMPH. (4) Vadodara Division: UTRAN - Development of Station for Terminating / Originating of Train. (5) Vadodara Division: Increasing CRS of Lines at Bajwa, Adas Road, Uttarsanda & Mahemdavad. (6) Palej: Provision of Foot-Over-Bridge 6.10M wide at. (7) Vadodara Division: Anand - Provision of Ballastless Track on Platform No. 5 for development. (8) Bharuch: Extension of PF-1. (9) Vishwamitri: Proposed 6.10M wide FOB on replacement account. (10) Vadodara Division: Utran BG - Extension of High Level Platform and widening of DN Platform for making Passenger fit at Utran Railway Station".		
Bidding type	Normal Tender		
Tender Type	Open	Bidding System	Single Packet System
Tender Closing Date Time	19/06/2026 15:00	Date Time Of Uploading Tender	22/05/2026 11:16
Pre-Bid Conference Required	No	Pre-Bid Conference Date Time	Not Applicable
Advertised Value	21046949.85	Tendering Section	WORKS
Bidding Style	Single Rate for Tender	Bidding Unit	Above/Below/Par
Earnest Money (Rs.)	420900.00	Validity of Offer (Days)	60
Tender Doc. Cost (Rs.)	0.00	Period of Completion	8 Months
Contract Type	Works - General	Contract Category	Expenditure
Bidding Start Date	05/06/2026		
Are JV allowed to bid	No	Number of JV Member Allowed	0
Are Consortium allowed to bid	No	Number of Consortium Member Allowed	0
Ranking Order For Bids	Lowest to Highest	Expenditure Type	Capital (Works)

2. SCHEDULE

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () A-SUPPLY Items							9933218.34	
1	1	7000.00	Metre	44.41	310870.00	AT Par	310870.00	
	Description:- Supply of 3 Core PVC Power Cable as per Clause No. 5.4 of RDSO Specification No. RDSO/SPN/ TC/ 61/2015 Rev.4.0, Amd 2.0 or latest.							
2	2	1000.00	Metre	85.90	85900.00	AT Par	85900.00	
	Description:- Supply of 20 pair 0.5mm annealed copper conductor PVC insulated switch board Telephone cable as per specification.							
3	3	16500.00	Metre	49.66	819390.00	AT Par	819390.00	
	Description:- Supply of permanently lubricated HDPE duct 40/33 mm as per RDSO/ SPN/ TC / 45/2013/Rev.2.0 with latest amendments as available. For each Km of HDPE duct following items are to be supplied a) End Plugs- 2no b) Cable sealing plugs -2 no. (c) Plastic couplers slip fit/push fit type - 2no d) End plugs to be provided along with drum -2 nos.							
4	4	46.00	Numbers	2219.58	102100.68	AT Par	102100.68	
	Description:- Supply of Thermo-shrink Universal Jointing kit for Quad Cable (for Straight Joints/Derivation Joints) as per RDSO spec IRS/TC-77/2012 revision 3 With latest Amd.							
5	5	50.00	Numbers	1386.50	69325.00	AT Par	69325.00	
	Description:- Supply of 2x24 fiber optic fiber splice straight joint enclosure (SJC) complete with all accessories as per RDSO/SPN/TC/68/2014, Rev.3 or latest specs for 24 fiber OFC cable with latest amendment.							
	6	200.00	Metre	1170.28	234056.00	AT Par	234056.00	

**VADODARA DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SandT_BRC_26-27_09_TEL

Closing Date/Time: 19/06/2026 15:00

6				Description:- Supply of G.I. Pipes to IS: 1239 (Pt.)-2004 or latest; 100mm dia. (int. Dia) 3.65 mm thick or above with coupling. G.I. pipes shall have ISI mark on it and contractor should submit manufacturer's test certificate of G.I. pipes.			
7	7	32.00	Numbers	306.80	9817.60	AT Par	9817.60
				Description:- Supply of Emergency Socket 6-PIN Flat Only (suitable for Emergency Socket Box) as per RDSO specification No. TRS TC 42/20 with Version 1.0 or latest.			
8	8	26.00	Numbers	3208.42	83418.92	AT Par	83418.92
				Description:- Supply of Emergency Socket box made of FRP material as per RDSO specification no. RDSO/SPN/TC/44/2002 ver. 02 amendment no.02.			
9	9	18.00	Numbers	1223.72	22026.96	AT Par	22026.96
				Description:- Supply of 12 pairs CT Box with wago terminals for termination of cables. The Box must be rugged, weatherproof and highly reliable and uses Universal Test Disconnect Terminal Blocks of Phoenix OR WAGO.			
10	10	27.00	Numbers	3540.00	95580.00	AT Par	95580.00
				Description:- Supply of Fiber Distribution Management system (FDMS)/LIU for 24 Fiber complete with all accessories with patch cord & pigtails as per TEC Spec. GR/FDM/01/02 April2007 or latest.			
11	11	90.00	Numbers	1912.20	172098.00	AT Par	172098.00
				Description:- Supply of Double Walled Corrugated (DWC) HDPE Pipe with associated collars etc. as per RDSO Specification No. RDSO/SPN/204/2011 or latest anti-rodent & anti-oxidant and non-flame propagating type in 6 meters straight length and of size 120 mm outer dia, & 103.5 mm inner dia. . One of the following coupling arrangements should also be supplied with each pipe as per the site requirement. 1) Suitable snap fit coupler with rubber 'O-Ring 2) Spacers 3) Tees 4) Bend, 5) End-cap (The total quantity of above items is equal to no. of pipes supplied.) DWC pipe shall be marked at every 1 mtr length in such a way that manufacturer's name, vender name and year of manufacture can be easily identified. Color -Bright Orange; Min Weight = 4kg. Test Check by Consignee & Sample check by JAG officer.			
12	12	1.00	Numbers	24780.00	24780.00	AT Par	24780.00
				Description:- Supply of Digital Transmission Measuring Set complete with in built rechargeable battery, tone generator, DB meter & testing leads, as per RDSO spec. IRS:TC- 43/87. Make: Aplab 2031A or similar.			
13	13	9.00	Numbers	1661.34	14952.06	AT Par	14952.06
				Description:- Supply of 20 pairs CT Box with wago terminals for termination of cables. The Box must be rugged, weatherproof and highly reliable and uses Universal Test Disconnect Terminal Blocks of Phoenix OR WAGO.			
14	14	700.00	Metre	35.82	25074.00	AT Par	25074.00
				Description:- Supply of PVC switch-board cable 10 pair twisted conductor of size 0.63 mm OR 0.50 mm dia annealed copper conforming to TEC spec. no. GR-WIR-06/03 Mar'02 or latest.			
15	15	4.00	Numbers	21411.60	85646.40	AT Par	85646.40
				Description:- Supply of 2x24 fiber Fiber Distribution Management System (FDMS) as per RDSO Specn. No. RDSO/SPN/TC/37/2000 (Ver.3) Amdt.1. to terminate 24 fiber OFCs coming from both sides.			
16	16	17.00	Numbers	1062.48	18062.16	AT Par	18062.16
				Description:- Supply of Single Line Hands-Free Electronic Push Button Telephones with CLI facility and as per Technical Specifications.			
17	17	5.00	Numbers	2293.92	11469.60	AT Par	11469.60
				Description:- Supply of Desk type Electronic Magneto Telephone as per spec No IRS/TC-79/2000 with latest amendments.			
18	18	14.00	Numbers	1768.82	24763.48	AT Par	24763.48
				Description:- Supply of Wall Mount 6 core OFC Termination Box complete with base housing, base mounting with fixing arrangement, etc. & as per specification.			
19	19	3.00	Boxes	4254.75	12764.25	AT Par	12764.25
				Description:- Supply of CAT6 UTP cable of length 305 meters as per Specification. 1) Unshielded twisted cable category 6, tia/cia 568-C2 ISO/TEC11801. 2) 23 AWG solid base copper conductors. 3) Each box of 305 meters. 4) Polyethylene Insulation. 5) 600 MHz minimum frequency. 6) Cable outer diameter 0.23 inches of makes: D-Line or Finolex or DAX.			
20	20	6.00	Set	7074.10	42444.60	AT Par	42444.60
				Description:- Supply of Class B & C surge protection Device (SPD) type I & II with visual indication and potential free contract to remote monitoring as per RDSO spec No. RDSO/SPN/165/2012 version 3.0 or latest and IEC standard 61643 for signals line 230 V AC application with handling lightning surges of 10/350 microseconds and switching surges of 8/20 microseconds. One set consists of 3 Nos of SPD (Two Nos of B Class (L N, N-E) and one no of C class (L-N) all enclosed in a box with KEMA or VDE certified as per latest IEC 61643-11-2011 standard class B&C surge protection device required with Three modules only. Make- OBO/ Phoenix/ BETTERMAN/ DEHN.			

**VADODARA DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SandT_BRC_26-27_09_TEL

Closing Date/Time: 19/06/2026 15:00

21	21	1.00	Set	13873.37	13873.37	AT Par	13873.37	
	Description:- Supply of Desk /workstation furniture, 2 table & 4 Chairs as per specification.							
22	22	1.00	Numbers	11400.00	11400.00	AT Par	11400.00	
	Description:- Supply of Steel plain almirah with 4 adjustable shelves size 1980mm Height, 915mm Width and 485mm depth. Make:- Godrej storewell large or similar of reputed brand.							
23	23	2.00	Numbers	100890.00	201780.00	AT Par	201780.00	
	Description:- Supply of Portable Telecom Maintenance Console as per specifications.							
24	24	1.00	Numbers	19830.01	19830.01	AT Par	19830.01	
	Description:- Supply of Multi-Functional Machine/Report Generator as per specification.							
25	25	1.00	Numbers	213886.00	213886.00	AT Par	213886.00	
	Description:- Supply of Single Fiber Fusion Splicing Machine as per Specifications.							
26	26	1.00	Numbers	216388.00	216388.00	AT Par	216388.00	
	Description:- Supply of OTDR suitable for 1310/1550nm fiber as per specification.							
27	27	1.00	Set	109734.10	109734.10	AT Par	109734.10	
	Description:- Supply of SET OF OPTICAL POWER METER AND OPTICAL LIGHT SOURCE FOR MEASUREMENT OF dB LOSS OF FIBER OPTIC CABLE as per Technical Specification attached.							
28	28	2.00	Numbers	41491.00	82982.00	AT Par	82982.00	
	Description:- Supply of 24-Port Gigabit Smart Managed POE+ Layer-2 switch as per Technical Specifications.							
29	29	7.00	Numbers	12960.79	90725.53	AT Par	90725.53	
	Description:- Supply of 10-Port Gigabit Smart Managed POE+ Layer-2 switch as per Technical Specifications.							
30	30	2.00	Numbers	4000.00	8000.00	AT Par	8000.00	
	Description:- Supply of 10G Base-T RJ-45 SFP+ Module as per specification and compatible with supplied switches and as per Technical Specifications.							
31	31	10.00	Numbers	2200.00	22000.00	AT Par	22000.00	
	Description:- Supply of 1000Base-T RJ-45 SFP+ Module as per specification and compatible with supplied switches and as per Technical Specifications.							
32	32	2.00	Numbers	3579.78	7159.56	AT Par	7159.56	
	Description:- Supply of 10G SFP+ Module as per specification and compatible with supplied switches and as per Technical Specifications.							
33	33	10.00	Numbers	1575.00	15750.00	AT Par	15750.00	
	Description:- Supply of 1G SFP+ Module as per specification and compatible with supplied switches and as per Technical Specifications.							
34	34	11.00	Numbers	7200.00	79200.00	AT Par	79200.00	
	Description:- Supply of Line-Interactive 1KVA UPS with battery backup 60 minutes and as per specification.							
35	35	3.00	Numbers	35870.59	107611.77	AT Par	107611.77	
	Description:- Supply of 19" 42U covered racks, Vero President /Rittel make having size of approximately 2.2mtr, height X 800mm, width X 800mm depth and duly approved by the engineer in charge of the work . The rack shall be complete with all fittings for housing SDH equipment, Primary MUXes, DDF, MDF using krone module and other equipment like runway ladders, etc. completely wired and equipped with integrated protection modules for all channels as per technical specifications and other stipulations of tender document. It should be possible to lock all the equipment with only order wire telephone remaining outside the rack.							
36	36	28.00	Numbers	2751.27	77035.56	AT Par	77035.56	
	Description:- Supply of 6-quad reinforced thermo-shrinkable cable joint enclosure with 2T/3T transformer as per RDSO Specification No. RDSO/SPN/TC/77/2012 Rev.3 or latest.							
37	37	4.00	Pair	3936.88	15747.52	AT Par	15747.52	
	Description:- Supply of Media Convertor optical to ethernet 1310/1550 optical & 10/100/1000 MBPS ethernet as per RDSO/SPN/TC/103/2013 Rev. 1 or latest							
38	38	1.00	Numbers	361921.46	361921.46	AT Par	361921.46	
	Description:- Supply of Standard 19" Rack Mountable LER (Label Edge Router), IP- MPLS Router with Redundant DC power feed -48V DC nominal, equipped with interfaces: 2 x 10G (optical) SFP+ Ports along with 2 Nos of 40Kms 10G SFP+LC Modules, 4 x 1GbE (Optical) interface along with 4 Nos of 1GbE Single Mode Bi-directional SFP (10KMs) Modules and 4 x 1GbE (Copper) interfaces & Modules and slot for 16x E1 (G.703), {supply of 16 E1 card is not included in this item}, Mounting kit with all necessary accessories & Software, Perpetual Licenses as Per RDSO Document No. STT/TAN/IP-MPLS/2020 Version 01 or latest.							
39	39	2190.00	Metre	12.12	26542.80	AT Par	26542.80	

**VADODARA DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SandT_BRC_26-27_09_TEL

Closing Date/Time: 19/06/2026 15:00

		Description:- Supply of Rigid uPVC conduit pipe of having outer dia 25mm with ISI mark (IS:9537 Part-3).					
40	40	84.00	Numbers	441.35	37073.40	AT Par	37073.40
		Description:- Supply of OFC patch chord with FC/SC/LC connector at one end FC/SC/LC connector at another end as per site requirement (suitable for media convertor/ SFP supplied) & length of patch cords 10 meters as per RDSO/SPN/TC/69/2007 Rev. 1.0 or latest.					
41	41	1600.00	Metre	72.03	115248.00	AT Par	115248.00
		Description:- Supply of twin-core shielded cable of size of each core 24/36 SWG with standard colour (Red & Black) having screening coverage of 95% area of the sheath of the cable using braided copper conductors as per RDSO Specification No. RDSO/SPN/TC/63/2006 or latest amendment.					
42	42	24.00	Numbers	8321.14	199707.36	AT Par	199707.36
		Description:- Supply of basic material to construct Maintenance Free Earth for Ring Earth consisting as per Specification No. RDSO/SPN/197/2016 Ver1.0 or latest, bonding connections drawing no. SDO/RDSO/E&B/002. (a) Copper bonded steel electrodes of 3.0 m long, 17.0 mm dia. minimum with copper bonding thickness of minimum 250 micron and UL listed and marked -1 No. (b) Earth Enhancement compound of RDSO approved brand supplied in sealed bags of minimum 30-35Kg.- 1 Nos. (c) Copper Strip of 200mm x 25mm x 6mm to exothermically welded to Earth electrode- 1no. (d) Copper Strip of 300mm x25mm x 6mm (MEEB) - 1no. (e) Copper Strip of 150mm x25mm x 6mm (SEEB)- 1no.					
43	43	400.00	Metre	396.00	158400.00	AT Par	158400.00
		Description:- Supply of 35 Sq.mm Single Core Multi-Strand Copper Cable as per specification.					
44	44	450.00	Metre	170.00	76500.00	AT Par	76500.00
		Description:- Supply of 16 Sq.mm Single Core Multi-Strand Copper Cable as per specification.					
45	45	500.00	Metre	92.00	46000.00	AT Par	46000.00
		Description:- Supply of 10 Sq.mm Single Core Multi-Strand Copper Cable as per specification.					
46	46	22.00	Numbers	620.00	13640.00	AT Par	13640.00
		Description:- Supply of MCB 6 Amp, Double Pole 240 Volt and as per specification.					
47	47	2.00	Numbers	16000.00	32000.00	AT Par	32000.00
		Description:- Supply of Telescopic Ladder of Steel-Aluminium Single Pole Platform Step Ladder expandable up to 14 feet and capacity 150 KGs and as per Technical specifications.					
48	48	500.00	Numbers	58.53	29265.00	AT Par	29265.00
		Description:- Supply of Disconnect Terminal Block, Screw less type, 4-wire front entry (Two in-put & Two out-put) The color will be decided by Engineer - in - Charge. (Preferably In Blue, Red & Grey Colors in the ratio of 1:2:3). as per RDSO Spec. No. RDSO/SPN/189/2004. With latest amendments. Note: Make to be approved by Railway before supply.					
49	49	100.00	Numbers	11.07	1107.00	AT Par	1107.00
		Description:- Supply of End plate 2.5mm/0.091 in thick as per site requirement.					
50	50	50.00	Numbers	10.86	543.00	AT Par	543.00
		Description:- Supply of End Stopper 10mm/0.0394 in width as per site requirement.					
51	51	10.00	Metre	113.88	1138.80	AT Par	1138.80
		Description:- Supply of Carrier Rails for above 35mm x 7.5mm, 1mm/0.039 in thickness un-slotted type as per site requirement.					
52	52	500.00	Metre	114.46	57230.00	AT Par	57230.00
		Description:- SUPPLY OF 10 PAIR PIJF COPPER CONDUCTOR UNDERGROUND ARMoured TELEPHONE CABLE OF 0.5 mm DIA AS PER RDSO SPECIFICATION NO. IRS-TC:41/97 WITH LATEST AMNDT. MAKE: DELTON/ BIRLA ERISSON/ SINGLA CABLE/POLYCAB WIRE.					
53	53	1.00	Numbers	1387100.00	1387100.00	AT Par	1387100.00
		Description:- Supply of in-built GNSS based cable route tracer with 10W, 500mA, 85V transmitter suitable for detecting & mapping underground cables with accuracy which can up to 3-5 cm or better, with current direction up/down arrows, Remote calibration check feature. Supply shall include in-built RTK enabled receiver, transmitter, compatible dual Bluetooth android phone with RTK mobile application pre-installed in android device along with minimum 5 years subscription, compatible with NTRIP and RTCMv3.X messaging standards and holder & standard accessories. Make/Model: Radio detection RD8200SG or similar.					
54	54	2.00	Numbers	4911.75	9823.50	AT Par	9823.50
		Description:- Supply of DIGITAL MEGGER/ INSULATION TESTER, as per Technical Specification. Make: WACO/ RISHABH/ METRAVI / MOTWANI. INSULATION TESTER MUST BE SUPPLIED WITH CALIBRATION CERTIFICATE FROM A NABL CERTIFIED LABORATORY.					
55	55	18.00	Numbers	2270.00	40860.00	AT Par	40860.00

**VADODARA DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SandT_BRC_26-27_09_TEL

Closing Date/Time: 19/06/2026 15:00

		Description:- Supply of 2x48 fiber optic fiber splice straight joint enclosure (SJC) complete with all accessories as per RDSO/SPN/TC/68/2014, Rev.3 or latest specs for 24 fiber OFC cable with latest amendment.					
56	56	500.00	Metre	16.60	8300.00	AT Par	8300.00
		Description:- Supply of Casing Capping double lock type heavy duty with ISI mark size 25MM x 12MM x 12MM thick.					
57	57	4.00	Numbers	6306.17	25224.68	AT Par	25224.68
		Description:- Supply of 12-ft Aluminium folding ladder self supported, light in weight , fire proof, 12 ft in height having non slip flat steps with Aluminium frame rigid and platform on top enabling one person to handle. The separator between the two legs must be made of rigid metal.					
58	58	4300.00	Metre	24.09	103587.00	AT Par	103587.00
		Description:- Supply of 06 Core Optical Fiber Cable Armoured Single Mode. Make : D-Link or similar of reputed make.					
59	59	1.00	Numbers	33085.59	33085.59	AT Par	33085.59
		Description:- Supply of Two Zone PA Amplifier 200 Watt + 200 Watt, operated on 230 Volt AC 50 Hz & 24 Volt DC Battery operated as per specification.					
60	60	4.00	Numbers	1707.38	6829.52	AT Par	6829.52
		Description:- Supply of speaker unit horn 15 watt with all necessary accessories as per RDSO Specification No. RDSO/ SPN/ TC/ 63/ 2006 or latest amendment.					
61	61	4.00	Numbers	1582.97	6331.88	AT Par	6331.88
		Description:- Supply of 15 watt Column speaker unit as per RDSO Specification No. RDSO/ SPN/TC/63/2006 or latest amendment.					
62	62	4.00	Numbers	842.21	3368.84	AT Par	3368.84
		Description:- Supply of Microphone for general PA with connector & 06 meter screened cable all necessary accessories as per RDSO Specification No. RDSO/ SPN/TC/ 63/2006 Rev. 0.0 or latest amendment; make-AHUJA OR PHILIPS OR BOSCH ONLY.					
63	63	3.00	Numbers	159.65	478.95	AT Par	478.95
		Description:- Supply of microphone stand all necessary accessories as per RDSO Specification no. RDSO/SPN/TC/63/2006 Rev. 0.0 or latest amendment.					
64	64	6.00	Numbers	2269.14	13614.84	AT Par	13614.84
		Description:- Supply of Reinforced Thermo-shrink filled Jointing kit for 6 Quad cable (0.9 mm conductor dia) RTSF-3 as per RDSO spec. no. IRS: TC/77/2012 Rev. 3.0 Amdt.3 or latest.					
65	65	1.00	Numbers	6292.94	6292.94	AT Par	6292.94
		Description:- Supply of Analog Earth Tester Hand operated type, 4 terminal, Insulation resistance range:0-20 Mega Ohms with Testing Kit and as per specifications.					
66	66	1.00	Set	140841.43	140841.43	AT Par	140841.43
		Description:- Supply of Maintenance tools kit as per TEC specification no. GR/OFT-01/03 APR 2005 or latest and as per details in the tender document.					
67	67	1.00	Set	114801.72	114801.72	AT Par	114801.72
		Description:- Supply of Tool & Testing for OFC Cable (OFC power meter 1310/1550 nm & OFC power source/generator 650/1310/ 1550 nm) with tool box as per details in the tender document.					
68	68	1.00	Numbers	15469.00	15469.00	AT Par	15469.00
		Description:- Portable Handheld Electronic Labeller with 05 nos. of tape cassette having following or better specifications: (1) Print Resolution: 180 dpi,64 dots (2) Print Speed: 20mm/sec (3) No. of Lines Printable: 2 Lines (4) Tape Cassette: 12mm (5) AC Adapter with rechargeable alkaline batteries. (6) Accepted make: Brother/Epson/Casio only. Tenderer should submit make and model of the item for which the offer is being quoted.					
69	69	1525.00	Metre	25.29	38567.25	AT Par	38567.25
		Description:- Supply of STP (Shielded Twisted Pair) CAT-6 cable compliant with latest EIA/TIA-568-B. 2-1 standard of make: D-Link/ DAX/ Lucent/ Crone/Amp.					
70	70	32.00	Each	253.70	8118.40	AT Par	8118.40
		Description:- Supply of Shielded RJ-45 CAT6 / CAT 6A RJ-45 Connectors (10 pcs per pack) - Pass Through Connector Gold Plated 3 Prong 8P8C Modular Plugs for FTP/STP Stranded Ethernet Cables and Solid Wire 23AWG. Make: D-Link/Digisole/Spectra/DAX/Megabyte. NOTE: The unit may be read as PACKS.					
71	71	26.00	Numbers	39662.49	1031224.74	AT Par	1031224.74
		Description:- Supply of Double Face Coach Guidance Display Boards with all necessary accessories conforming to system requirement as per RDSO Specification No. RDSO/SPN/TC/61/2015 Rev 4.0. Amendment 1 or latest.					
72	72	1.00	Set	283197.25	283197.25	AT Par	283197.25
		Description:- Supply of Central Data Controller Unit conforming to system requirement as per RDSO Specification No. RDSO/ SPN/ TC/ 61/ 2015 Rev 4.0 Amd.1 or latest.					

**VADODARA DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SandT_BRC_26-27_09_TEL

Closing Date/Time: 19/06/2026 15:00

73	73	2.00	Numbers	59262.05	118524.10	AT Par	118524.10	
	Description:- Supply of Platform Data Controller (PDC) conforming to System requirement of RDSO Specification No. RDSO/ SPN/ TC/ 61/ 2015 Rev 4.0. Amd.1 or latest.							
74	74	1.00	Numbers	383769.77	383769.77	AT Par	383769.77	
	Description:- Supply of Single Face Train Information Display Boards (AGDB) with its mechanical structure and necessary software i.e. conforming to system requirement along with all accessories as per RDSO Specification No. RDSO/SPN/TC/61/2015 Rev.4 Amd.1 or latest							
75	75	2.00	Numbers	397081.12	794162.24	AT Par	794162.24	
	Description:- Supply of Single Line Double Faced Platform Display Boards (TTIB) for displaying information of single train i.e. conforming to system requirement along with all accessories as per RDSO Specification No. RDSO/SPN/TC/61/2015 Rev.4 Amd.1 or latest.							
76	76	10.00	Numbers	7534.06	75340.60	AT Par	75340.60	
	Description:- Supply of 15 watts Column speaker, matching transformer and driver unit as per specification.							
77	77	800.00	Metre	64.03	51224.00	AT Par	51224.00	
	Description:- Supply of 5 pair Colour Coded and PVC insulated twin twisted overall and pair shielded data communication cable made up of core size 7/0.30 [7 strands of min 0.3 mm dia.] generally conforming to DIN VDE 0815 except for colour code of cable pair which shall be as per DIN VDE 0816 or latest.							
78	78	1.00	Numbers	54715.88	54715.88	AT Par	54715.88	
	Description:- Supply of Remote Craft Terminal as per specification.							
79	79	5.00	Numbers	5996.09	29980.45	AT Par	29980.45	
	Description:- Supply of SIP Based Medium IP Phone with 240x120 Pixel or better Graphical LCD with Backlight, Minimum 8 No of One Touch line key as per Specification.							
80	80	4.00	Numbers	1331.67	5326.68	AT Par	5326.68	
	Description:- Supply of Class10 Micro SDXC Memory Card 128 GB storage.							
81	81	8.00	Numbers	2851.05	22808.40	AT Par	22808.40	
	Description:- Supply of 20 watts Column speakers with 10 watt tapping, matching transformer and driver unit, Make: LBD 8373 of Philips make / SCM-30T of Ahuja make or similar.							
82	82	2.00	Numbers	5594.13	11188.26	AT Par	11188.26	
	Description:- Supply of Servo voltage stabilizer of 1500 VA input voltage 180 to 270 V AC output voltage 220/230V AC.							
83	83	1.00	Numbers	1010.37	1010.37	AT Par	1010.37	
	Description:- Supply of UTP cable Crimping Tool as per specification.							
84	84	2.00	Pair	16431.19	32862.38	AT Par	32862.38	
	Description:- Supply of HDMI to fiber convertor/extender range 20km (supporting 4K resolution) compatible with HDMI video source devices. Wavelength 1310/1550nm ,AC adapter 230volt/5v							
85	85	1.00	Numbers	6149.07	6149.07	AT Par	6149.07	
	Description:- Supply of HDMI Splitter 1x8 as per specification.							
86	86	2.00	Numbers	256.16	512.32	AT Par	512.32	
	Description:- Supply of HDMI Cable 3 Meter (compatible with HDMI video source devices.)							
87	87	1.00	Numbers	6739.13	6739.13	AT Par	6739.13	
	Description:- Supply of Aluminium Ladder 10-feet as per specification.							
88	88	10.00	Numbers	1158.71	11587.10	AT Par	11587.10	
	Description:- Supply of caller ID telephone as per technical specification.							
89	89	1.00	Set	22938.00	22938.00	AT Par	22938.00	
	Description:- Supply of insulated tool kit for Telecom as per technical specification.							
90	90	450.00	Metre	594.24	267408.00	AT Par	267408.00	
	Description:- Supply of Indiana/phoenix/Jiwei make perforated cable trays with our standard perforation fabricated from 1.6 mm thick pre-galvanized sheet in the standard length of 2.5 mtrs, with coupler. Plate + electro galvanized hardware. Size: 300 mm width X 50 mm height.							
91	91	1.00	Numbers	14302.11	14302.11	AT Par	14302.11	
	Description:- Supply of Mixture AMPLIFIER 250 WATTS, AC & 24 VOLT DC OPERATION, with USB and 6 MIC AUX INPUT OR SUPERIOR. MAKE :AHUJA/BOSS/PHILIPS.							
92	92	200.00	Numbers	157.96	31592.00	AT Par	31592.00	
	Description:- Half Round RCC pipes & collars of 150 mm internal dia (1 meter long) along with collars as per IS No. 458/2003 of NP type.							
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit

**VADODARA DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SandT_BRC_26-27_09_TEL

Closing Date/Time: 19/06/2026 15:00

Schedule () B-EXECUTION & SUPPLY-EXECUTION Items							11113731.51	
1	1	8.00	Numbers	40921.59	327372.72	AT Par	327372.72	
	Description:- Supply, Installation, Testing and Commissioning of Double Faced Coach Guidance Display Boards as per RDSO Specification No. RDSO/ SPN/TC/108/2019 or latest with latest amendments.							
2	2	15500.00	Metre	5.35	82925.00	AT Par	82925.00	
	Description:- Transportation & Laying of HDPE Duct as per approved cable route plan in the excavated trench, taking due care while transporting and laying the same in the trenches or other protective works, both the end of the duct should be sealed with end plugs.							
3	3	14500.00	Metre	9.33	135285.00	AT Par	135285.00	
	Description:- Blowing and drawing of OFC through HDPE Duct already provided in the excavated trench, taking due care while transporting and sealing both the ends after laying. The cable should be blown according to the technical/ Telecom Manual provisions and instructions of the Engineer-in-charge. this also includes laying of cables in track crossing and road crossing.							
4	4	24.00	Numbers	19815.50	475572.00	AT Par	475572.00	
	Description:- Supply of Straight Joint Encloser & splicing of optical fiber (2X48) :- This includes (1) Supply of straight joint encloser (SJC) complete with all accessories with latest amendments (2) Splicing of optical fiber cables (2X48Fibers) and testing.							
5	5	281.00	Numbers	412.66	115957.46	AT Par	115957.46	
	Description:- Supply and installation of RCC cable route marker engraved and painted on both side along the route every 50mm and route diversion as per Drg. No 4014/00/CC4 or latest/ Stone marker.							
6	6	200.00	Metre	418.05	83610.00	AT Par	83610.00	
	Description:- Laying and fixing of Medium class GI pipes 100 mm Dia (4.5 mm thickness) as per IS 1239 (Part 1) 2004 or latest with coupling on culverts/bridges, perforated at a distance of 20 cm or less with 10 mm Dia hole, or at any other locations as decided by Site Engineer. The GI pipe is to be filled with chattered compound. It includes supply of all material required for fixing arrangement. Contractor will also supply flexible/corrugated HDPE pipe at the end of GI pipe to protect the cables from sharp edges and sudden bends. The e laying and fixing to be done as per RDSO drawings No. SDO/cable laying/011 and SDO/cable laying/012, issued vide RDSO document No. RDSO/SI/G/2010 Version 1.1 dated 04.02.2014, or latest.							
7	7	16.00	Numbers	1835.39	29366.24	AT Par	29366.24	
	Description:- Supply, Fabrication & Erection of Emergency post assembly complete with 6 Pin Socket Box and its wiring as directed by Engineer In charge. Complete work will be done by contractor with excavation, if required. Emergency plug & socket should be RDSO Spcn. No. IRS/TC/42/87 or latest & each socket should have inbuilt universal lock with key. this includes erection of whole assembly it's foundation by brick, masonry and painting of whole assembly including EC Socket box.							
8	8	26.00	Numbers	341.49	8878.74	AT Par	8878.74	
	Description:- Fixing of 20/12 pairs CT box & termination of cables as per the details approved by the engineer. All the required materials shall be supplied by the contractor. This include armour earthing also.							
9	9	38.00	Numbers	5520.82	209791.16	AT Par	209791.16	
	Description:- Splicing of laid under above items OFC cable and making the splice joint in dust free environment with contractor's own equipments and labour. Straight joint enclosure (SJC) is covered under schedule 'A' remaining all required materials, tools , plants shall be arranged by the contractor. splicing shall be started from one end and each splicing shall be monitored after splicing and after closing the enclosure for all the fibers from one central location by contractor's engineer with his own OTDR and optic Talk set with railway engineer , trace for the fibers shall be taken and signed jointly, if any fibred splice shows high loss/lossy event, the same shall be redone before completion of splicing work. The splice loss shall be as per the policy/technical circulars issued by the railways from time to time.							
10	10	44.00	Numbers	1205.43	53038.92	AT Par	53038.92	
	Description:- Earthing of armour of under-ground OFC, Quad & extending it to the telecom earth.							
11	11	640.00	Metre	33.22	21260.80	AT Par	21260.80	
	Description:- Placing of DWC/RCC pipes along with collars in trenches at places of track and road crossings, platform cuttings etc. also for straight cable laying. (Cable laying is covered separately.)							
12	12	9300.00	Metre	9.37	87141.00	AT Par	87141.00	
	Description:- Laying of S&T Cables of various cores/ pairs/ quads in trenches/ GI pipes/ RCC pipes/ DWC pipes/ Trucking. This also includes laying of cables in track crossings & road crossings. Item includes provision of labels of colored plastic adhesive tapes or any other identifiable material on each cable to give the cable number at each G.P.(Cables will be daggered before and after its laying by contractor under supervision of Railway Representative and he will submit the meggering report of each testing). Length of the cable laid includes the length of the cable coiled for termination purposes. NOTE: The unit may be read as RM.							

**VADODARA DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SandT_BRC_26-27_09_TEL

Closing Date/Time: 19/06/2026 15:00

13	13	42.00	Numbers	1080.24	45370.08	AT Par	45370.08	
	Description:- Jointing of 4 / 6 quad /Signaling cable with Heat Shrinkable straight through Jointing Kit. All the material required for the work are to be arrange by contractor himself at his own cost except Thermo-shrinkable Joint Kit . After jointing the cable through test such as insulation test, continuity cable losses etc. to be carried out jointly with Railway Engineer. If any defect or any damage is observed during jointing, the contactor has to redo the joint free of cost.							
14	14	2450.00	cum	255.99	627175.50	AT Par	627175.50	
	Description:- Excavation of cable trench as per cable route plan, 1.2 Mtr. deep and of 0.3 Mtr. to 0.6 Mtr wide advised by Engineer-in-charge alongside the track in normal (all type) soil/strata, conforming to distances as per cable route plan and refilling. This work includes clearing of route from bushes etc., covering of cable laid in trench by loose soil for a layer of 50mm thickness approximately before covering by bricks. The work shall be done as per the extant practice on Western Railway and instructions of Railway Engineer at site. In case 1m depth of trench is not achievable due to site conditions, specific approval of JA grade officer will be required for each site where trench depth of 1m is not possible. Without the approval of JA Grade officer, no payment for trenching will be made for trench depth less than 1.2m.							
15	15	10540.00	Metre	451.78	4761761.20	AT Par	4761761.20	
	Description:- Horizontal direction drilling/boring without damage of surface road using Auger Machine. The bore shall be 150 mm Dia & shall be done at the depth of minimum 1200 mm from the ground level. The ground level shall be considered ignoring the bank height of the bank of the road. The length of the bore shall be minimum 4 Mtr long. The HDD with or without HDPE pipe as per direction of Engineer In charge. Note: HDPE pipe supply is taken as separate item. This item also includes cable laying (HDD boring).							
16	16	120.00	Metre	411.05	49326.00	AT Par	49326.00	
	Description:- Breaking of Pucca/Concrete Road, P Cutting/wall cutting ,Laying of OFC/STP/Power cable/other SnT cables, etc. in Trenches and through all types of protection Viz HDPE/GI/ RCC/DWC/PVC Pipes as the case may be. This includes smooth surfacing to lay cables and stone pavement/Pavers. Minimum size of trench 0.3m widthx 0.60m depth.							
17	17	12.00	Numbers	1979.93	23759.16	AT Par	23759.16	
	Description:- Transportation and Installation of Fiber Distribution Management System and splicing, and termination 2x24 optic fiber cable of the both ends as per site requirements, complete with all required materials, Fittings, and accessories at contractors own cost.							
18	18	3200.00	Metre	20.49	65568.00	AT Par	65568.00	
	Description:- Laying of half round RCC pipe after laying the cables in the trenches. (Cable laying is covered separately). NOTE: The unit may be read as RM.							
19	19	1.00	Set	2725.69	2725.69	AT Par	2725.69	
	Description:- Installation, wiring, testing and commissioning of SMPS battery charger & maintenance free VRLA cells at each station. Note:- The rate quoted shall be including the cost of DC bus bar of 48V DC /Power wire suitable stand etc., connection of power supply to the equipments. All the wiring shall be done with the suitable gauge of power wires through suitable casing / capping as per the instructions of railway engineer's. All the materials required for this item shall be supplied by the contractor. (Charger & Battery Set will be supplied by the Railways)							
20	20	2.00	Numbers	6827.48	13654.96	AT Par	13654.96	
	Description:- Supply and Fixing of ISI marked Carbon Di-Oxide (CO2) BC-Fire Extinguisher of 4.5 KG Capacity; conforming to IS:2878 from seamless cylinder conforming to IS:7285 which is marked controlled value conforming to IS:3224 High Pressure; 1 MTR long discharge hose & horn, complete with carry handle and wall mounting bracket, etc. as required by the site engineer.							
21	21	1.00	Numbers	183460.52	183460.52	AT Par	183460.52	
	Description:- Supply, Installation, testing and commissioning of Layer-3 switch with 24 Gigabit SFP slots and 4 SFP plus slots for uplink with redundant power supply and equipped with SFP modules as per RDSO specification no. RDSO/SPN/TC/83/2020, Rev.-2.1 or latest.							
22	22	1.00	Numbers	99274.22	99274.22	AT Par	99274.22	
	Description:- Supply and installation of 16 port E1 Card along with Patch panel/Krone Module and wiring for Routers with all accessories etc. as per RDSO Document No. STT/TAN/IP-MPLS/2020 Version 01.							
23	23	1.00	Numbers	11896.67	11896.67	AT Par	11896.67	

**VADODARA DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SandT_BRC_26-27_09_TEL

Closing Date/Time: 19/06/2026 15:00

				Description:- Installation, Commissioning & Testing of LER Routers including supply & Installation of all the accessories like Power cable, Earthing Cable, Optical Patch Cords of 3mtr- 4 Nos. for LERs, Cat 6 Patch Cords of 1mtr -4 Nos , one 6A MCB for each LER, wiring etc. as required for Routers.				
24	24	2.00	Numbers	20880.01	41760.02	AT Par	41760.02	
				Description:- Supply, Installation, Testing and Commissioning of 08 port FXS Gateway with all necessary licenses and compatible with IP Exchange installed at station.				
25	25	86.00	Numbers	328.00	28208.00	AT Par	28208.00	
				Description:- Splicing of fibers OFC Cable and making Splice joint with contractor's own splicing machine and tools and consumables.				
26	26	18.00	Numbers	1337.29	24071.22	AT Par	24071.22	
				Description:- Installation of Unit Maintenance Free Earth to achieve a resistance less than 1 ohm as supplied. It includes- [i] Digging the earth to the required depth. [ii] Insertion of electrode. [iii] Filling of earth enhancing compound [Approx. 30 Kg] [iv] Provision of exothermic weld connections to copper tape of 25 mm x 6 mm x150 mm to the earth electrodes. All material tools and features required for weld will be arranged by contractor. [v] This also includes CC cover 1.5 ft x1.5 ft. 1 ft wall thickness 2inch with cover 3 inch thickness. [vi] Cables 35 Sqmm/ 16 Sq mm/10 sq mm for connecting earth to busbar, busbar to busbar and busbars to various equipments. Earth electrode of 17.20 mm dia and 3.00 meter long high tensile low carbon steel circular rods molecularly bonded with copper and outer surface [minimum copper bonding thickness of 250 microns to made requirement of under writer's laboratories [UL]467-2007 or latest. [vii] Copper strips of 150 mm x25 mm x 6 mm to be welded with each earth electrode, copper strips of 300 mm x 25 mm x 6 mm for main equip- potential busbar, copper strips of 150mm x 25 mm x 6 mm sub equip-potential busbar in relay room, power room, OFC Huts and panel room. [viii] GI strip 25 mm x 2 mm for ring formation of earth pits Earth enhancement material in bags for each Earth Electrode. Inspectionchamber of site 300 mm x300 mm x 300 mm [Inside dimension] of approximate 50 mm thick with pulling hooks to cover the earth pits. Note : The installation of this item shall be carried out by the contractor as per RDSOSpecn. No.RDSO/SPN/ 197 Ver 1.0 or latest. Typical RDSO approved drawings referred in the RDSO specification document are: [i] SDO/RDSO/E&B/001 for typical installation of Earth, [ii]SDO/RDSO/E&B/002 for typical bonding and earthing connections, [iii] SDO/RDSO/E&B/003 for typical arrangement for earth resistance measurements.				
27	27	10.00	cum	6259.00	62590.00	AT Par	62590.00	
				Description:- Cement concrete work for miscellaneous items (RCC cable route markers and others) in the ratio 1:3:6. Item includes excavation, ramming, curing and plastering with cement & sand mixture (aggregate not exceeding 3.8 cm.) (Aggregate cement & sand to be supplied by the contractor).				
28	28	20.00	Numbers	4144.74	82894.80	AT Par	82894.80	
				Description:- Supply and installation of Plastocrate pre-fabricated OFC jointing pits (RCC/PVC) size 1.0m x 1.0m x 0.6m. The jointing pits shall be completely filled with sand up to 30cm from bottom level of pit to prevent entry of rodent after blowing and jointing of OFC covering joint enclosure. The material shall be supplied as per engineer in charge.				
29	29	3800.00	Metre	52.02	197676.00	AT Par	197676.00	
				Description:- Supply, installation, testing and commissioning of 2-core screened/shielded multistrand PVC insulated wire [24/0.2mm dia.] for speaker load line.				
30	30	26.00	Numbers	829.36	21563.36	AT Par	21563.36	
				Description:- Installation Testing and commissioning of different type of speakers to be supplied under Schedule 'A' with hanging arrangements and clamps on cover shed/ electrical poles as per directions of Field Engineer.				
31	31	2000.00	Metre	138.31	276620.00	AT Par	276620.00	
				Description:- Preparation of cable way 150mm wide at bottom and 200mm deep in rocky area/CC road/Platform and other CC/Stony location and refilling the same (after telecom Cable laying as well as laying PVC pipe which shall be paid separately under different items of the schedule) with concrete mixture of proportion 1:3:6 all along the trench done rocky area with contractor's own cement mixture, sand, water and other required materials and restoration of earth work as original with tiles/marvel/Granite etc.				
32	32	4300.00	Metre	20.51	88193.00	AT Par	88193.00	
				Description:- Laying of OFC/Power cable/CAT-6 cable/PA Cable/Data cable and all the other types of telecom cable through HDPE pipe/casing capping/fall ceiling with laying/fixing of HDPE pipe/casing capping/PVC pipe for connecting/interfaces various components and system integration. All materials for jointing and termination of power cable/CAT-6cable as per site requirement are to be supplied by contractor. This item also includes supply of RJ-45 connector with cap for terminating CAT-6 cable and supply and installation of a power board with 4 points (3 nos 5 amps ockets and 1 nos 15 Amps socket) as per site requirement.				
33	33	5.00	Numbers	32814.18	164070.90	AT Par	164070.90	

**VADODARA DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SandT_BRC_26-27_09_TEL

Closing Date/Time: 19/06/2026 15:00

									Description:- Supply, Installation, Testing and Commissioning of Platform dual face, 4 digit, GPS synchronized digital clock as per RDSO Specification No. RDSO/ SPN/ TC/ 62/ 2008 Revision 4.1 or latest, with LED of Blue/ Red/ White colour and size approximately 762 x 381 x 228 mm. It also includes all fitting arrangements. [Colour to be decided by Railways].
34	34	1500.00	Metre	4.46	6690.00	AT Par	6690.00		Description:- Laying of various cables as per approved cable route plan and the excavated trench taking due care while transporting and laying. The cables should be laid according to the Technical conditions and the instructions of the engineer in charge. Laying of Jelly filled unarmoured cables/PVC cable/ OFC 6 core/Power cables/signalling cables.
35	35	5.00	Pair	2937.69	14688.45	AT Par	14688.45		Description:- Supply, installation, testing and commissioning of Media Converter fiber to Ethernet 100base T Single mode fiber with all required accessories including AC230V to DC Power adapter, as per Clause No. 16 of RDSO Specn RDSO/SPN/TC /65/2016(Rev.4.0) or latest.
36	36	1.00	Set	18273.39	18273.39	AT Par	18273.39		Description:- Installation, testing and commissioning of CDC set as per RDSO Specification No. RDSO/SPN/TC/61/2015 Rev 4.0. Amd.1 or latest as supplied under schedule A.
37	37	2.00	Numbers	3914.42	7828.84	AT Par	7828.84		Description:- Installation, testing and commissioning of PDC as per RDSO Specification No. RDSO/SPN/TC/61/2015 Rev 4.0. Amd.1 or latest as supplied under schedule A. All required material [except PDC] for fixing the PDC are to be arranged by the contractor.
38	38	1.00	Numbers	17897.97	17897.97	AT Par	17897.97		Description:- Installation, Testing and Commissioning of Single Face Train Information Display Boards (AGDB) as per technical specification and it includes supply of miscellaneous items for execution of work.
39	39	1.00	Numbers	24266.99	24266.99	AT Par	24266.99		Description:- Supply and installation of Solid state Amplifier model TZA-2000, TZA-4000EM make: Ahuja or similar, along with one small stand.
40	40	500.00	Metre	1206.90	603450.00	AT Par	603450.00		Description:- Supply and installation of cable Tray (Hot Dip Galvanized Z+) 30mm x 100 mm (D x W), Make:- Legrand (Cablefil) / COPE /Leviton / Panduit.
41	41	1000.00	Metre	6.93	6930.00	AT Par	6930.00		Description:- Laying and Fixing of PVC/ Pipe/Casing Caping along with required accessories supplied above as per instruction of site Engineer as per specification.
42	42	4.00	Numbers	9647.18	38588.72	AT Par	38588.72		Description:- Supply, installation ,testing and commissioning of POE supported 2 MP full HD WDR network IR Bullet/Dome Camera- 60 Mtrs., 2.7 mm - 12 mm varifocal lens, up to 128 GB storage capacity and as per Technical Specification.
43	43	2.00	Numbers	6958.52	13917.04	AT Par	13917.04		Description:- Supply & installation of 4TB surveillance hard disk. Make:- Seagate, Western digital or superior.
44	44	1.00	Numbers	8125.20	8125.20	AT Par	8125.20		Description:- Supply & Installation of 8-channel NVR supporting POE and as per technical specification.
45	45	2.00	Numbers	11704.76	23409.52	AT Par	23409.52		Description:- Supply and Fixing on wall with the help of false nut of 19" 12U Networking Rack with Front Glass Door, 06 Socket Power DB, 02 Fan-Fan Tray, Cable Manager ,Hardware Packet ,Earthing etc. Make :APW-President or similar of reputed make.
46	46	2.00	Numbers	5276.56	10553.12	AT Par	10553.12		Description:- Supply and installation of 12 port rack mountable LIU along with all accessories suitable for mono mode fiber. LIU supplied should be of slider type and as per instruction of Site engineer.
47	47	500.00	Metre	796.48	398240.00	AT Par	398240.00		Description:- Providing G.I. perforated cable tray of size 150 mm x 100 mm x 100 mm on M.S. frame with cover - The price shall cover for fabrication, supply and fixing of M.S. perforated cable tray, hot dip galvanized as per latest ISS/BSS of size 150 x 100 x 100 mm and 2.0 mm approximate thickness with appropriate cover of thickness 1.6 mm. The cable tray shall be fixed horizontally or vertically at site and the existing Telecom cables shall be laid/shifted in the cable tray as per site requirement duly tied with suitable clamps with GI nuts, bolts and washers in a safe and secure manner. The fixing clamps shall be fabricated from 50 x 50 x 6mm MS angle or 50 x 6 mm MS flat duly painted and fixed at approximate distance of 1.5 to 2.0 meter apart with 2" long dowel/fisher rack bolts. The tray shall be fabricated in lengths of 2.0 m and couplers shall be provided at joints. The cable tray cover shall be fixed with GI screws.
	48	20.00	Numbers	27115.30	542306.00	AT Par	542306.00		

**VADODARA DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SandT_BRC_26-27_09_TEL

Closing Date/Time: 19/06/2026 15:00

48	Description:- Supply & Installation of Weatherproof Self-Amplified IP Speakers with mounting arrangement as per specification.						
49	49	1.00	Numbers	543584.44	543584.44	AT Par	543584.44
49	Description:- Supply, Installation, Testing & Commissioning of PA IP Controller (It consists of two Servers Active & redundancy Server in standby mode with licenses) as per specification.						
50	50	2.00	Numbers	5625.94	11251.88	AT Par	11251.88
50	Description:- Supply & Installation of SC type FMS of 2*12 Fiber, 19" rack mountable of 1U Height with patch panel for 24 Nos of SC/PC type connectors. FMS supplied with 24 Nos SC/PC type of Pigtaills should be of CORNING Make fiber or other reputed firm of length 1.5 Mtrs & 900 microns). FDMS supplied should be of slider type & of 3M, Raychem, TYCO.						
51	51	450.00	Metre	158.83	71473.50	AT Par	71473.50
51	Description:- Fixing of cable tray for housing of all type of telecom cable.						
52	52	1.00	Numbers	76649.66	76649.66	AT Par	76649.66
52	Description:- Supply and installation of Digital Announcement system, as per General & Hardware and detailed software specification.						
53	53	1.00	Numbers	59200.60	59200.60	AT Par	59200.60
53	Description:- Supply of Master Telephone of Electronic LC Gate Communication System as per RDSO Spec. No.: RDSO/SPN/TC/ 51/2011 (Rev.3.0) Amdt-1 or latest with Voice Logging Facility. This includes installation, testing & commissioning of this item.						
54	54	4.00	Numbers	6490.00	25960.00	AT Par	25960.00
54	Description:- Supply of Slave Telephone of Electronic LC Gate Communication System as per RDSO specification no. RDSO/ SPN/ TC/ 51/ 2011 Rev 3.0 with Amdt-1 or latest. This includes installation, testing & commissioning of this item.						
55	55	1.00	Numbers	7080.00	7080.00	AT Par	7080.00
55	Description:- Supply of 24V DC Power Supply Unit with MF Battery for Electronic LC Gate Telephone System as per RDSO Spec. No.: RDSO/ SPN/ TC/ 51/ 2011 (Rev.3.0) Amdt-1 or latest. This includes installation, testing & commissioning of this item.						
56	56	5.00	Numbers	16309.57	81547.85	AT Par	81547.85
56	Description:- Supply of surge protectors for display board as per Technical Specification and their installation along with all accessories.						

3. ITEM BREAKUP

No item break up added	
------------------------	--

4. ELIGIBILITY CONDITIONS

Standard Financial Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	The tenderer must have minimum average annual contractual turnover of V/N or 'V' whichever is less; where V= Advertised value of the tender in crores of Rupees N= Number of years prescribed for completion of work for which bids have been invited. The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years, as per the audited balance sheet. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover. The tenderers shall submit requisite information as per Annexure-VIB, along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet	No	No	Allowed (Mandatory)

Standard Technical Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
-------	-------------	-----------------------	-----------------	---------------------

**VADODARA DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SandT_BRC_26-27_09_TEL

Closing Date/Time: 19/06/2026 15:00

1	The tenderer must have successfully completed or substantially completed any of the following during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: Three similar works each costing not less than the amount equal to 30% of advertised value of the tender, or Two similar works each costing not less than the amount equal to 40% of advertised value of the tender, or One similar work each costing not less than the amount equal to 60% of advertised value of the tender. NOTE: Work experience certificate from private individual shall not be considered. However, in addition to work experience certificates issued by any Govt. Organisation, work experience certificate issued by Public listed company having average annual turnover of Rs 500 crore and above in last 3 financial years excluding the current financial year, listed on National Stock Exchange or Bombay Stock Exchange, incorporated/registered atleast 5 years prior to the date of closing of tender, shall also be considered provided the work experience certificate has been issued by a person authorized by the Public listed company to issue such certificates. In case tenderer submits work experience certificate issued by public listed company, the tenderer shall also submit along with work experience certificate, the relevant copy of work order, bill of quantities, bill wise details of payment received duly certified by Chartered Accountant, TDS certificates for all payments received and copy of final/last bill paid by company in support of above work experience certificate.	No	No	Allowed (Mandatory)
1.1	Defination of Similar Work :- Any work of PIS / IPIS / IVRS connectivity / POET/ KIOSK. OR OEM of the equipment duly fulfilling other eligibility criterion of the work contract.	No	No	Not Allowed

Bidders shall confirm and certify on the behalf of the tenderer including its constituents as under:

S.No.	Description
1	I/we the tenderer (s) am/are signing this document after carefully reading the contents.
2	I/We the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof.
3	I/we hereby declare that I/we have downloaded the tender documents from Indian Railway website www.ireps.gov.in . I/we have verified the content of the document from the website and there is no addition, no deletion or no alteration to the content of the tender document. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of work or final payment of the contract, the master copy available with the railway Administration shall be final and binding upon me/us.
4	I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements.
5	I/We also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us.
6	I/We declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us.
7	I/we certify that I/we the tenderer(s) is/are not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a HUF/ member of the partnership firm/LLP/JV/Society/Trust.
8	I/we understand that if the contents of the certificate submitted by us are found to be forged/false at any time during process for evaluation of tenders, it shall lead to forfeiture of the Bid Security and may also lead to any other action provided in the contract including banning of business for a period of upto two year. Further, I/we and all my/our constituents understand that my/our offer shall be summarily rejected.
9	I/we also understand that if the contents of the certificate submitted by us are found to be false/forged at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of Bid Security/Security Deposit and Performance guarantee and may also lead to any other action provided in the contract including banning of business for a period of upto two year.
10	I/We have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India and certify that I am/We are not from such a country or, if from such a country, have been registered with the competent Authority. I/We hereby certify that I/we fulfil all the requirements in this regard and am/are eligible to be considered (evidence of valid registration by the competent authority is enclosed)

Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.

S.No.	Description
-------	-------------

**VADODARA DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SandT_BRC_26-27_09_TEL

Closing Date/Time: 19/06/2026 15:00

1	Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. Please submit a certificate in the prescribed format (please download the format from the link given below). Non submission of the certificate, or submission of certificate either not properly filled in, or in a format other than the prescribed format shall lead to summary rejection of your offer. (Click here to download the Format of Self Certification)
---	---

5. COMPLIANCE

Check Lst

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	As per Tender Document.	No	No	Not Allowed

Commercial-Compliance

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	As per Tender Document.	No	No	Allowed (Mandatory)
2	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	No	Yes	Allowed (Optional)

General Instructions

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	As per Tender Document.	No	No	Not Allowed

Special Conditions

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	As per Tender Document.	No	No	Not Allowed
2	Annexure-V(A) as per GCC to be uploaded - This certificate is to be given by attorney/authorized signatory/each member of Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc	No	No	Not Allowed

Technical-Compliances

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Annexure-V(A) as per GCC to be uploaded - This certificate is to be given by attorney/authorized signatory/each member of Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc	No	No	Allowed (Mandatory)

**VADODARA DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SandT_BRC_26-27_09_TEL

Closing Date/Time: 19/06/2026 15:00

2	Bidders shall confirm and certify on the behalf of the tenderer including its constituents as under: 1.I/we the tenderer (s) am/are signing this document after carefully reading the contents. 2.I/We the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof. 3.I/we hereby declare that I/we have downloaded the tender documents from Indian Railway website www.ireps.gov.in . I/we have verified the content of the document from the website and there is no addition, no deletion or no alteration to the content of the tender document. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of work or final payment of the contract, the master copy available with the railway Administration shall be final and binding upon me/us. 4.I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements. 5.I/We also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us. 6.I/We declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us. 7.I/we certify that I/we the tenderer(s) is/are not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a HUF/ member of the partnership firm/LLP/JV/Society/Trust. 8.I/we understand that if the contents of the certificate submitted by us are found to be forged/false at any time during process for evaluation of tenders, it shall lead to forfeiture of the Bid Security and may also lead to any other action provided in the contract including banning of business for a period of upto two year. Further, I/we and all my/our constituents understand that my/our offer shall be summarily rejected. 9.I/we also understand that if the contents of the certificate submitted by us are found to be false/forged at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of Bid Security/Security Deposit and Performance guarantee and may also lead to any other action provided in the contract including banning of business for a period of upto two year. 10.I/We have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India and certify that I am/We are not from such a country or, if from such a country, have been registered with the competent Authority. I/We hereby certify that I/we fulfil all the requirements in this regard and am/are eligible to be considered (evidence of valid registration by the competent authority is enclosed)	No	No	Allowed (Mandatory)
3	As per Tender Document.	No	No	Allowed (Mandatory)

Undertakings

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	As per Tender Document.	No	No	Not Allowed

6. Documents attached with tender

S.No.	Document Name	Document Description
1	TenderDocument26-27-09-TEL.pdf	Tender Document

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

**VADODARA DIVISION-S AND T/WESTERN RLY
TENDER DOCUMENT**

Tender No: SandT_BRC_26-27_09_TEL

Closing Date/Time: 19/06/2026 15:00

Signed By: HARSHIT JAIN

Designation : DSTE/W-I/BRC