

**DSTE-TELE-GKP-S AND T/NORTH EASTERN RLY
TENDER DOCUMENT**

Tender No: N-235-62TeleTender05-2026

Closing Date/Time: 25/06/2026 12:30

Dy CSTE/Tele/GKP acting for and on behalf of The President of India invites E-Tenders against Tender No **N-235-62TeleTender05-2026** Closing Date/Time 25/06/2026 12:30 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

1. NIT HEADER

Name of Work	Augmentation and improvement/Upgradation of Telecom infrastructure by Supply, Installation, Testing, Commissioning of IP based Intercom Exchanges & Telecom Equipments along with LAN cabling including associated works related to Fire Alarm System, Lightening Arrestor, Power Supply and Replacement of old analog PCSTE Conference system with Digital Audio Conference System in Head Quarter Gorakhpur, N.E. Railway.		
Bidding type	Normal Tender		
Tender Type	Open	Bidding System	Single Packet System
Tender Closing Date Time	25/06/2026 12:30	Date Time Of Uploading Tender	22/05/2026 11:10
Pre-Bid Conference Required	No	Pre-Bid Conference Date Time	Not Applicable
Advertised Value	21186266.95	Tendering Section	TENDERCELL
Bidding Style	Single Rate for Each Schedule	Bidding Unit	
Earnest Money (Rs.)	423700.00	Validity of Offer (Days)	60
Tender Doc. Cost (Rs.)	0.00	Period of Completion	6 Months
Contract Type	Works - General	Contract Category	Expenditure
Bidding Start Date	11/06/2026		
Are JV allowed to bid	No	Number of JV Member Allowed	0
Are Consortium allowed to bid	No	Number of Consortium Member Allowed	0
Ranking Order For Bids	Lowest to Highest	Expenditure Type	Capital (Works)

2. SCHEDULE

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () A-Provision of IP based Intercom Exchange & Telecom Equipments along with LAN cabling including associated works related to Fire Alarm System, Lightening Arrestor & Power Supply in various department at Head Quarter, Gorakhpur							19379004.61	Above/ Below/Par
1	1	4.00	Set	356541.83	1426167.32	AT Par	1426167.32	
	Description:- Supply, Installation, testing & Commissioning of Rack mountable set of Two Servers (1+1) (work as fully hot standby) to work as IP-PBX. The server should be installed with Ubuntu Server LTS 22.04 or latest and Asterisk18.13.0.LTS or latest as per RB Doc No:2022/Tele/9(3)/4 dated 22.09.2022 (Asterisk Guidelines enclosed) & as per Technical Specification in Annexure-A attached. Note: (a) Server should be COTS and not any proprietary server) (b) it support from 48 upto 500 subscriber. (Inspection Agency: RITES).							
2	2	19.00	Numbers	125082.61	2376569.59	AT Par	2376569.59	
	Description:- Supply, Installation, Testing & Commissioning of 48 ports FXS media Gateway as per RB Doc No:2022/Tele/9(3)/4 dated 22.09.2022 or latest (Asterisk Guidelines enclosed) & as per Technical Specification in Annexure-A attached. (Inspection Agency:-RITES).							
3	3	220.00	Numbers	11584.35	2548557.00	AT Par	2548557.00	
	Description:- Supply, Installation, Testing & Commissioning of Executive open standard SIP Phone (VoIP Phone) as per RB Doc No:2022/Tele/9(3)/4 dated 22.09.2022 or latest (Asterisk Guidelines enclosed) & as per Technical Specification in Annexure-A attached. (Inspection Agency:-RITES).							
4	4	280.00	Numbers	7210.51	2018942.80	AT Par	2018942.80	
	Description:- Supply, Installation, Testing & Commissioning of Non-Executive open standard SIP Phone (VoIP Phone) as per RB Doc No:2022/Tele/9(3)/4 dated 22.09.2022 or latest (Asterisk Guidelines enclosed) & as per Technical Specification in Annexure-A attached. (Inspection Agency:-RITES).							
	5	500.00	Numbers	1452.61	726305.00	AT Par	726305.00	

**DSTE-TELE-GKP-S AND T/NORTH EASTERN RLY
TENDER DOCUMENT**

Tender No: N-235-62TeleTender05-2026

Closing Date/Time: 25/06/2026 12:30

5	Description:- Supply, Installation, Testing & Commissioning of Analog Hands free phone with CLI facility as per Railway board letter no. 2022/Tele/9(3)/4 dated: 22.09.2022 or latest (Asterisk Guidelines enclosed) & as per Technical Specification in Annexure-A attached. (Inspection Agency:- RITES).						
6	6	100.00	Numbers	27.36	2736.00	AT Par	2736.00
6	Description:- Supply of RJ-11 rossets/Socket box with all required accessories. (Inspection: Consignee).						
7	7	4.00	Numbers	110620.34	442481.36	AT Par	442481.36
7	Description:- Supply and installation of Layer 3 type, 24 port Managed Switch with 24 Nos of 10/100/1000 Ethernet ports with PoE supplies, dedicated stacking module, 4*1 GE SFP ports for uplink including supply of 4 nos. of 1 Ge SFP modules, mounting kit with all necessary accessories as per RDSO Specification No: RDSO/SPN/TC/83/2020 Rev. 2.1 or latest & as per Technical Specification in Annexure-A attached. (Switch should be TTP approved and to be procured from TTP approved sources) Make: Cisco/ Juniper/ HP/ Zyxel/ Digisol/ D-Link or superior. (Inspection: Consignee).						
8	8	28.00	Numbers	44858.05	1256025.40	AT Par	1256025.40
8	Description:- Supply and installation of 24 Port Layer-2 PoE Switch (24 Gigabit ethernet port, 4-SFP Port equipped with 2x10G SFP+ and 2x1G SFP modules) as per RB Doc No:2022/Tele/9(3)/4 dated 22.09.2022 (Asterisk Guidelines enclosed) & as per Technical Specification in Annexure-A attached. (Switch should be TTP approved and to be procured from TTP approved sources). Make: Cisco/ Juniper/ HP/ Zyxel/ Digisol/ D-Link or superior. (Inspection Agency:-RITES).						
9	9	30.00	Numbers	16407.61	492228.30	AT Par	492228.30
9	Description:- Supply, Installation, Testing & Commissioning of layer-2 switch (minimum 8+2 manageable) with 08 Nos. 10/100/1000 Mbps ethernet port POE and 02 nos.1000 base X SM SFT port with optical modules complete with all accessories etc. as per clause 14.0 (III) of RDSO specification no. RDSO/ SPN/ TC/ 65/ 2021 Rev 6.0 Amendment No. 1, 2 & 3 or latest & as per Technical Specification in Annexure A attached. (Switch should be TTP approved and to be procured from TTP approved sources). Make: Cisco/ Juniper/ HP/ Zyxel/ Digisol/ D-Link or superior. (Inspection: Consignee).						
10	10	4.00	Numbers	33928.56	135714.24	AT Par	135714.24
10	Description:- Supply, Installation, Testing & Commissioning of 19", 42U Networking Rack with PDU,FAN and other accessories as per RB Doc No:2022/Tele/9(3)/4 dated 22.09.2022 (Asterisk Guidelines enclosed) & as per Technical Specification in Annexure-A attached. Make: APW President or Rittal or HCL or APW or Comrack or Valrack or Schneider or Dataracks or D-Link or superior. Inspection: Consignee.						
11	11	4.00	Numbers	21207.57	84830.28	AT Par	84830.28
11	Description:- Supply, Installation, Testing & Commissioning of 19", 24U Networking Rack with PDU,FAN and other accessories as per RB Doc No:2022/Tele/9(3)/4 dated 22.09.2022 (Asterisk Guidelines enclosed) & as per Technical Specification in Annexure-A attached. Make: APW President or Rittal or HCL or APW or Comrack or Valrack or Schneider or Dataracks or D-Link or superior. (Inspection: Consignee)						
12	12	19.00	Numbers	5774.92	109723.48	AT Par	109723.48
12	Description:- Supply & Installation of Networking Rack19" 12U as per Technical Specification in Annexure-A attached. Make: APW President or Rittal or HCL or APW or Comrack or Valrack or Schneider or Dataracks or D-Link or superior. (Inspection: Consignee)						
13	13	4.00	Numbers	4286.48	17145.92	AT Par	17145.92
13	Description:- Supply, Installation, Testing & Commissioning of 19", 9U Networking Rack with PDU as per RB Doc No:2022/Tele/9(3)/4 dated 22.09.2022 (Asterisk Guidelines enclosed) & as per Technical Specification in Annexure-A attached. Make: APW President or Rittal or HCL or APW or Comrack or Valrack or Schneider or Dataracks or D-Link or superior. (Inspection: Consignee)						
14	14	20.00	Numbers	2978.73	59574.60	AT Par	59574.60
14	Description:- Supply, Installation, Testing & Commissioning of 19", 6U Networking Rack with PDU as per RB Doc No:2022/Tele/9(3)/4 dated 22.09.2022 (Asterisk Guidelines enclosed) & as per Technical Specification in Annexure-A attached. Make: APW President or Rittal or HCL or APW or Comrack or Valrack or Schneider or Dataracks or D-Link or superior. (Inspection: Consignee)						
15	15	5000.00	Metre	22.36	111800.00	AT Par	111800.00
15	Description:- Supply of Single mode 6 Fiber Armoured Optic Fibre Cable as per Technical Specification in Annexure A attached. Make: MOLEX, AMP, Schneider, Systemax, Panduit, D-Link,Finolex or superior. (Inspection: Consignee)						
16	16	2.00	Numbers	29842.22	59684.44	AT Par	59684.44
16							

**DSTE-TELE-GKP-S AND T/NORTH EASTERN RLY
TENDER DOCUMENT**

Tender No: N-235-62TeleTender05-2026

Closing Date/Time: 25/06/2026 12:30

	Description:- Supply, Installation, testing and commissioning of 48 Fiber (SC/ APCSC/ APC) FDMS as per RDSO Spec. No. RDSO/SPN/TC/37/2020 Revision 4.0 or latest & as per Technical Specification in Annexure-A attached, including suitable for terminating of 48 fibre OFC. Splicing of 48 fiber Optic Fibre Cable on the splice trays with provision of taking out 48 fiber of OFC. Pigtail with connector etc. 10 meter & 5 meter length and as advised by railway engineer as per requirement shall be supplied by contractor. This includes fixing of FDMS inside rack. Make: Molex/ iball/D-Link/ Syrotech/ Commscope/ Digisol/PANDUIT/3M/Raychem/TYCO or superior. (Inspection: Consignee)						
17	17	4.00	Numbers	5971.49	23885.96	AT Par	23885.96
	Description:- Supply & Installation of 19" rack mounted 24 port LIU (FMS) with pigtail/couplers & all other accessories and termination/ splicing as per Technical Specification in Annexure-A attached. Make: Molex/ iball/D-Link/ Syrotech/ Commscope/ Digisol/PANDUIT/3M/Raychem/TYCO or superior. (Inspection: Consignee)						
18	18	10.00	Numbers	5493.54	54935.40	AT Par	54935.40
	Description:- Supply, installation and splicing of FMS (12 F) 19 inch rack mountable loaded with couplers/Pigtail 1.5 meters with all the accessories required for installation as per Technical Specification in Annexure-A attached. Make: Molex/ iball/D-Link/ Syrotech/ Commscope/ Digisol/PANDUIT/3M/Raychem/TYCO or superior. (Inspection: Consignee)						
19	19	20.00	Numbers	3512.49	70249.80	AT Par	70249.80
	Description:- Supply & Installation of LIU for 6 fiber with pigtail/ couplers & all other accessories and termination/ splicing of 6 fibre OFC cable in it as per Technical Specification in Annexure-A attached. Make: Molex/ iball/D-Link/ Syrotech/ Commscope/ Digisol/PANDUIT/3M/Raychem/TYCO or superior. (Inspection: Consignee)						
20	20	300.00	Numbers	314.62	94386.00	AT Par	94386.00
	Description:- Supply of Single Mode Fiber Optic Patch Cord, length 3 meters (FC-FC/FC PC/FCSC/LC-SC/LC-LC) as per Technical Specification in Annexure-A attached & as per site requirement. Make: 3M, Huber- Shuner, R&M, TE Connectivity/Raychem/D-Link/Molex/ iball/Syrotech or Superior. Detailed Specification as per attached Annexure-Z. (Inspection: Consignee)						
21	21	10.00	Pair	2470.85	24708.50	AT Par	24708.50
	Description:- Supply of Gigabit Ethernet Media Converter Single Mode Single Fiber, SM, Sc, 1310nm, with all accessories like power adaptor as per Technical Specification in Annexure-A attached. Make: DRON EDGE DE-SMBIDI-2025/Tech routes/Syrotech/D-Link/TP Link/Digisol or superior. (Inspection: Consignee)						
22	22	15250.00	Metre	22.22	338855.00	AT Par	338855.00
	Description:- Supply of UTP Enhanced CAT-6 Cable 305 Mtrs Roll /Bundle as per Technical Specification in Annexure-A attached. Make-D-link/syrotech/Digisol/Siemens/Systemax/Panduit/AMP/Finolex/Sterlite/Digilink/DAX/Lucent/Crone/Tyco or superior. (Inspection: Consignee)						
23	23	450.00	Numbers	157.24	70758.00	AT Par	70758.00
	Description:- Supply of I/O Box suitable for termination of CAT-6 UTP cable including back mount box, face plate & Modular jack. It Shall comply to TEC GR No. TEC/GR/SLC -01/02.AUG 05 (TEC Standard Number: TEC 52010:2005) with latest amendments, Version. Make: Legrand /Dlink/Molex/ iball/Syrotech/Commscope/Digisol or superior. (Inspection: Consignee)						
24	24	450.00	Numbers	28.26	12717.00	AT Par	12717.00
	Description:- Fixing of I/O Box and termination of CAT-6 Cable on it.						
25	25	2000.00	Numbers	3.70	7400.00	AT Par	7400.00
	Description:- Supply of RJ-45 Connector. Make: D-Link/Digisol or superior. (Inspection: Consignee)						
26	26	300.00	Numbers	115.33	34599.00	AT Par	34599.00
	Description:- Supply of UTP CAT 6 Patch Cord, 2 Meters long factory crimped with suitable connector at both ends. It Shall comply to TEC GR No. TEC/GR/SLC - 01/02.AUG 05 (TEC Standard Number: TEC 52010:2005) with latest amendments,Version. Make: Schneider, Systemax, Panduit, D-Link, Molex. (Inspection: Consignee) .						
27	27	200.00	Numbers	266.80	53360.00	AT Par	53360.00
	Description:- Supply of UTP CAT 6 Patch Cord, 5 Meters long factory crimped with suitable connector at both ends. It Shall comply to TEC GR No. TEC/GR/SLC - 01/02.AUG 05 (TEC Standard Number: TEC 52010:2005) with latest amendments,Version. Make: Schneider, Systemax, Panduit, D-Link, Molex. (Inspection: Consignee) .						
28	28	5000.00	Metre	16.90	84500.00	AT Par	84500.00
	Description:- Supply of 05 Pair PVC Switch Board Telephone Cable of dia 0.5 mm annealed tinned copper conductor as per TEC spec. GR/WIR- 06/03. MAR 2002 or latest & as per Technical Specification in Annexure-A attached. Make: Finolex/ Bhansali / Usha Martin,bharat,network,deltan cable or superior brand. (Inspection: Consignee)						
29	29	5000.00	Metre	32.04	160200.00	AT Par	160200.00

**DSTE-TELE-GKP-S AND T/NORTH EASTERN RLY
TENDER DOCUMENT**

Tender No: N-235-62TeleTender05-2026

Closing Date/Time: 25/06/2026 12:30

29	Description:- Supply of 10 Pair PVC Switch Board Telephone Cable of dia 0.5 mm annealed tinned copper conductor as per TEC spec. GR/WIR- 06/03. MAR 2002 or latest & as per Technical Specification in Annexure-A attached. Make: Finolex/ Bhansali / Usha Martin,bharat,network,deltan cable or superior brand. (Inspection: Consignee)						
30	30	5000.00	Metre	60.45	302250.00	AT Par	302250.00
	Description:- Supply of 20 Pair PVC Switch Board Telephone Cable of dia 0.5 mm annealed tinned copper conductor as per TEC spec. GR/WIR- 06/03. MAR 2002 or latest & as per Technical Specification in Annexure-A attached. Make: Finolex/ Bhansali / Usha Martin,bharat,network,deltan cable or superior brand. (Inspection: Consignee)						
31	31	20000.00	Metre	3.38	67600.00	AT Par	67600.00
	Description:- Laying of CAT-6/OFC cable in PVC casing caping/pipe						
32	32	15000.00	Metre	2.89	43350.00	AT Par	43350.00
	Description:- Laying/Drawing of PVC Telecom cable all types in PVC Conduit pipe						
33	33	4000.00	Metre	31.53	126120.00	AT Par	126120.00
	Description:- Supply and fixing of different sizes of PVC casing /Pipes as required by Railway at site by fixing /clamping to the wall for indoor wiring purposes. Make: D Plast/ Polypack/ Polycab/ Supreme/Astrol/AKG/Maruti Flexoplast/Austro Plastic or superior brand. (Inspection: Consignee)						
34	34	500.00	Metre	67.22	33610.00	AT Par	33610.00
	Description:- Supply of PVC Channel of size 50 mm X 50 mm with cover.Width of channel should be minimum 50mm, depth should be minimum 50 mm & thickness of channel should be minimum 1.2 mm. Make: precision, Garware/D Plast/Presto Plat/Presto Teak/Polypack/ Polycab/ Supreme/Astrol/AKG/Maruti Flexoplast/Austro Plastic or superior/standard make. (Inspection: Consignee)						
35	35	500.00	Metre	8.16	4080.00	AT Par	4080.00
	Description:- Fixing of PVC Channel of size 50 mm X 50 mm on the wall including allfixing material for fixingof pipe as perinstruction of site incharge. All fixing material should besupplied by the contractor as per site requirement.						
36	36	2000.00	Metre	28.44	56880.00	AT Par	56880.00
	Description:- Chase cutting in floor / wall and restoring of floor / wall with plaster for concealing of conduit pipe in floor /wall						
37	37	300.00	Metre	16.00	4800.00	AT Par	4800.00
	Description:- Supply, fixing, termination, indoor wiring, testing and commissioning of PVC Flexible Pipe dia 1 inch. (Inspection: Consignee)						
38	38	25.00	Numbers	1762.36	44059.00	AT Par	44059.00
	Description:- Supply & installation and wiring of 20 pair Krone type TMC DP fitted with all require accessories as per Technical Specification in Annexure-A attached. All required material for installation, fixing & wiring to be arranged and done by contractor at his own cost, as per direction of site in charge of work. Make: Gleam Light/Kapur Plastics/G. S. Industries/Shiv Shakti Engineering or superior brand. (Inspection: Consignee)						
39	39	5.00	Numbers	1916.94	9584.70	AT Par	9584.70
	Description:- Supply & installation and wiring of 50 pair Krone type TMC DP fitted with all require accessories as per Technical Specification in Annexure-A attached. All required material for installation, fixing & wiring to be arranged and done by contractor at his own cost, as per direction of site in charge of work. Make: Gleam Light/Kapur Plastics/G. S. Industries/Shiv Shakti Engineering or superior brand. (Inspection: Consignee)						
40	40	19.00	Numbers	10314.89	195982.91	AT Par	195982.91
	Description:- Supply and installation of 150-150 pair IPM Depth MDF with 03 number 100 pair tag block including termination of cable on tag. The work is to executed as per the instruction of Railway Engineer. Make: Gleam Light/Kapur Plastics/G. S. Industries/Shiv Shakti Engineering or superior brand. (Inspection: Consignee)						
41	41	12.00	Numbers	16619.80	199437.60	AT Par	199437.60
	Description:- Supply, Testing and Commissioning of On line UPS 1 KVA with minimum 1 hrs backup as per Technical Specification in Annexure-A attached. Make: Uniline/APC/NUMAX/Microtek/Vertive/luminuous/VGuard/Exide/Emerson/Amararaja/TATALibert/Numer ic or superior. (Inspection: Consignee)						
42	42	14.00	Numbers	65734.60	920284.40	AT Par	920284.40
	Description:- Supply, Installation, Testing and commissioning of 2 KVA on line UPS with 2 hrs backup as per Technical Specification in Annexure-A attached. Make: Uniline/APC/NUMAX/Microtek/Vertive/luminuous/VGuard/Exide/Emerson/Amararaja/TATALibert/Numer ic or superior. (Inspection Agency: RITES)						
43	43	1200.00	Metre	61.98	74376.00	AT Par	74376.00

**DSTE-TELE-GKP-S AND T/NORTH EASTERN RLY
TENDER DOCUMENT**

Tender No: N-235-62TeleTender05-2026

Closing Date/Time: 25/06/2026 12:30

	Description:- Supply of power cable 3 core 2.5 sq mm multi strand (36/0.3 mm dia) cable suitable for railway electrification area as per Technical Specification in Annexure A attached. Make: Delton/LAPP/Finolex/Havells/Polycab/Mescab or superior brand. (Inspection: Consignee).						
	44	4.00	Numbers	38669.47	154677.88	AT Par	154677.88
44	Description:- Supply & installation of Ring Earth (Maintenance Free Earth) arrangement for IPABX as per RDSO Spec. No. RDSO/SPN/197/2016 Ver. 1.0 or latest which includes supply of all components of earthing & bonding system like earth electrode, earth enhancement materials, earth pit, equipotential earth bus bar, connecting cables and tape/strips and other associated accessories in accordance with RDSO TAN no. STS/E/TAN/3006 Ver. 3.1 dated 25.06.2025 or latest & as per Technical Specification in Annexure A attached. will be supplied by the contractor, to achieve less than 01 ohm earth resistance for connecting IPABX Server room equipments, power equipments etc. (Inspection: Consignee)						
	45	300.00	Metre	127.88	38364.00	AT Par	38364.00
45	Description:- Cutting of all types of platforms/road crossing and trenching and excavation to a width and depth of 300mm x 300mm, laying of DWC/HDPE/GI pipe in the trench and refilling & concreting it afterwards as per original condition.						
	46	1000.00	Metre	62.11	62110.00	AT Par	62110.00
46	Description:- Supply of 48 Fiber Armoured Optical Fiber Cable as per RDSO Spec. No. RDSO/SPN/TC/110/2020 Rev-0.0 or latest. (Inspection: Consignee)						
	47	500.00	Metre	504.83	252415.00	AT Par	252415.00
47	Description:- All work pertaining to Horizontal/Directional Drilling (HDD)/Boring and trenchless cabling. The depth of horizontal boring should be minimum 2 meter extending up to 2.5 meter from rail flange/ roadlevel/ground level as per site requirement and as per instructions of Railway Engineer incharge including insertion and supply of HDPE duct of 40/33 mm,coupling etc. (a) The Cost shall includes horizontal boring through any intermediate obstruction either natural of man made or any boundary strata. (b) The rate is inclusive of all materials, equipment's and labour required for doing trenchless horizontal boring under the railway track. To this extra shall be admissible on any account than the rates as per above. All necessary arrangements are to be provided and all precautions are to be taken so that bore coming out at other end is not deviated from the horizontal level line by more than 250 mm horizontal or vertical. The bore should be capable enough for insertion of 40 mm dia HDPE duct. The bore shall be done at the depth of minimum 2000 mm from the ground level [As per Railway Board's letter No. 2006/ Tele/ TP /1 (3359379) dt. 02.01.2026].						
	48	500.00	Metre	46.64	23320.00	AT Par	23320.00
48	Description:- Excavation of cable trench of 1200 mm depth and 300 mm wide in all kinds of soil and back filling after laying of cable at 1200 mm depth.						
	49	500.00	Metre	46.00	23000.00	AT Par	23000.00
49	Description:- Supply of Pre-lubricated HDPE Telecom duct, 40 mm OD, 33 mm ID in Drum length of 500/ 1000 meter length as per RDSO specification No. RDSO/SPN/TC/45/2013 Rev. 2.0 Amdt.3 or latest or TEC GR No. G/CDS 08/02 NOV-2004 OR with latest amendments as available either from RDSO or TEC approved firms along with test report of manufacturer wiith and following accessories supplied a) End Plugs- 1no for b) Cable sealing plugs -1 no. (c) Plastic couplers slip fit/push fit type - 1no d) collars, bends to be provided along with drum etc. . HDPE duct should be Bright yellow or Bright blue colour [As per Railway Board's letter No. 2006/Tele/TP/1(3359379) dt. 02.01.2026]. The item also includes supply of all the accessories of HDPE duct like end caps, collars, bends, couplers etc. (Inspection: Consignee)						
	50	500.00	Metre	4.58	2290.00	AT Par	2290.00
50	Description:- Laying of DWC/HDPE pipes with socket,coupler and T-joint etc.in trenches.						
	51	1000.00	Metre	7.20	7200.00	AT Par	7200.00
51	Description:- Blowing/drawing of OFC cables in the HDPE duct/DWC Pipe along with all the protective work as per instructions of engineer incharge at site.						
	52	4.00	Numbers	67263.76	269055.04	AT Par	269055.04
52	Description:- Supply of Management Console. as per RB Doc No:2022/Tele/9(3)/4 dated 13.09.2022 or latest (Asterisk Guidelines) & as per Technical Specification in Annexure-A attached. Make: HP/DELL/LENOVO/ACER or superior brand. (Inspection: Consignee)						
	53	8.00	Numbers	1115.69	8925.52	AT Par	8925.52
53	Description:- Supply of Crimping Tool. Make: Jainson/ DLink/ Klein/ Platinum /Maxmoral/ TRENDnet or superior brand. (Inspection: Consignee)						
	54	8.00	Numbers	1655.58	13244.64	AT Par	13244.64
54	Description:- Supply of LAN Tester. Make & Model: D-Link NTL-CT-001/FESUS NF-801B/Techtest FWT11 or equivalent specification of reputed brand. (Inspection: Consignee)						
	55	2.00	Numbers	20172.10	40344.20	AT Par	40344.20
55	Description:- Supply of Optical Power Meter, type-B, as per TEC spec. GR/OPM-01/03 Feb. 2005 or latest. (Inspection: Consignee)						

**DSTE-TELE-GKP-S AND T/NORTH EASTERN RLY
TENDER DOCUMENT**

Tender No: N-235-62TeleTender05-2026

Closing Date/Time: 25/06/2026 12:30

56	56	2.00	Numbers	9596.72	19193.44	AT Par	19193.44	
	Description:- Supply of Compact Fiber Optic Tester (Optical Laser Torch). Make & Model: Fluke Model-FIBERLERT-125 or equivalent specification of reputed brand. (Inspection: Consignee)							
57	57	4.00	Numbers	15103.91	60415.64	AT Par	60415.64	
	Description:- Supply of True RMS Digital Multimeter. Make & Model: Fluke 117 or equivalent specification of reputed brand. (Inspection: Consignee)							
58	58	2.00	Numbers	8154.11	16308.22	AT Par	16308.22	
	Description:- Supply of Digital insulation Tester (Megger) 100 V. Make: Motwani/Philips or superior brand. (Inspection: Consignee)							
59	59	4.00	Numbers	5821.83	23287.32	AT Par	23287.32	
	Description:- Supply and installation of Class B and C Surge protection Device [SPD] Type I and II with Visual Indication and Potential free contact to remote monitoring as per Specification No. RDSO/SPN/165/2012 Ver 3.0 or latest and IEC standard 61643 (latest) for Single line 230V AC application with handling Lightning surges of 10/350 microseconds and Switching surges of 8/20 microseconds . One Nos consists of 3 nos. of SPD [2 No. of B Class [LN, N-E] and one no. of C Class [L-N] all enclosed in a Box with KEMA or VDE certified as per latest IEC 61643-11-2011 Standard. Class B and C Surge protection device required with Three modules only. (Inspection: Consignee)							
60	60	10.00	Numbers	21116.85	211168.50	AT Par	211168.50	
	Description:- Supply, Installation, Testing & commissioning of Supply of 8 Port FXS Gateway (AC based) as per Technical Specification in Annexure-A attached. (Inspection: Consignee)							
61	61	1.00	Numbers	582540.49	582540.49	AT Par	582540.49	
	Description:- Supply of Cable route locator/ tracer set suitable for Detecting underground armoured optic fiber cable (OFC) and S&T cables with LCD Graphic. Display active/passive modes and depth range. Make & Model: Stanley 3M-10M. Model STLOC10GPS or equivalent specification of reputed brand. (Inspection Agency: RITES)							
62	62	2.00	Numbers	48191.96	96383.92	AT Par	96383.92	
	Description:- Supply of Ethernet Tester as per Technical Specification in Annexure-A attached. Make & Model: Stanley NETCATPRO2 or equivalent specification of reputed brand. (Inspection: Consignee)							
63	63	1.00	Numbers	6578.56	6578.56	AT Par	6578.56	
	Description:- Supply of Digital Earth Tester for measurement of earth resistance. Make & Model: Motwani DE T 20 or equivalent specification of reputed brand. (Inspection: Consignee)							
64	64	4.00	Numbers	7272.00	29088.00	AT Par	29088.00	
	Description:- Supply of Visual OFC Fault Locator support 20Km as per Technical Specification in Annexure-A attached. (Inspection: Consignee)							
65	65	3.00	Numbers	68000.00	204000.00	AT Par	204000.00	
	Description:- Supply, Configuration & Testing of IP Video Phone. Make & Model: YEALINK VP 59 or equivalent/superior specification of reputed brand. (Inspection: Consignee)							
66	66	2.00	Numbers	3681.65	7363.30	AT Par	7363.30	
	Description:- Supply of Gas Type Blow Lamp for Quad/PIJF Cable jointing with: (a) 2 Kg capacity of Gas Cylinder (b) 0.5 Mtr. Blow lamps Torch Pipe with burner made of Pure brass type with Nickle Chrome done on it, Fits most of the Standrad size Burner having insulated holding handle on it. (c) On/Off High Pressure Gas Regulator. (d) ISI marked steel wire hose pipe mode for High Pressure Gass regulators Only. (e) Pressure Valve on Torch Pipe. (f) Jute Carry Bag with ZIP to hold blow lamp and its accessories up to 7 Kg. (Inspection: Consignee)							
67	67	6.00	Numbers	19712.60	118275.60	AT Par	118275.60	
	Description:- Supply of basic material and installation to construct Unit Maintenance Free Earth for Single Earth consisting as per Spec. No. RDSO/SPN/197/2016 Ver 1.0 or latest, bonding connections drawing no. SDO/ RDSO/E&B/002 for Desire Earth Resistance less than 1 (one) Ohms as per Technical Specification in Annexure A attached. (Inspection: Consignee).							
68	68	4.00	Numbers	2478.00	9912.00	AT Par	9912.00	
	Description:- LAN Tester with Wire Tracker & Probe Tone, RJ45 RJ11 Ethernet Cable Tracker Line Finder for Cat5/5e Cat6 LAN Cables, Testing, Includes 2x9V Batteries. Make: FEDUS or superior. (Inspection: Consignee)							
69	69	2.00	Numbers	73073.22	146146.44	AT Par	146146.44	
	Description:- Supply, Installation, Testing & Commissioning of Microprocessor based Networkable addressable and modular type of fire Alarm Control Panel with display. The control panel shall be designed to work on power supply of 110V/230V AC +10%-15% with DC battery back up of adequate capacity as per RDSO specification no. RDSO/ SPN/217/2021 Ver 3.0 or with latest amendment, version. Including GSM module -01 No. for sending SMS to configured mobile number. The control panel should have provision to provide sufficient input ports for connecting various sensors/detectors along with their interfaces, if any, & shall have provision to provide sufficient output ports for controlling fire extinguishing system,operating/switching of electrical units & shall have provision for remote monitoring in network in single line circuit. (Inspection Agency: RDSO)							

**DSTE-TELE-GKP-S AND T/NORTH EASTERN RLY
TENDER DOCUMENT**

Tender No: N-235-62TeleTender05-2026

Closing Date/Time: 25/06/2026 12:30

70	70	20.00	Numbers	2725.15	54503.00	AT Par	54503.00	
	Description:- Supply, Installation, Testing & Commissioning of addressable heat & smoke multi sensor as per RDSO/ SPN/217/2021 Ver 3.0 with latest amendment, version. (Inspection Agency: RDSO)							
71	71	2.00	Numbers	3567.91	7135.82	AT Par	7135.82	
	Description:- Supply, Installation, Testing & Commissioning of Analogue Addressable & resettable Manual Call Point with inbuilt short circuit fault isolator (as per RDSO /SPN/217/2021 Ver 3.0 with latest amendment, version.). (Inspection Agency: RDSO)							
72	72	2.00	Numbers	205811.18	411622.36	AT Par	411622.36	
	Description:- Supply, Installation, Testing & Commissioning of Aspiration type smoke detector as per RDSO specification No. RDSO/SPN/217/2021 Ver 3.0 with latest amendment, version. It includes all installation materials excluding CPVC pipe. (Inspection Agency: RDSO)							
73	73	150.00	Metre	282.79	42418.50	AT Par	42418.50	
	Description:- Supply, Installation, Testing & Commissioning of CPVC pipe and all other associated fittings. As per RDSO specification No. RDSO/ SPN/217/2021 Ver 3.0 or latest. Supply, Installation, Testing & Commissioning of CPVC pipe and all other associated fittings. As per RDSO specification No. RDSO/SPN/217/2021 Ver 3.0 with latest amendment, version. (Inspection Agency: RDSO)							
74	74	6.00	Numbers	5412.43	32474.58	AT Par	32474.58	
	Description:- Supply, Installation, Testing & Commissioning of Audio visual Alarm (Hooter and Strobe) including its control module As per RDSO specification No. RDSO/SPN/217/2021 Ver 3.0 with latest amendment, version. (Inspection Agency: RDSO)							
75	75	2.00	Numbers	5619.14	11238.28	AT Par	11238.28	
	Description:- Supply, Installation, Testing & Commissioning of Analogue Addressable loop powered Monitor Module with inbuilt isolator as per RDSO Spec No.- RDSO/SPN/217/2021 ver 3.0 with latest amendment, version. (Inspection Agency: RDSO)							
76	76	300.00	Metre	82.82	24846.00	AT Par	24846.00	
	Description:- Supply, Installation, Testing & Commissioning of Fire survival integrity cable 2C X 1.5 sqmm 500V rated (Unarmoured) as per RDSO/ SPN/217/2021 Ver 3.0.or latest. (Inspection Agency: RDSO)							
77	77	300.00	Metre	111.08	33324.00	AT Par	33324.00	
	Description:- Supply, Installation, Testing & Commissioning of Fire survival integrity cable 2C X 1.5 sqmm 500V rated (Armoured) as per RDSO/ SPN/217/2021 Ver 3.0.or latest. (Inspection Agency: RDSO)							
78	78	600.00	Metre	98.58	59148.00	AT Par	59148.00	
	Description:- Supply, installation, testing and commissioning of Flexible conduit NW 17 [DIA. 20 mm Metric Threads] as per RDSO specification no. RDSO/PE/ SPEC/ AC/0138-2009, REV-1 or latest. (Inspection Agency: RDSO)							
79	79	200.00	Metre	501.84	100368.00	AT Par	100368.00	
	Description:- Supply, installation, testing and commissioning of Linear Heat Sensing cable as per RDSO Specification No. RDSO/ SPN/ 217/2021 ver3.0 or latest. (Inspection Agency: RDSO)							
80	80	2.00	Numbers	66606.05	133212.10	AT Par	133212.10	
	Description:- Supply, Installation, Testing & Commissioning of Linear Heat Sensing Interface Module for Linear Heat Sensing cable/LHD interface module for LHD & with all other associated fittings as per RDSO/ SPN/217/2021 Ver.3 or latest. (Inspection Agency: RDSO)							
81	81	8.00	Numbers	5171.70	41373.60	AT Par	41373.60	
	Description:- Supply of CO2 type fire extinguisher capacity 4.5 Kg capacity IS Mark IS: 15683 operating temperature (-30) degree to (50) degree for class 13B type of fire with 1 mtr. Hose pipe fitted with PVC been horn complete in all respect. (Inspection: Consignee)							
82	82	2.00	Set	121240.33	242480.66	AT Par	242480.66	
	Description:- Supply and Installation of Lightning Protection System Class A type, detail as follows- (1) Lightning arrester technology: Advance Early Steamer Emission. Material: High current discharge stainless steel. International standards: NFC 17- 102. (2) Mast material: FRP pipe and high-grade aluminium. Dimension: 50mm. length: 2 metres FRP pipe and 2 metres high grade aluminium mast. (3) Down conduct cable: PVC insulated copper cable. Dimension: 50 Sq. mm, length: 75mtrs (per set) Lightning strike counter number of counts: 6 digits. Current sensitivity: 1KA to 200 KA, 8/20 & 10/350 micro/Sec. induction Shunt: 0.5 micro. (4) Two (02) No. of maintenance Free Earth with all required consisting as per Specification No. RDSO/SPN/197/2016 Ver 1.0 or latest with all required copper cables and strips. (Inspection Agency: RDSO)							
83	83	5.00	Numbers	25582.40	127912.00	AT Par	127912.00	
	Description:- Supply of CORAL IRIS IVDX CLOUD Media Gateway 48V Power Supply Card fully compatible to existing CORAL IRIS IVDX system. (Inspection: Consignee)							
84	84	5.00	Numbers	53395.00	266975.00	AT Par	266975.00	

**DSTE-TELE-GKP-S AND T/NORTH EASTERN RLY
TENDER DOCUMENT**

Tender No: N-235-62TeleTender05-2026

Closing Date/Time: 25/06/2026 12:30

Description:- Supply of CORAL IRIS IVDX CLOUD Media Gateway ICC3 Controller Card fully compatible to existing CORAL IRIS IVDX system. (Inspection: Consignee)								
85	85	5.00	Numbers	76582.00	382910.00	AT Par	382910.00	
Description:- Supply of CORAL IRIS IVDX CLOUD Media Gateway 32 Port Analog Card FXS fully compatible to existing CORAL IRIS IVDX system. (Inspection: Consignee)								
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () B-Provision of Digital Audio Conference System in PCSTE Conference Hall at Head Quarter, Gorakhpur							1807262.34	Above/ Below/P ar
1	1	2.00	Numbers	22480.98	44961.96	AT Par	44961.96	
Description:- Supply, Installation, Testing & Commissioning of Flush mount digital discussion conference chairman unit with goose neck microphone, chairman of the unit has the priority to speak control key, can start the system from remind to attend there searchers note that permanent can be set to terminate or suspend terminate all speak on behalf of the unit of a state. Chairman in the system unit quantity not restricted, and may be placed on a loop in any position, microphone embedded installation. Using a new numeric controlled design. Microphone has to speak a single bond and Lamp, can speak straight control/instructions single directional microphones high sensitivity with the function of preventing gas explosion sound. Frequency Response- 100Hz to 16KHz, Sensitivity-40dB±2dB, and Microphone should have indications for power and mike activation as per Technical Specification in Annexure-A attached. Make & Model: HEINRICH MC-DC120C or equivalent/better specification of reputed brand like Bosch/Shure/Sennheiser. (Inspection Agency: RITES)								
2	2	30.00	Numbers	20850.28	625508.40	AT Par	625508.40	
Description:- Supply, Installation, Testing & Commissioning of flush mount delegates unit with goose neck microphone. Using a new Numeric controlled design. Microphone has to speak a single bond and Lamp, can speak straight control/instructions single directional microphones high sensitivity with the function of preventing gas explosion sound. Frequency Response- 100Hz to 16KHz or better, Sensitivity- 40dB±2dB or better, and Microphone should have indications for power and mike activation as per Technical Specification in Annexure-A attached. Make & Model: HEINRICH MC-DC120D or equivalent/better specification of reputed brand like Bosch/Shure/Sennheiser. (Inspection Agency: RITES)								
3	3	1.00	Numbers	139629.06	139629.06	AT Par	139629.06	
Description:- Supply, Installation, Testing & commissioning of high speed processing DSP with the new generation of AFC algorithm to eliminate the feedback faster and make system more stable, application includes Auto mixer (Limiter threshold and gain) Routing, Audio Processing and special signal extension processing. 8-channel Phantom Power microphone/Line input, minimum 8-channel circuit output, minimum 8-channel external control input & minimum 8-channel logic output. Microphone Preamplifiers, Compressor, Auto Gain Control, Ducker, Auto Mixer, Matrix mixer, AEC, Crossover, equalize, PEQ, Limiter and delay provide a complete set of audio process solution. Connect with GUI interface directly through Ethernet, easy and efficient to set. Power off automatically save function. RS232 interface connect to 3rd party communication. Extensive GPIO capabilities. Option to configure with Dante modules. Frequency response- 20Hz to 20KHZ, Maximum output 20dbu Dynamic Range 109THD<0.003%. Make & Model: HEINRICH DMX-108D or equivalent/better specification of reputed brand like Bosch/Shure/Sennheiser.. (Inspection Agency: RITES)								
4	4	1.00	Numbers	133825.94	133825.94	AT Par	133825.94	
Description:- Supply, Installation, Testing & Commissioning of Digital Conference System controller with minimum four groups of 8p-DIN sockets used in the system of multi-channel meeting unit connection, minimum 60 groups meeting unit ,standard configuration can be connected with load and short circuit protection function. Equipped with a microphone to speak the same time the number of limit function. In this control host has a "1"."2", "3"... " or more limit speech and FREE speech several meeting mode selection. The chairman unit open is not restricted by number of the microphone. System has a high, medium and low tone adjustment function, the receiver output volume adjustment functions. Built in video interface, can be connected by the CPU and which has the function of video image locating and tracking unit which can realize video tracking function. Make & Model: HEINRICH CE 12000H or equivalent/better specification of reputed brand like Bosch/Shure/Sennheiser.. (Inspection Agency: RITES)								
5	5	1.00	Numbers	88683.29	88683.29	AT Par	88683.29	
Description:- Supply, Installation, Testing & Commissioning of 250W RMS Dual Channel Class-D Digital Power Amplifier with Switch power technology for power electricity saving, Separate PFC Design for highest reliability, Separate Power Supply System. Amplifier shall have Following Features: 250W RMS per Channel, Amplifier Output 100V, Supply input AC 220 +/- 10% - 50/60Hz, Short Circuit, Power, Temperature, Overload Protection, Auto Cooling Fans. THD <0.1%, Frequency Response 40Hz - 20kHz, AC & DC Fuse, SNR>80dB. Make & Model: HEINRICH DPA2500 or equivalent/better specification of reputed brand like Bosch/Shure/Sennheiser.. (Inspection: Consignee)								

**DSTE-TELE-GKP-S AND T/NORTH EASTERN RLY
TENDER DOCUMENT**

Tender No: N-235-62TeleTender05-2026

Closing Date/Time: 25/06/2026 12:30

6	6	1.00	Numbers	60389.33	60389.33	AT Par	60389.33	
	Description:- Supply of Conference Audio Recorder (1+1 Redundant) with four nos of 64 GB Pendrive having Type-A and Type-C USB Ports in single endrive with compatible four nos of 32GB SD Card. Make & Model: Tascam DR-40X or equivalent specification of reputed brand. (Inspection: Consignee)							
7	7	1.00	Numbers	34214.70	34214.70	AT Par	34214.70	
	Description:- Supply of Dual channel 480W Audio Power Amplifier having output of 70 V / 100 V and 8/4 ohm, Frequency response: 50Hz to 20 KHz. Make & Model: Bosch-LBB1938 or equivalent specification of reputed brand like-Crown or superior brand .(Inspection: Consignee)							
8	8	1.00	Numbers	19886.85	19886.85	AT Par	19886.85	
	Description:- Supply, Installation, Testing & Commissioning of Equipment Rack of size 19"/24U for installing AV equipment's as per Technical Specification in Annexure-A attached. Make: APW President or Rittal or HCL or APW or Comrack or Valrack or Schneider or Dataracks or D-Link or superior. (Inspection: Consignee)							
9	9	5.00	Numbers	2334.75	11673.75	AT Par	11673.75	
	Description:- Supply & Fixing of HDMI cable of length 5 meter. Make: Kramer or equivalent specification of reputed brand like Extron/Crestron/Honeywell/MX/Belden. (Inspection: Consignee)							
10	10	4.00	Numbers	3821.63	15286.52	AT Par	15286.52	
	Description:- Supply & Fixing of HDMI cable of length 10 meter. Make: Kramer or equivalent specification of reputed brand like Extron/Crestron/Honeywell/MX/Belden. (Inspection: Consignee)							
11	11	2.00	Numbers	5361.38	10722.76	AT Par	10722.76	
	Description:- Supply of 1x8 4K 18 Gbps Powered HDMI Splitter as per Technical Specification in Annexure-A attached. Make: Extron or equivalent specification of reputed brand like Kramer /Crestron/ATEN/ Trip Lite or superior brand. (Inspection: Consignee)							
12	12	1.00	Numbers	75366.75	75366.75	AT Par	75366.75	
	Description:- Supply, Installation,Testing & commissioning of 4 X 4 HDMI Matrix Switcher as per Technical Specification in Annexure-A attached. Make & Model: ATEN VM0404HA or equivalent specification of reputed brand like Kramer or superior brand. (Inspection: Consignee)							
13	13	6.00	Numbers	15842.75	95056.50	AT Par	95056.50	
	Description:- Supply of Wall Mount Cabinet Speaker, 30 watt with standard adjustable wall-mounting bracket & necessary accessories for accurate positioning. The loudspeakers should deliver professional performance from a robust, ideal sound beaming for indoor use in conference venues as per Technical Specification in Annexure-A attached. Make & Model: BOSCH LB2-UC30 or equivalent specification of reputed brand like Bose/ L'Acoustic/ Renkus Heinz or superior brand. (Inspection: Consignee)							
14	14	6.00	Numbers	657.12	3942.72	AT Par	3942.72	
	Description:- Installation, fixing, testing & commissioning of wall mount speakers with all necessary clamps, bolts etc. will be arranged and supplied by contractor at his own cost. Installation as per guideline of site engineer/site in charge							
15	15	1.00	Numbers	279791.50	279791.50	AT Par	279791.50	
	Description:- Supply, Installation,Testing and Commissioning of 86" Large Format Display as per Technical Specification in Annexure-A attached. Make & Model: LG- 86UT8050PSB or equivalent specification of reputed brand like Samsung/Sony or superior brand. (Inspection: Consignee)							
16	16	1.00	Numbers	6754.03	6754.03	AT Par	6754.03	
	Description:- Supply of Height Adjustable TV Mount Stand with Wheels, 90° Adjustable Viewing Angle. (Inspection: Consignee)							
17	17	2.00	Pair	26503.71	53007.42	AT Par	53007.42	
	Description:- Supply of HDMI Wireless Transmitter /Receiver set with a transmission distance of minimum 100 meter and latency of less than 0.1s. HDMI Wireless Transmitter /Receiver set should be compatible for above display system. Make: Hollyland or equivalent specification of reputed brand like Extron/Crestron/Honeywell/MX or superior brand. (Inspection: Consignee)							
18	18	31.00	Numbers	347.25	10764.75	AT Par	10764.75	
	Description:- Table Top cutting (for fitting of chairman & delegate unit) as per site requirement & direction of site engineer/site in charge							
19	19	1.00	Numbers	68843.84	68843.84	AT Par	68843.84	
	Description:- Supply, Installation, Testing & Commissioning of Retractable Cable Cubby as per Technical Specification in Annexure A attached. Make: Extron or Kramer or Crestron or superior brand. (Inspection: Consignee)							
20	20	1.00	Lot	28952.27	28952.27	AT Par	28952.27	

**DSTE-TELE-GKP-S AND T/NORTH EASTERN RLY
TENDER DOCUMENT**

Tender No: N-235-62TeleTender05-2026

Closing Date/Time: 25/06/2026 12:30

20	Description:- Supply & Fixing of Connectors Patch Card (network cable), Speakers cable & Microphone cable, Supply of 2 Nos. of unmanaged 8 port Gigabit Switch required for connecting various system accessories to complete the work including required chase cutting, Supply, Fixing of cable raceway in conference hall & commissioning of system as per site requirement and direction of site in charge/site engineer. All required material to complete this schedule work should be provided and done by contractor on his own cost. (Inspection: Consignee)
----	---

3. ITEM BREAKUP

No item break up added

4. ELIGIBILITY CONDITIONS

Special Financial Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Financial Eligibility Criteria as per Clause 10.2 of Part-I of IRSGCC-2022: The tenderer must have minimum average annual contractual turnover of 'V/N' or 'V' whichever is less; where V= Advertised value of the tender in crores of Rupees. N= Number of years prescribed for completion of work for which bids have been invited. The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years, as per the audited balance sheet. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover. The tenderers shall submit requisite information as per Annexure-VIB of GCC 2022 (Annexure-20 of Tender Document), along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet, and as per tender document.	No	No	Allowed (Mandatory)
1.1	Attested Certificate(s) issued by Executive or Nominated Authority of the government Departments or Semi-Government/Public Sector Undertakings for the value of the work done for them during the qualifying period including current financial year certifying the bill amounts paid Agreement-wise and Date-wise or attested photo copy of such certificate. Such certificates will be accepted only from Govt. / Govt. bodies / PSUs authorities. Certificates issued by Private Bodies will not be considered.	No	No	Allowed (Mandatory)
1.2	Audited Balance Sheets clearly indicating contractual receipts from the works done for Govt./ Govt. bodies / PSUs/Pvt. Organization in the P&L Account of the balance sheet duly certified by the Chartered Accountant for the completed Financial years. For the current financial year, Provisional Balance sheet issued by Chartered Accountant, clearly indicating contractual receipts. NOTE: (i) Financial Year shall normally, be reckoned as 1st April to 31st March of the Next Year. However, for Turnover Criteria, the Financial Year as applicable to the Company/Tenderer is to be considered, if it defers from the above. (ii) Current Financial year is reckoned as the incomplete financial year in which the date of tender submission falls. (iii) Chartered Accountant statements duly indicating yearly receipts will not be considered until and unless backed by Audited Balance Sheets or Provisional Balance sheet. (iv) If the tender is not accompanied by the certificate(s) in support of financial eligibility as above, the tender shall be rejected. No post-tender correspondence will be entertained.	No	No	Allowed (Mandatory)

Special Technical Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
-------	-------------	-----------------------	-----------------	---------------------

**DSTE-TELE-GKP-S AND T/NORTH EASTERN RLY
TENDER DOCUMENT**

Tender No: N-235-62TeleTender05-2026

Closing Date/Time: 25/06/2026 12:30

1	Technical Eligibility Criteria as per Clause 10.1 of Part-I of IRSGCC-2022: a. The tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: i. Three similar works each costing not less than the amount equal to 30% of advertised value of the tender, OR ii. Two similar works each costing not less than the amount equal to 40% of advertised value of the tender, OR iii. One similar work costing not less than the amount equal to 60% of advertised value of the tender. b. In case of tenders for composite works (e.g. works involving more than one distinct component, such as Civil Engineering works, S&T works, Electrical works, OHE works etc. and in the case of major bridges - substructure, superstructure etc.) (Not Applicable for this Tender), tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: i. Three similar works each costing not less than the amount equal to 30% of advertised value of each component of tender, OR ii. Two similar works each costing not less than the amount equal to 40% of advertised value of each component of tender, OR iii. One similar work each costing not less than the amount equal to 60% of advertised value of each component of tender. Note for b: Separate completed works of minimum required values shall also be considered for fulfillment of technical eligibility criteria for different components, and as per tender document. Note - Works Completion certificate of Similar work along with copy of LOA as per IR GCC 2022 may be submitted, this shall be on bidder's name. Note - Substantially Completed Work is defined in Tender Document Attached Herewith vide Para 10.5 of GCC April 2022 with latest applicable ACS.	No	No	Allowed (Mandatory)
1.1	Work experience certificate from private individual shall not be considered. However, in addition to work experience certificates issued by an officer not below the rank of JA Grade or Bill passing Officer in Railways and Bill passing Officer/Executive In-charge of work in other Govt. / Govt. bodies / PSUs. The certificate should bear the signature and seal of the issuing officer, name of the department etc. In case tenderer submits work experience certificate issued by Public listed company having average annual turnover of Rs. 500 crore and above in last 3 financial years excluding the current financial year, listed on National Stock Exchange or Bombay Stock Exchange, incorporated/registered at least 5 years prior to the date of closing of tender, shall also be considered provided the work experience certificate has been issued by a person authorized by the Public listed company to issue such certificates. In case tenderer submits work experience certificate issued by public listed company, the tenderer shall also submit along with work experience certificate, the relevant copy of work order, bill of quantities, bill wise details of payment received duly certified by Chartered Accountant, TDS certificates for all payments received and copy of final/last bill paid by company in support of above work experience certificate.	No	No	Not Allowed
1.2	Definition of Similar Work: - " Any work involving commissioning of Telephone Exchange/IP Exchanges/ Intercom Facilities"	No	No	Allowed (Mandatory)

Bidders shall confirm and certify on the behalf of the tenderer including its constituents as under:

S.No.	Description
1	I/we the tenderer (s) am/are signing this document after carefully reading the contents.
2	I/We the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof.
3	I/we hereby declare that I/we have downloaded the tender documents from Indian Railway website www.ireps.gov.in . I/we have verified the content of the document from the website and there is no addition, no deletion or no alteration to the content of the tender document. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of work or final payment of the contract, the master copy available with the railway Administration shall be final and binding upon me/us.
4	I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements.
5	I/We also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us.
6	I/We declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us.

**DSTE-TELE-GKP-S AND T/NORTH EASTERN RLY
TENDER DOCUMENT**

Tender No: N-235-62TeleTender05-2026

Closing Date/Time: 25/06/2026 12:30

7	I/we certify that I/we the tenderer(s) is/are not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a HUF/ member of the partnership firm/LLP/JV/Society/Trust.
8	I/we understand that if the contents of the certificate submitted by us are found to be forged/false at any time during process for evaluation of tenders, it shall lead to forfeiture of the Bid Security and may also lead to any other action provided in the contract including banning of business for a period of upto two year. Further, I/we and all my/our constituents understand that my/our offer shall be summarily rejected.
9	I/we also understand that if the contents of the certificate submitted by us are found to be false/forged at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of Bid Security/Security Deposit and Performance guarantee and may also lead to any other action provided in the contract including banning of business for a period of upto two year.
10	I/We have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India and certify that I am/We are not from such a country or, if from such a country, have been registered with the competent Authority. I/We hereby certify that I/we fulfil all the requirements in this regard and am/are eligible to be considered (evidence of valid registration by the competent authority is enclosed)

Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.

S.No.	Description
1	Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. Please submit a certificate in the prescribed format (please download the format from the link given below). Non submission of the certificate, or submission of certificate either not properly filled in, or in a format other than the prescribed format shall lead to summary rejection of your offer. (Click here to download the Format of Self Certification)

5. COMPLIANCE

Commercial-Compliance

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	The said suppliers of goods and/or services would be subject to GST Act and rules as applicable from time to time. Tenderers are requested to submit their offers as per GST Tax regime. All the bidders/tenderers should ensure that they are GST compliant and their quoted tax structure/rates are as per GST Law.	No	No	Allowed (Optional)
2	The offer submitted by the firm shall be in compliance of Railway Board's letter No. 2020/Tele15(18)/4(3317053) dated 21.01.2025 regarding Government Procurement (Preference to Make in India) Order 2017- Telecom Products, Services or Works.	No	No	Allowed (Optional)
3	The offer submitted by the firm against this tender shall be in compliance of Order No. P-45021/2/2017-PP (BE-II)-Part (4) Vol. II dated 19.07.2024 of Department of Promotion of Industry and Internal Trade, Ministry of Commerce and Industry attached with this tender. The tenderer shall enter local content percentage with their offer.	No	No	Allowed (Optional)
4	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	No	Yes	Allowed (Optional)

General Instructions

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Tenderer(s) on award of contract will have to enter into agreement with Railway in format of above mentioned original tender documents. Tenderer(s) shall not have any right/claim to insist on signing of contract agreements in format on which tender document were forwarded by him on e-tendering website.	No	No	Not Allowed

**DSTE-TELE-GKP-S AND T/NORTH EASTERN RLY
TENDER DOCUMENT**

Tender No: N-235-62TeleTender05-2026

Closing Date/Time: 25/06/2026 12:30

2	If during process of tender finalization, it is detected that tenderer has submitted tender documents after making any changes / additions / deletions in the tender documents on e-tendering website, then, the earnest money deposited by the tenderer shall be forfeited by the Railway. Further, if after award of contract, it is detected that tenderer has submitted tender documents after making any changes/additions/deletions in the tender documents e-tendering website then Railway will take action to remove the contract from the work in terms of clause 62 of GCC 2022 and initiate such further legal action against contractor as it considered necessary.	No	No	Not Allowed
3	False/Incomplete statement: Any statement/declaration made by the Tenderer, if proved wrong or false or incomplete or such as to withhold any information relevant to the award of the tender, at any stage of the tender or in the event of his tender having been accepted at any stage of the contract, shall tender his/their tender(s)/contractors) liable to be cancelled/rescinded, in addition to the following: (i) If such statement is found at the stage of tender his total earnest money shall be forfeited. (ii) In case such a statement is found at the contract stage rights available to the Railways under clause 62 of the GCC-2022 shall be applicable.	No	No	Not Allowed
4	If the mandatory documents asked for in the E-Tender Document are not submitted along with the tender, the tender submitted otherwise will be treated as incomplete and will not be considered.	No	No	Not Allowed
5	The quantities shown in above Schedule are approximate and are as a guide to give the tenderer(s) an idea of quantum of work involved. The Railway reserves the right to increase/decrease and/or delete or include any of the quantities given above and no extra rate will be allowed on this account.	No	No	Not Allowed
6	It is responsibility of the tenderer that they ensure to see any Corrigendum of the tender to check the corrigendum on the website from time to time.	No	No	Not Allowed
7	The Tenderer's shall not add any conditions on their own in the tender documents while submitting their offer. Any such conditions if stated and if tender conditions are in violation of the Railway s, may lead to summary rejection of the offer. Railway reserves the right to reject such tenders summarily without assigning any reasons whatsoever.	No	No	Not Allowed
8	The responsibility of uploading the correct documents lies with the Tenderer's. In case, the documents uploaded are found manipulated/forged, the offers of such Tenderer's will not be considered and such Tenderer's are liable to be debarred to participate for future works duly forfeiting their Earnest Money and the tenderer/contractor shall have no claims whatsoever in this regard. Railway reserves the right to determine/rescind the contract entered into in case of such false certificates/documents at any stage of the contract treating it as default of the contractor	No	No	Not Allowed
9	Railways, being principal employer are required to ensure that the contractors are complying with the provisions of the contract labour (R&A) Act, 1970 and Minimum wages Act, 1948 strictly and arranging prescribed minimum wages to the contractor labourers vide Railway Board letter No. 2016/E(LL)/AT/MW/1 Dt. 05.06.2017.	No	No	Not Allowed
10	It is the responsibility of contractor to arrange the payment of the labour employed for the work through bank and to deduct PF as per the provisions of Minimum Wages Act.	No	No	Not Allowed
11	No post tender correspondence for submission of additional documents shall be entertained after opening of the Technical & Commercial offers. Even suomoto post tender letters of the tenders shall be treated as NULL & Void as per Para 4.6 of STD-2022.	No	No	Not Allowed

**DSTE-TELE-GKP-S AND T/NORTH EASTERN RLY
TENDER DOCUMENT**

Tender No: N-235-62TeleTender05-2026

Closing Date/Time: 25/06/2026 12:30

12	The Railway reserves the right to verify all statements, information and documents submitted by the bidder in his tender offer, and the bidder shall, when so required by the Railway, make available all such information, evidence and documents as may be necessary for such verification. Any such verification or lack of such verification, by the railway shall not relieve the bidder of its obligations or liabilities hereunder nor will it affect any rights of the railway there under.	No	No	Not Allowed
13	As per Railway board letter No. 2018/CE-1/CT/4 dt. 17.10.2018 contractor shall mandatorily update the labour data on Railway Sharmik kalyan portal on monthly basis. The detailed guidelines are given in Clause 5.4 of PART-I of Standard Tender Document-2022.	No	No	Not Allowed

Special Conditions

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Rates of Schedules A & B mentioned % Above/At Par/Below. Item wise rates for different schedule items shall not be acceptable and if item wise rates are quoted, the tender will be summarily rejected. Proforma for Quoting Rates mentioned in Annexure-B in Financial Bid should also be filled up in both figure & words.	No	No	Not Allowed
2	Price Variation Clause (PVC) shall not be applicable for this tender.	No	No	Not Allowed

Technical-Compliances

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Tender Form: - First Sheet & Second Sheet of Tender Form: Tender Forms shall embody the contents of the contract documents either directly or by reference and shall be as per specimen form, Annexure-I of ITT of GCC-2022 and as mentioned in Tender Documents. (Note: Proposal without signed First sheet and second sheet on prescribed proforma will be summarily rejected.) [First Sheet & Second Sheet enclosed]	No	No	Allowed (Mandatory)
2	Bid Security: Through e-Payment or Bank Guarantee. The Bid Security shall be deposited either in cash through e-payment gateway or submitted as Bank Guarantee bond from a scheduled commercial bank of India or as mentioned in tender documents. The Bank Guarantee bond shall be as per Annexure-1.1 of Tender Documents and shall be valid for a period of 90 days beyond the bid validity period. (Note: Proposal without Bid Security will be summarily rejected.)	No	No	Allowed (Mandatory)
3	Technical Eligibility Criteria: Certificate & documents in support of successfully completed or substantially completed similar nature of work as per Technical Eligibility Criteria mentioned in Para10 of second sheet of annexure-I of GCC-2022 & Tender Documents. (Details are to be submitted in Standard Performa mentioned in Annexure-17 of Tender Documents). (Non-submission of certificates & documents in support of Technical Eligibility Criteria along with Technical Bid will cause summarily rejection of offer).	No	No	Allowed (Mandatory)
4	Financial Eligibility Criteria: Certificate & documents in support Annual Contractual Turnover Data for the Previous 3-4 Years (Contractual Payment only) in Format given in Annexure-20 in Tender Document along with audited balance sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet in support of Financial Eligibility Criteria as mentioned in Para 10.2 of second sheet of annexure-I of ITT of GCC-2022. (Non-submission of certificates & documents in support of Financial Eligibility Criteria along with Technical Bid will cause summarily rejection of offer.)	No	No	Allowed (Mandatory)

**DSTE-TELE-GKP-S AND T/NORTH EASTERN RLY
TENDER DOCUMENT**

Tender No: N-235-62TeleTender05-2026

Closing Date/Time: 25/06/2026 12:30

5	Annexure-V (A): in case of other than Company /Proprietary firm a certificate shall also be submitted by each member of a partnership Firm /Joint Venture (JV)/Hindu Undivided Family (HUF)/Limited Liability Partnership (LLP) etc. as the case may be in standard format to be downloaded from IREPS website. Non-submission of above certificate [Annexure-V(A)] by the bidder shall result in summarily rejection of his/their bid. It shall be mandatorily incumbent upon the tenderer to identify, state and submit the supporting documents duly self-attested/ digitally signed by which they/he is qualifying the Qualifying Criteria mentioned in the Tender document (Ref: Para 6.1 of ITT, Annexure-V(A) of GCC-2022) [Annexure- V(A) enclosed]	No	No	Allowed (Mandatory)
6	Constitution of Firm: The Tenderer(s) shall clearly specify whether the tender is submitted on his own (Proprietary Firm) or on behalf of a Partnership Firm / Company / Joint Venture (JV) /Registered Society/ Registered Trust/ HUF etc. and submit details in Proforma mentioned in Annexure-4 of Tender Documents. {Ref: Para 14 Tender form (Second Sheet) of GCC-2022)}	No	No	Allowed (Mandatory)
7	Declaration Form regarding familiarization with site etc.: The tenderer shall furnish Declaration in the proforma given in this Annexure-10 that he has visited the site of work and familiarized himself fully with the conditions at site.	No	No	Allowed (Mandatory)
8	List of Plant & Machinery available on hand and proposed to be inducted and hired for the tendered work shall be submitted in the Proforma mentioned in Annexure-11 of Tender Documents as per Para 11 of Second Sheet of annexure-I of GCC-2022. (Note: Non-compliance with this condition set forth therein is liable to result in the tender being rejected.)	No	No	Allowed (Mandatory)
9	List of personnel / organization on hand and proposed to be engaged for the tendered work shall be submitted in the Proforma mentioned in Annexure-12 of Tender Documents as per Para 11 of Second Sheet of annexure-I of GCC-2022. (Note: Non-compliance with this condition set forth therein is liable to result in the tender being rejected.)	No	No	Allowed (Mandatory)
10	Real Time Gross Settlement (RTGS) / National Electronic Fund Transfer (NEFT) Model Mandate Form (Annexure- 16) Bank Detail/ RTGS PAN Number & GSTIN No etc.	No	No	Allowed (Optional)
11	Annexure-18.1 to 18.14 (Only to show that contractor is eligible to participate in BID) As applicable in Contractor's case. (Proprietary Firm or on behalf of a Partnership Firm / Company /Joint Venture (JV) / Registered Society/Registered Trust/HUF etc.)	No	No	Allowed (Optional)
12	Certificate of Information regarding Employment/Partnership etc. of Retired Railway Employees with the tenderer (Annexure-19 of Tender Documents). This Annexure-19 is mandatory otherwise offer shall be considered as incomplete and will be rejected summarily.	No	No	Allowed (Mandatory)
13	Manufacturers Authorization Form: Tenderer must submit Manufacturers Authorization Form (MAF) (Annexure-22), failing which tender shall be liable to be rejected.	No	No	Allowed (Mandatory)
14	Make and Model for Mandatory items: Tenderer must submit the details of make & model no. of items being offered against schedule of work in Annexure A-1 attached with Annexure A (enclosed). Offers submitted without Make and Model for Mandatory items mentioned in Annexure A-1 attached with Annexure A of technical specification, failing which tender shall be liable to be rejected.	No	No	Allowed (Mandatory)
15	STARTUPS: Any firm recognized by Department for Promotion of Industry and Internal Trade (DIPP) as 'Startups' shall be exempted from payment of Bid Security on submission of registration certificate issued by appropriate authority. Refer to Note (ii) of clause 5 of Part-I of GCC-2022. Note: The firm has to mandatorily submit certificate issued by DIPP otherwise offer shall be SUMMARILY REJECTED.	Yes	Yes	Allowed (Mandatory)

**DSTE-TELE-GKP-S AND T/NORTH EASTERN RLY
TENDER DOCUMENT**

Tender No: N-235-62TeleTender05-2026

Closing Date/Time: 25/06/2026 12:30

16	STARTUPS: Any firm recognized by Department for Promotion of Industry and Internal Trade (DIPP) as 'Startups' shall be exempted from payment of Bid Security on submission of registration certificate issued by appropriate authority. Refer to Note (ii) of clause 5 of Part-I of GCC-2022. Note: The firm has to mandatorily submit certificate issued by DIPP otherwise offer shall be SUMMARILY REJECTED.	Yes	Yes	Allowed (Mandatory)
17	The bidder has to mandatorily submit "PROFORMA FOR "NO MALICIOUS CODE UNDERTAKING LETTER BY BIDDER and OEM" as per Annexure-25 of Tender document.	Yes	Yes	Allowed (Mandatory)
18	For TEC approved items, MTCTE Certificate shall be submitted with BID	Yes	Yes	Allowed (Optional)

Undertakings

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	I/ We have visited the works site and I / We am / are aware of the site conditions.	No	No	Not Allowed
2	I/We also hereby agree to abide by the Indian Railways Standard General Conditions of Contract, with all correction slips up-to-date and to carry out the work according to the Special Conditions of Contract and Specifications of materials and works as laid down by Railway in the annexed Special Conditions/Specifications, Schedule of Rates with all correction slips up-to-date for the present contract.	No	No	Not Allowed
3	I/we have carefully gone through the IR GCC 2022 with latest ACS, tender documents, specifications, special conditions, Annexures etc. attached with the tender documents.	No	No	Not Allowed
4	JPO: - North Eastern Railway. NER/S&T JPO No.01/2024 Sub: - Joint Procedure Order for undertaking Earth Work/Digging work in the vicinity of Signalling, Electrical and Telecommunication Cables etc. Ref: - Railway Board L.No.2021/lelel5(2)13-Pt-I (3425647) dated 12.06.2023. This JPO shall be applicable to Construction Department, Open line, RVNL, IRCON, RITES. RE, State/Central Government Agencies/Organizations, Private Parties working in North- Eastern Railway Jurisdiction for Earth work/digging work in the vicinity of Signaling, Electrical & Telecommunication cables. This JPO shall supersede earlier instructions issued (if any) for NER in connection with undertaking Earth Work/Digging work in the vicinity of Signaling, Electrical and Telecommunication Cables etc. [Copy enclosed]	No	No	Not Allowed
4.1	I/We have read the various conditions mentioned in Para 1.0 to Para 4.10 of above JPO and agree to abide by the said conditions.	No	No	Not Allowed
5	Undertaking for IP-PBX: Tenderer(s) shall submit undertaking along with bid that: The details of IP-PBX components (Communication Servers, FXS Gateways, SIP Phone & Networking Equipment's architecture including hardware, modules, sub-systems, accessories etc. as per specification mentioned in RB Doc No:2022/Tele/9(3)/4 dated 22.09.2022 (Asterisk Guidelines) dated 20.10.2023 & specification mentioned in Annexure-A. The server should be installed with Ubuntu Server LTS 22.04 or latest and Asterisk18.13.0.LTS or latest and configuration of IP-PBX including inter-module communication to make the Intercom Systems operational and functional in coordination with Tele Unit of N. E Railway. (Asterisk Guidelines & Annexure-A enclosed)	No	No	Not Allowed
5.1	I/We have read the various conditions mentioned in above Asterisk Guidelines & Annexure-A and agree to abide by the said conditions.	No	No	Not Allowed

Custom

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Maintenance period for this work will be 12 months from the date of successful completion of work.	No	No	Not Allowed

**DSTE-TELE-GKP-S AND T/NORTH EASTERN RLY
TENDER DOCUMENT**

Tender No: N-235-62TeleTender05-2026

Closing Date/Time: 25/06/2026 12:30

6. Documents attached with tender

S.No.	Document Name	Document Description
1	TenderDocument_1.pdf	Tender Document
2	TechnicalSpecification.pdf	Annexure A
3	AnnualContractualTurnoverforPrevious3years.pdf	Annexure VI B
4	AsteriskGuidelines-RailwayBoard.pdf	Railway Board Letter ASTERISK
5	GCC_April-2022_2022_CE-I_CT_GCC-2022_POLICY_27_04_221_1.pdf	GCC2022
6	IRGCC-2022advancecorrectionslip1to11_.pdf	ACS 1to11
7	JPOforearthworkdiggingwork-NER.pdf	JPO Digging Works
8	RefPara6.1ofITAnnexure-VAofGCC-2022.pdf	Annexure VA
9	SystemImprovement-RailwayBoardLetter.pdf	RB Letter System Improvement
10	TenderForm-FirstSheetAnnexure-I.pdf	First Sheet
11	TenderForm-SecondSheetAnnexure-I.pdf	Second Sheet
12	RailwayVoiceNetworkModernization.pdf	Railway Board letter

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

Signed By: RAVINDRA SINGH

Designation : Dy.CSTE/Tele/GKP