

**SOLAPUR DIVISION-S AND T/CENTRAL RLY
TENDER DOCUMENT**

Tender No: SUR-N-T-2026-27-14

Closing Date/Time: 25/06/2026 15:30

Sr. DSTE Solapur acting for and on behalf of The President of India invites E-Tenders against Tender No **SUR-N-T-2026-27-14** Closing Date/Time 25/06/2026 15:30 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

1. NIT HEADER

Name of Work	Protection/shifting of S&T cables/gears in connection with execution of ROB/RUB/Subway works in Miraj-Latur Road Section of Solapur division on Central Railway.		
Bidding type	Normal Tender		
Tender Type	Open	Bidding System	Single Packet System
Tender Closing Date Time	25/06/2026 15:30	Date Time Of Uploading Tender	25/05/2026 11:37
Pre-Bid Conference Required	No	Pre-Bid Conference Date Time	Not Applicable
Advertised Value	5207842.43	Tendering Section	SUR DIV
Bidding Style	Single Rate for Tender	Bidding Unit	Above/Below/Par
Earnest Money (Rs.)	104200.00	Validity of Offer (Days)	60
Tender Doc. Cost (Rs.)	0.00	Period of Completion	12 Months
Contract Type	Works - General	Contract Category	Expenditure
Bidding Start Date	11/06/2026		
Are JV allowed to bid	No	Number of JV Member Allowed	0
Are Consortium allowed to bid	No	Number of Consortium Member Allowed	0
Ranking Order For Bids	Lowest to Highest	Expenditure Type	Capital (Works)

2. SCHEDULE

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () 01-Schedule of Work							5207842.43	
01	Please see Item Breakup for details.				5207842.43	AT Par	5207842.43	
	Description:- Schedule of Work.							

3. ITEM BREAKUP

Schedule	Schedule 01-Schedule of Work					
Item- 01	Schedule of Work.					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
1	01	Supply, transportation and provision of straight joint enclosures (SJC) complete with all accessories as per TEC Specification No GR/OJC-02/02 Sep 2003 with latest amendment for 48 fiber of reputed make Raychem/3M /Tyco/TE make. (Inspection by Consignee)	Numbers	28.00	4478.32	125392.96

**SOLAPUR DIVISION-S AND T/CENTRAL RLY
TENDER DOCUMENT**

Tender No: SUR-N-T-2026-27-14

Closing Date/Time: 25/06/2026 15:30

2	02	Horizontal boring of cable duct of minimum 2.0 Mtr. depth along with laying of 120mm HDPE pipe for track crossing with minimum depth reckoned from the bottom of the rail/road crossing with minimum depth reckoned from ground level. The work shall be done as per extant practice & instructions of site Engineer. Preparation of site for Horizontal boring shall be carried out in presence of Railway Representative. HDPE will be supplied by Railways. Note: Contractor shall provide all material required for boring and adequate nos. of labours for proper laying of cables into the bore. Cable shall be laid cautiously so that it should not get damage due to rough handling & pressure on cable.	Metre	700.00	2610.46	1827322.00
3	03	HDPE Pipe 110 mm Diameter, PE63, Class PN6, with confirming to IS4984 with ISI marked (or) Latest. test report from Central Govt./state Govt/ NABL / ILAC to be submitted at the time of supply. (Inspection By Consignee)	Metre	840.00	475.28	399235.20
4	04	Supply of Transmission measuring set with Tone Generator & DB Meter as per IRS/TC-43/87 or latest. APLAB Make Model No. 2031 or similar. (Inspection by Consignee).	Numbers	14.00	27262.24	381671.36
5	05	Supply of PVC switch board 10 Pair, 0.5mm dia twisted pair PVC insulated, PVC sheathed, ATC copper conductor as per TEC specification no. TEC/GR/WIR009/05 March 2011 or latest from Network or Finolex or Synergy or Delton make. (Inspection by Consignee).	Metre	1400.00	43.08	60312.00
6	06	Supply of Thermoshrink joint kit suitable for 6 quad cable for straight through/ derivation transformer as per RDSO specification No.IRS-TC-77/2012 (Rev.3.0) Amdt.3 or latest. from RDSO approved firms. (Inspection by RDSO)	Numbers	56.00	2452.04	137314.24
7	07	Making of Thermo shrink straight through/derivation/ transformer /PIJF cable joint for underground jelly filled cable 6 quad/4quad/20 pair 10 pair etc. PIJF cable as per the instruction of Rly engineer at site.	Numbers	56.00	1516.76	84938.56
8	08	Execution of S & T work related to Engineering /S&T block of Bridge work or cable shifting or others, in one block, five unskilled manpower have to be provided during block for relocation/protection of S&T cable/asset as per Railway site engineer instruction.	Job	28.00	3343.76	93625.28
9	09	Supply of Apparatus Case with Godown locks with detachable handle on both the doors. Half Case as per Drg No SK 783-1/2. with latest alteration. (Inspection by RITES)	Numbers	28.00	15445.62	432477.36
10	10	Excavation and Casting of Apparatus Case foundation with contractors Anchor bolts, cement, ballast and other materials. Half Case as per Drg No SK 804.	Numbers	28.00	11648.47	326157.16
11	11	Erection of Apparatus Cases. This includes filling of location foundations with river bed sand and plastering on top of the sand. Half Case	Numbers	28.00	1012.25	28343.00

**SOLAPUR DIVISION-S AND T/CENTRAL RLY
TENDER DOCUMENT**

Tender No: SUR-N-T-2026-27-14

Closing Date/Time: 25/06/2026 15:30

12	12	Painting of two coats of synthetic enamel paint over one coat of primer on the following after scrapping & cleaning surface wherever necessary with contractor own supply of paints. Wherever required contractor shall apply coating of epoxy paint also as per instructions of site-in-charge. Epoxy paint will be supplied by Railways. Note: The paint and primer should be from M/s Asian paints Co. Ltd., The paints will be primer (IS 5660 of 1970) the aluminium synthetic will be primer (IS 2932 of 1974) brilliant white and yellow painting two coats of enamel paint over one coat of primer. Apparatus case Half size.	Numbers	28.00	392.92	11001.76
13	13	Lettering / Numbering Termination particulars, equipment's names etc., legibly and neatly inside location boxes. Half case	Numbers	28.00	150.03	4200.84
14	14	Supply of Paints as per relevant IS specification preferably Asian/ Apcolite/Dulux make in different colours in 1 Kg/2 Kg pack (as per requirement of consignee). (Inspection by Consignee)	Kg	56.00	353.07	19771.92
15	15	Supply of 6 pin emergency socket box as per drawing no.SK/CSTE (C) 97/20. (Inspection by Consignee)	Numbers	14.00	1279.78	17916.92
16	16	Supply of 6 pin emergency socket flat type to suit light weight 2W/4W portable control telephone as per RDSO specification No.IRS/TC/42/87 with latest amendment. (Inspection by Consignee)	Numbers	14.00	426.59	5972.26
17	17	Fabrication and supply of EC assembly complete with erection of fabricated assembly at location as per Telecom/RE manual, as indicated in the route chart & as directed by Engineer in charge this includes welding of GI pipe for fixing of EC box.	Numbers	14.00	2940.43	41166.02
18	18	Fixing of EC socket complete with termination of derivation cable on strip inside the EC box duly mounted on good quality wooden box at SM building/cabin/gate lodge and wherever necessary as per instructions of site in charge of the work.	Numbers	14.00	966.08	13525.12
19	19	Supply of RCC pipes half round of size 150mm dia outer and 100 mm dia internal 1 mtr long matching to IS No. 458/2003 amendment-1 with Rev.4. (Inspection by RITES).	Numbers	1680.00	231.43	388802.40
20	20	Laying of RCC half round cement pipe of approx. Size (150/300mm dia X 2 mtr. length) inside the trench after laying of cable. Pipes shall be placed as per directives of site engineer.	Numbers	840.00	40.92	34372.80
21	21	Supply of GI pipe, inner dia. 100mm dia. B-class as per spec. No.IS 1239 PT. 1/2004 or latest with sockets and fittings. TATA, JINDAL/ZENITH BIRLA make. (Inspection by Consignee)	Metre	84.00	1167.17	98042.28
22	22	Fixing of GI pipes for crossing the culverts, bridges etc. and concreting of ends with brick masonry at both ends as per the instruction of Rly engineer at site.	Metre	84.00	86.41	7258.44
23	23	Supply and installation of concrete (RCC) route indicators at intervals of 50 meters as per technical specification. They should be standard RCC with letters on one side "CR" and the other side "S&T Cables" as per drawing SK 12/10 of RVNL SC. In case of Telecom quad cable joint locations, it shall be painted with RED colour. (Inspection by Consignee).	Numbers	14.00	1303.59	18250.26

**SOLAPUR DIVISION-S AND T/CENTRAL RLY
TENDER DOCUMENT**

Tender No: SUR-N-T-2026-27-14

Closing Date/Time: 25/06/2026 15:30

24	24	Excavation of cable trench as per cable route plan, 1.0mt. deep and 300mm wide along side the track in normal soil/strata, conforming to distances as per cable route plan and refilling after cable laying. This work includes covering of cable laid in trench by loose soil for a layer of 50mm thickness approximately before covering by stones/bricks, clearing of route,bushes etc. The work shall be done as per the extant practice on Central Railway and instructions of Railway Engineer at site. In case depth of trench is not achievable due to site conditions proportionate payment will be made.	cum	420.00	432.24	181540.80
25	25	Excavation of cable trench as per cable route plan, 1mt. deep and 300mm wide alongside the track in hard soil, conforming to distances as per cable route plan and refilling. This work includes covering of cable laid in trench by loose soil for a layer of 50mm thickness approximately before covering by stones/bricks, clearing of route, bushes etc. The work shall be done as per the extant practice on Central Railway and instructions of Railway Engineer at site. In case depth of trench is not achievable due to site conditions proportionate payment will be made.	cum	70.00	720.39	50427.30
26	26	Wherever depth of 0.5 m cable trench is not feasible cable shall be protected as under: - Preparation of cement mixture 1:3:6 with contractor's own materials and spreading cement concrete mixture layer of 100mm thick over the already laid cables in the excavated trench.	cum	4.20	5964.79	25052.12
27	27	Cutting of all types of Roads/ platforms preparatory to trenching and excavation to depth of 300mm x 300mm wide approx. and refilling after laying of RCC/GI /DWC pipe & to restore them to original condition. The work shall be done as per extant practice on C. Rly & instructions of Rly engineer at site.	cum	50.40	3602.00	181540.80
28	28	Laying of signalling/Power/Telecom cable of various cores/sizes in trenches.	Kilometre	15.40	6418.68	98847.67
29	29	Supply of earth electrode assembly as per Drg.No. CR/S&T/SK-815. (Inspection by Consignee)	Numbers	28.00	1210.36	33890.08
30	30	Installation of earth electrode assenbly as per Drg.No.RE/S&T/SIG/Tender/SK726/85 including earth wire connected through GI wire 8 SWG supported on M.S. flat of size 6mm x 40 mm to earth electrode as per drg. No. CR/S&T/SK-815 for sigg. Equipment such as lever frames, apparatus case, signals, relay racks,block insruments, and etc. as per RE manual. The earth value should be less than 10 Ohms including the lead wire. The value should be measured in presence of Rly. supervisor. It should be documented and painted on earth enclosure made of concrete.(only earth electrode will be supplied by Railway). All other material required for provision of earthing will be brought by the contractor.	Numbers	28.00	2838.34	79473.52
					Total	5207842.43

4. ELIGIBILITY CONDITIONS

Standard Financial Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
-------	-------------	-----------------------	-----------------	---------------------

**SOLAPUR DIVISION-S AND T/CENTRAL RLY
TENDER DOCUMENT**

Tender No: SUR-N-T-2026-27-14

Closing Date/Time: 25/06/2026 15:30

1	The tenderer must have minimum average annual contractual turnover of V/N or V whichever is less, where V= Advertised value of the tender in crores of Rupees & N= Number of years prescribed for completion of work for which bids have been invited. The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years, as per the audited balance sheet. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover. The tenderers shall submit requisite information as per Annexure-VIB, along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet.	No	No	Allowed (Mandatory)
---	---	----	----	---------------------

Standard Technical Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	The tenderer must have successfully completed any of the following during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: Three similar works each costing not less than the amount equal to 30% of advertised value of the tender, or Two similar works each costing not less than the amount equal to 40% of advertised value of the tender, or One similar work each costing not less than the amount equal to 60% of advertised value of the tender.	No	No	Allowed (Mandatory)
1.1	Defination of Similar Work :- Any signalling or Telecom work or Combined Signalling & Telecom work involving cable laying . OR Any signalling or Telecom work of Utility Shifting/ Infringement Removal of S&T gears and other related miscellaneous works.	No	No	Not Allowed

Bidders shall confirm and certify on the behalf of the tenderer including its constituents as under:

S.No.	Description
1	I/we the tenderer (s) am/are signing this document after carefully reading the contents.
2	I/We the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof.
3	I/we hereby declare that I/we have downloaded the tender documents from Indian Railway website www.ireps.gov.in . I/we have verified the content of the document from the website and there is no addition, no deletion or no alteration to the content of the tender document. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of work or final payment of the contract, the master copy available with the railway Administration shall be final and binding upon me/us.
4	I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements.
5	I/We also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us.
6	I/We declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us.
7	I/we certify that I/we the tenderer(s) is/are not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a HUF/ member of the partnership firm/LLP/JV/Society/Trust.
8	I/we understand that if the contents of the certificate submitted by us are found to be forged/false at any time during process for evaluation of tenders, it shall lead to forfeiture of the Bid Security and may also lead to any other action provided in the contract including banning of business for a period of upto two year. Further, I/we and all my/our constituents understand that my/our offer shall be summarily rejected.
9	I/we also understand that if the contents of the certificate submitted by us are found to be false/forged at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of Bid Security/Security Deposit and Performance guarantee and may also lead to any other action provided in the contract including banning of business for a period of upto two year.
10	I/We have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India and certify that I am/We are not from such a country or, if from such a country, have been registered with the competent Authority. I/We hereby certify that I/we fulfil all the requirements in this regard and am/are eligible to be considered (evidence of valid registration by the competent authority is enclosed)

Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.

S.No.	Description
-------	-------------

**SOLAPUR DIVISION-S AND T/CENTRAL RLY
TENDER DOCUMENT**

Tender No: SUR-N-T-2026-27-14

Closing Date/Time: 25/06/2026 15:30

1	Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. Please submit a certificate in the prescribed format (please download the format from the link given below). Non submission of the certificate, or submission of certificate either not properly filled in, or in a format other than the prescribed format shall lead to summary rejection of your offer. (Click here to download the Format of Self Certification)
---	---

5. COMPLIANCE

Check Lst

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Please refer last page of 'Instruction to Tenderer' enclosed in Documents.	No	No	Not Allowed

Commercial-Compliance

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	No	Yes	Allowed (Optional)

General Instructions

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Please refer to 'GCC-2022 with ACS' enclosed in Documents.	No	No	Not Allowed

Special Conditions

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Please refer to 'Special Conditions' enclosed in Documents.	No	No	Not Allowed

Technical-Compliances

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Please refer to 'Instruction to Tenderer' enclosed in Documents.	Yes	Yes	Allowed (Mandatory)

Undertakings

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Undertakings :- I have read all the tender document enclosed in the Documents tab and hereby agree to abide all terms and conditions mention in them.	No	No	Not Allowed

6. Documents attached with tender

S.No.	Document Name	Document Description
1	Instructions_To_Tenderer_14_Subway.pdf	Instructions to Tenderer
2	Special_Condition_14_Subway.pdf	Special conditions
3	GCC_April-2022_with_ACS_11_13032026.pdf	GCC with ACS
4	Tender_form_Annexure-I.pdf	Annexure I
5	Cable_cut_policy_CR_1st_Sept_23.pdf	Cable cut policy

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

**SOLAPUR DIVISION-S AND T/CENTRAL RLY
TENDER DOCUMENT**

Tender No: SUR-N-T-2026-27-14

Closing Date/Time: 25/06/2026 15:30

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

Signed By: AYUSH MEHTO

Designation : DSTEWks