

**SOLAPUR DIVISION-S AND T/CENTRAL RLY
TENDER DOCUMENT**

Tender No: SUR-N-T-2026-27-15

Closing Date/Time: 25/06/2026 15:30

Sr. DSTE Solapur acting for and on behalf of The President of India invites E-Tenders against Tender No **SUR-N-T-2026-27-15** Closing Date/Time 25/06/2026 15:30 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

1. NIT HEADER

Name of Work	Signalling work in connection with BCM work with Geogrid and Geo-Textile method (TFTR & TBR) in Solapur Division of Central Railway.		
Bidding type	Normal Tender		
Tender Type	Open	Bidding System	Single Packet System
Tender Closing Date Time	25/06/2026 15:30	Date Time Of Uploading Tender	25/05/2026 11:45
Pre-Bid Conference Required	No	Pre-Bid Conference Date Time	Not Applicable
Advertised Value	8268713.84	Tendering Section	SUR DIV
Bidding Style	Single Rate for Tender	Bidding Unit	Above/Below/Par
Earnest Money (Rs.)	165400.00	Validity of Offer (Days)	60
Tender Doc. Cost (Rs.)	0.00	Period of Completion	12 Months
Contract Type	Works - General	Contract Category	Expenditure
Bidding Start Date	11/06/2026		
Are JV allowed to bid	No	Number of JV Member Allowed	0
Are Consortium allowed to bid	No	Number of Consortium Member Allowed	0
Ranking Order For Bids	Lowest to Highest	Expenditure Type	Capital (Works)

2. SCHEDULE

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () 01-SOR SUPPLY							1018713.73	
01	Please see Item Breakup for details.				1018713.73	AT Par	1018713.73	
	Description:- SUPPLY OF SOR ITEMS							
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () 02-SOR EXECUTION							2471855.74	
01	Please see Item Breakup for details.				2471855.74	AT Par	2471855.74	
	Description:- EXECUTION OF SOR ITEMS							
S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () 03-NS SUPPLY AND EXECUTION							4778144.37	
01	Please see Item Breakup for details.				4778144.37	AT Par	4778144.37	
	Description:- SUPPLY AND EXECUTION OF NON-SOR ITEMS							

3. ITEM BREAKUP

Schedule	Schedule 01-SOR SUPPLY					
Item- 01	SUPPLY OF SOR ITEMS					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
1	01	Supply of Tik-tak, piano type switches,5A (as per IS Specification).(Inspection by Consignee)	Numbers	12.00	33.41	400.92
2	02	Supply of three pole plug and socket 5 Amp (as per IS Specification).(Inspection by Consignee)	Numbers	12.00	230.86	2770.32
3	03	Supply of Lamp 110V/24W, 2 Pin for Loc.(Inspection by Consignee)	Numbers	200.00	22.73	4546.00

**SOLAPUR DIVISION-S AND T/CENTRAL RLY
TENDER DOCUMENT**

Tender No: SUR-N-T-2026-27-15

Closing Date/Time: 25/06/2026 15:30

4	04	Supply of Apparatus Case with godown locks with detachable handle on both the doors Half Case as per Drg. No.SK 783-1 & 2 with latest alteration.(Inspection by RITES)	Numbers	12.00	12853.94	154247.28
5	05	Supply of earth electrode assembly as per Drg.No. CR/S&T/SK-815. (Inspection by Consignee).	Numbers	12.00	1078.08	12936.96
6	06	Supply of PVC jacketed wire rope for Track Lead connections. PVC jacketed wire rope should be of Galvanised steel wire rope 6 mm dia (6x19 stranded wire with steel core of 6 mm dia) sheathed with PVC 2mm wall thickness, overall thickness being 10 mm. PVC sheath should be made of type 6 compound as per IS 5831 of 1984 Reaffirmed 2001 and steel wire rope as per IS: 2266:2019. Reclaimed or recycled material should not be used.(Inspection by Consignee)	Metre	4200.00	52.29	219618.00
7	07	Supply of 8 SWG GI wire (4mm dia) suitable for track circuit rail bonding. As per IRS Specification S:13 - 62(Inspection by Consignee)	Kg	600.00	86.82	52092.00
8	08	Supply of GI bend pipe, 'B' class, 50mm dia for cable entry in point machines, along with required fixing arrangements as per standard practice on Central Railway. As per Drg No.DRM (S&T).(Inspection by Consignee)	Numbers	20.00	252.78	5055.60
9	09	Supply of GI pipe, inner dia. 100mm dia. B-class as per spec. No.IS 1239 PT. 1/2004 or latest with sockets and fittings. TATA/JINDAL/ZENITH BIRLA make.(Inspection by Consignee)	Metre	84.00	1029.32	86462.88
10	10	Supply of DWC HDPE pipe with one snap fit coupler and 'O' ring fire resistant, anti rodent, in 6 meter length of size 120 mm outer dia as per RDSO/SPN/204/2011 Ver. 1.1 with Amd.1 or latest.(Inspection by Consignee)	Metre	90.00	321.43	28928.70
11	11	Supply of RCC pipes half round of size 150mm dia outer and 100 mm dia internal 1 mtr long matching to IS No. 458/2003 amendment-1 with Rev.4.As per Drg No.DRM(S&T) SUR/06/2023/A (Inspection by RITES)	Numbers	1400.00	206.14	288596.00
12	12	Supply of William stretcher nylon insulation set suitable for ground connection as per RDSO drg No T-10367, T-10368, T-10384 as applicable and to the spec IRS S 23 & 40/84 with latest amendements.(Inspection by Consignee)	Set	40.00	531.87	21274.80
13	13	Supply of Tongue attachment nylon insulation set consisting of one insulating plate as per Drg no: RST-106961 & 3 nos of Ferrules with collars to suite rodding supplied as per RDSO spec & Drg.no: RST-10692(Inspection by Consignee).	Set	40.00	338.30	13532.00
14	14	Supply Gauge Tie plate nylon insulation as per RDSO drg No: T- 10372 Alt2, T- 10368, T- 10371 Alt2, T-15083/88/Alt2 & T-11690/Alt2 and to the spec IRS S 23 & 40 with amendment 01 or latest amendements. (Inspection by Consignee).	Set	40.00	244.11	9764.40
15	15	Supply of ARA Terminal blocks with links made of PBT Specn No..IRS:S-75/2006 (Rev - 2) with latest amendments and RDSO Drg.No.SA-23741A Alt.4, SA-23745 Alt.5, SA-23746, SA-23748 Alt.4 & SA-23756A Alt.3.(Inspection by RDSO)	Numbers	700.00	72.61	50827.00

**SOLAPUR DIVISION-S AND T/CENTRAL RLY
TENDER DOCUMENT**

Tender No: SUR-N-T-2026-27-15

Closing Date/Time: 25/06/2026 15:30

16	16	Supply of cartridge fuse block made of PBT as per RDSO Drg No SA-23748 Alt 4, SA-23749 & Spec No IRS:S-75/2006 (Rev - 2) with latest amendment. Fuse block shall be suitable for round head type voltage fuses.(Inspection by RDSO)	Numbers	80.00	162.94	13035.20
17	17	Supply of round head type non deteriorating type low voltage cartridge fuse as per Specn No IRS:S-78/92 with latest amendments 2A/4A/6A capacity.(Inspection by RDSO)	Numbers	400.00	70.13	28052.00
18	18	Supply of Paints as per relevant IS specification preferably Asian/ Apcolite/Dulux make in different colours in 1 Kg/2 Kg pack.(Inspection by Consignee).	Kg	45.00	459.33	20669.85
19	19	Supply of Channel Pins single groove, galvanised, 7 mm suitable for 4mm dia bonding wire as per spec No. IRS: S 17-75 Revision 3. (Inspection by Consignee).	Numbers	2262.00	2.61	5903.82
					Total	1018713.73
Schedule	Schedule 02-SOR EXECUTION					
Item- 01	EXECUTION OF SOR ITEMS					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
1	01	Fixing of ARA Terminals and fuse blocks on phenolic laminated sheets and fixing by stainless steel/brass nuts & bolts.This includes provision of two additional holes on the board on either side for cable conductor entry.	Numbers	780.00	14.05	10959.00
2	02	Termination of cable cores on ARA terminal/fuse blocks in the apparatus Cases/ cable termination rack.This includes all associated works of pulling out the cable from underground. The work shall be done as per location plans and instructions of Rly engineer at site.	Per Conductor	1560.00	10.58	16504.80
3	03	Excavation and Casting of Apparatus Case foundation with contractors Anchor bolts, cement, ballast and other materials. The required scaffolding Ferma etc for Casting of foundation will have to be brought by the contractor at his own cost.Half Case as per Drg No . SK-804	Numbers	12.00	9693.93	116327.16
4	04	Erection of Apparatus Cases. This includes filling of location foundations with river bed sand and plastering Half Case.	Numbers	12.00	842.40	10108.80
5	05	Installation of earth electrode assembly as per Drg.No.RE/S&T/SIG/Tender/SK726/85 including earth wire connected through GI wire 8 SWG supported on M.S. flat of size 6mm x 40 mm to earth electrode as per drg. No. CR/S&T/SK-815 for sigg. Equipment such as lever frames, apparatus case, signals, relay racks,block instruments, and etc. as per RE manual. The earth value should be less than 10 Ohms including the lead wire. The value should be measured in presence of Rly. supervisor. It should be documented and painted on earth enclosure made of concrete.(only earth electrode will be supplied by Railway). All other material required for provision of earthing will be brought by the contractor.	Numbers	12.00	2528.14	30337.68

**SOLAPUR DIVISION-S AND T/CENTRAL RLY
TENDER DOCUMENT**

Tender No: SUR-N-T-2026-27-15

Closing Date/Time: 25/06/2026 15:30

6	06	Provision of bonding with contractor's PVC jacketed wire rope for Track Lead connection. PVC jacketed wire rope should be of Galvanised steel wire rope 6mm dia (6 x 19 stranded wire with steel core of 6 mm dia) sheathed with PVC 2mm wall thickness, overall thickness being 10mm PVC sheath should be made of type 6 compound as per IS 5831 of 1984 Reaffirmed 2001 and steel wire rope as per IS:2266:2019. Reclaimed or recycled material should not be used. This will include drilling of 7.1mm dia holes in rails (4 Nos) and provision of two jumpers for each bond, clipping of bonds etc. with contractors own materials and tools as per instruction of Rly engineer at site.	Numbers	1305.00	169.65	221393.25
7	07	Provision of bonding with GI wire 4mm dia (8 SWG) for track jumper & fish plate joints bonds. This will include drilling of 7.1mm dia holes in rails (4 Nos) and provision of two jumpers for each bond, clipping of bonds etc. with contractors own tools as per instruction of Rly engineer at site.	Numbers	1305.00	160.48	209426.40
8	08	Excavation of cable trench as per cable route plan,1.0 mt. deep and 300mm wide along side the track in normal soil/strata, conforming to distances as per cable route plan and refilling after cable laying. This work includes covering of cable laid in trench by loose soil for a layer of 50mm thickness after clearing of route,bushes etc. It shall be ensured that top of the cables laid is at a depth of 0.8m or more. If it is less, then the width and depth shall be suitably increased and accordingly proportionate payment shall be made. In case depth of trench is not achievable due to site conditions proportionate payment will be made as per procedure. The work shall be done as per the extant practice on Central Railway and instructions of Railway Engineer at site. Drg. No. SK 805	cum	330.00	350.00	115500.00
9	09	Excavation of cable trench as per cable route plan,1.0 mt. deep and 300mm wide along side the track in hard soil, conforming to distances as per cable route plan and refilling after cable laying. This work includes covering of cable laid in trench by loose soil for a layer of 50mm thickness after clearing of route,bushes etc. It shall be ensured that top of the cables laid is at a depth of 0.8m or more. If it is less, then the width and depth shall be suitably increased and accordingly proportionate payment shall be made. In case depth of trench is not achievable due to site conditions proportionate payment will be made as per procedure. The work shall be done as per the extant practice on Central Railway and instructions of Railway Engineer at site. Drg. No. SK 805	cum	90.00	583.33	52499.70
10	10	Cutting of all types of Roads/ platforms (except concrete type) for trenching and excavation to depth of 300mmx300mm wide approx. and refilling after laying of RCC/GI /DWC pipe & to restore them to original condition. The work shall be done as per extant practice on C.Rly & instructions of Rly engineer at site. Drg. No. SK 807	cum	15.00	2916.67	43750.05
11	11	Fixing of GI pipes for crossing the culverts, bridges etc. and concreting of ends with brick masonry at both ends as per the instruction of Rly engineer at site.	Metre	84.00	69.97	5877.48

**SOLAPUR DIVISION-S AND T/CENTRAL RLY
TENDER DOCUMENT**

Tender No: SUR-N-T-2026-27-15

Closing Date/Time: 25/06/2026 15:30

12	12	Digging of trench 1.0 M deep from rail flange/road level (for LC) and 0.3Mtrs. to 0.6 Mtrs wide and back filling after placing of DWC/RCC/GI pipe.(Placing of DWC/RCC/GI pipe covered separately. The ballast disturbed be screened and dressed as required by Engineer-in-charge or his representatives and road tarred immediately. Drg. No. SK 806	cum	15.00	583.33	8749.95
13	13	Laying of DWC/RCC pipes alongwith collars/RCC Half round pipes in trenches at places of track and road crossings, platform cuttings etc.	Metre	1490.00	56.85	84706.50
14	14	Laying of signalling/Power/Telecom cable of various cores/sizes in trenches.	Kilometre	5.00	5197.42	25987.10
15	15	Wherever depth of 0.5M cable trench is not feasible, cable shall be protected as under:- Preparation of cement mixture 1:3:6 with contractor's own materials and spreading cement concrete mixture layer of 100 mm thick over the already laid cables in the excavated trench.	cum	3.00	5329.55	15988.65
16	16	Painting of two coats of synthetic enamel paint over one coat of primer on the following after scraping & cleaning surface wherever necessary with contractor' own supply of paints.Wherever required contractor shall apply coating of epoxy paint also as per instructions of site-in-charge.Epoxy paint will be supplied by Railways. NOTE:- The paint and primer should be from M/s Asian paints Co. Ltd.,. The paints will be primer (IS 5660 of 1970) the Aluminium synthetic black enamel (IS 2932 of 1974) brilliant white and yellow Painting two coats of enamel paint over one coat of primer. Apparatus case Half Size.	Numbers	12.00	326.99	3923.88
17	17	Lettering / Numbering Termination particulars, equipments names etc., legibly and neatly inside location boxes. Half Case.	Numbers	12.00	150.03	1800.36
18	18	Transportation of signaling material/equipments including loading and unloading in 10MT vehicle, anywhere to anywhere, and stacking at destination as per instructions of SSE in-charge as per inventory. For carrying heavy materials like cable drums, DG set, Electrical Lifting barrier pedestal, IPS, Batteries, Point machine etc.	Kilometre	780.00	53.90	42042.00
19	19	Horizontal boring of cable duct of minimum 2.0 Mtr. depth alongwith laying of 120mm HDPE pipe for track crossing with minimum depth reckoned from the bottom of the rail/road crossing with minimum depth reckoned from ground level. The work shall be done as per extant practice & instructions of site Engineer. Prepration of site for Horizondal boring shall be carried out in presence of Railway Representative. HDPE will be supplied by Railways. Note:- Contractor shall provide all material required for boring and adequate nos. of labours for proper laying of cables into the bore. Cable shall be laid cautiously so that it should not get damage due to rough handling & pressure on cable.	Metre	440.00	2610.46	1148602.40

**SOLAPUR DIVISION-S AND T/CENTRAL RLY
TENDER DOCUMENT**

Tender No: SUR-N-T-2026-27-15

Closing Date/Time: 25/06/2026 15:30

20	20	Erection, Fitting and Rail connection of Track Lead Junction Box on two supports(M.S.angle) with contractor's fixing material and PVC jacketed wire for track lead connection including angles of size 40 x 40 x 5 mm 1200 mm length. This will include drilling of holes for track lead/side connections on rail. The work shall be carried out as per Drg. No. SK-845 or/ instructions of Rly engineer at site.	Numbers	181.00	1698.18	307370.58
					Total	2471855.74
Schedule	Schedule 03-NS SUPPLY AND EXECUTION					
Item- 01	SUPPLY AND EXECUTION OF NON-SOR ITEMS					
S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
1	01	Execution of S & T work related to engineering /Signalling block of CTR/TTR/TSR or others, in one block, five unskilled manpower have to be provided during block for S&T connection removing & refixing as per Railway site engineer instruction.	Job	250.00	3343.76	835940.00
2	02	Supply of HSS Twist Drill Parallel shank 7.2 mm make-IT, Adison, JK or similiar. (Inspection by Consignee).	Numbers	400.00	75.52	30208.00
3	03	Electric track drilling machine equipment consisting of Heavy duty electric track drilling machine works on 110v 50Hz AC with suitable interchangeable track mounting stand with depth adjusting facility. Make of heavy duty electric drilling machine is of Rallies or Wolf or Bosch only. Detailed specification enclosed in Annexure. Make/Brand: Bosch model GBM13RE/Ralli wolf make or Similar.(Inspection by Consignee)	Numbers	4.00	20987.48	83949.92
4	04	Providing Road breaker/Concrete Breaker with compressor and jack hammer for railway work such as cutting and dismantling of road concrete/ Bricks pucca structure (RCC/Steel section)including contractor's fuel, driver and all other charges completed as directed by Engg in charge.	Hour	200.00	1741.63	348326.00
5	05	HDPE Pipe 110 mm Diameter,PE63, Class PN6, with confirming to IS4984 with ISI marked (or) Latest.(Inspection by Consignee).	Metre	500.00	457.00	228500.00
6	06	Hiring of machinery for minor miscellaneous works for short duration including operator/driver, fuel, lubricants and consumable. The contractor shall arrange all statutory permits as required by rules and regulations prevailing in the area of work. Payment shall be made for actual working hours at site. Hydra or similar tyre mounted Pick-n-Carry crane of 12T capacity for misc. works of handling of material.	Hour	40.00	889.42	35576.80
7	07	Digital Card for SSDAC, Eldyne make part no 3CR31010PFAA, Make: Eldyne Electro systems Pvt Limited.(Inspection by RDSO).	Numbers	4.00	166448.44	665793.76
8	08	Analog Card, Make - THALES, Part No. 3CR31011ABAB for AZLS type Single section digital Axle counter as per RDSO/Specn. No. RDSO/SPN/177/2012 (Ver.3) or latest, suitable with existing Single Section Digital Axle Counters (SSDAC).(Inspection by RDSO)	Numbers	4.00	89078.20	356312.80
9	09	Mother Board, Make - THALES, Part No. 3CR35010AAAA for AZLS type Single section digital Axle counter as per RDSO/Specn. No. RDSO/SPN/177/2012 (Ver.3) or latest, suitable with existing Single Section Digital Axle Counters (SSDAC).(Inspection by RDSO)	Numbers	4.00	54870.00	219480.00

**SOLAPUR DIVISION-S AND T/CENTRAL RLY
TENDER DOCUMENT**

Tender No: SUR-N-T-2026-27-15

Closing Date/Time: 25/06/2026 15:30

10	10	Supply of Drill Bit 14 mm HSS (for BPAC Hole), Make : Taparia, J.K , Forbis or similar. (Inspection by Consignee).	Numbers	60.00	390.00	23400.00
11	11	SUPPLY OF CABLE ROUTE TRACER WITH RECHARGEABLE BATTERY PACK ALONG WITH 10 WATT TRANSMITTER. DETAILED SPECIFICATION AS PER ANNEXURE- A. WITH OEM TC/GC CERTIFICATE.(Inspection by RITES).	Numbers	2.00	351640.00	703280.00
12	12	SK 30H DOUBLE RAIL CONTACT WITH 8 METER CABLE FOR MULTI SECTION TYPE DIGITAL AXLE COUNTER (MSDAC) AS PER RDSO SPN No. RDSO/SPN/176/2013. Ver.-3 (Or latest) MAKE ELDYNE ELECTRO SYSTEM PVT LTD.(Inspection by RDSO).	Numbers	4.00	210782.22	843128.88
13	13	Deployment of manpower like unskilled Labour to work in emergencies or as required during cable shifting, finding the existing cable route, shifting and placing of materials in depot etc.	Man-Days	543.00	650.15	353031.45
14	14	Supply of grade 3 Lithium Base Grease for Industrial purpose to IS: 7623 (Q3) SPL MP 3. (Inspection by Consignee)	Kg	45.00	276.12	12425.40
15	15	Supply of white cotton waste, IS: 5485 Latest . (Inspection by Consignee).	Kg	226.00	96.76	21867.76
16	16	ALUMINIUM PAINT BRUSHING, BRIGHT FINISHING FOR GENERAL PURPOSE TO IS: 2339/2013 (REAFFIRMED 2018) AND RDSO AMDT NO.1A REV-1.0 AS AN ADDITIONAL REQUIREMENT. PACKING IN 4 Ltrs. DUAL CONTAINER (ALLUMINIUM PASTE PACKED IN POLYURETHANE BAGS AND DIPPED IN 4 Ltrs CONTAINERS). (Inspection by Consignee).	Litre	90.00	188.04	16923.60
					Total	4778144.37

4. ELIGIBILITY CONDITIONS

Standard Financial Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	The tenderer must have minimum average annual contractual turnover of V/N or V whichever is less, where V= Advertisised value of the tender in crores of Rupees & N= Number of years prescribed for completion of work for which bids have been invited. The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years, as per the audited balance sheet. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover. The tenderers shall submit requisite information as per Annexure-VIB, along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet.	No	No	Allowed (Mandatory)

Standard Technical Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	The tenderer must have successfully completed any of the following during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: Three similar works each costing not less than the amount equal to 30% of advertised value of the tender, or Two similar works each costing not less than the amount equal to 40% of advertised value of the tender, or One similar work each costing not less than the amount equal to 60% of advertised value of the tender.	No	No	Allowed (Mandatory)
1.1	Defination of Similar Work :- Trenching, Cable laying, Location and/ or signal foundation/ erection/ termination/ wiring in connection with any signalling work.	No	No	Not Allowed

Bidders shall confirm and certify on the behalf of the tenderer including its constituents as under:

**SOLAPUR DIVISION-S AND T/CENTRAL RLY
TENDER DOCUMENT**

Tender No: SUR-N-T-2026-27-15

Closing Date/Time: 25/06/2026 15:30

S.No.	Description
1	I/we the tenderer (s) am/are signing this document after carefully reading the contents.
2	I/We the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof.
3	I/we hereby declare that I/we have downloaded the tender documents from Indian Railway website www.ireps.gov.in . I/we have verified the content of the document from the website and there is no addition, no deletion or no alteration to the content of the tender document. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of work or final payment of the contract, the master copy available with the railway Administration shall be final and binding upon me/us.
4	I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements.
5	I/We also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us.
6	I/We declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us.
7	I/we certify that I/we the tenderer(s) is/are not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a HUF/ member of the partnership firm/LLP/JV/Society/Trust.
8	I/we understand that if the contents of the certificate submitted by us are found to be forged/false at any time during process for evaluation of tenders, it shall lead to forfeiture of the Bid Security and may also lead to any other action provided in the contract including banning of business for a period of upto two year. Further, I/we and all my/our constituents understand that my/our offer shall be summarily rejected.
9	I/we also understand that if the contents of the certificate submitted by us are found to be false/forged at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of Bid Security/Security Deposit and Performance guarantee and may also lead to any other action provided in the contract including banning of business for a period of upto two year.
10	I/We have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India and certify that I am/We are not from such a country or, if from such a country, have been registered with the competent Authority. I/We hereby certify that I/we fulfil all the requirements in this regard and am/are eligible to be considered (evidence of valid registration by the competent authority is enclosed)

Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.

S.No.	Description
1	Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. Please submit a certificate in the prescribed format (please download the format from the link given below). Non submission of the certificate, or submission of certificate either not properly filled in, or in a format other than the prescribed format shall lead to summary rejection of your offer. (Click here to download the Format of Self Certification)

5. COMPLIANCE

Commercial-Compliance

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	No	Yes	Allowed (Optional)

General Instructions

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Please refer to GCC with ACS and Instructions to Tenderer attached in Documents.	No	No	Not Allowed

Special Conditions

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Please refer to Special Conditions attached in documents.	No	No	Not Allowed

Undertakings

**SOLAPUR DIVISION-S AND T/CENTRAL RLY
TENDER DOCUMENT**

Tender No: SUR-N-T-2026-27-15

Closing Date/Time: 25/06/2026 15:30

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Undertakings :- I have read all the tender document enclosed in the Documents tab and hereby agree to abide all terms and conditions mention in them.	No	No	Not Allowed

6. Documents attached with tender

S.No.	Document Name	Document Description
1	Instructions_To_Tenderer_TFTR_TBR_work.pdf	Instructions to Tenderer
2	Special_Condition_TFTR_TBR_work.pdf	Special conditions
3	GCC_April-2022_with_ACS_11_13032026.pdf	GCC with ACS
4	Tender_form_Annexure-I.pdf	Annexure I
5	Cable_cut_policy_CR_1st_Sept_23.pdf	Cable cut policy
6	Annexure_and_Drawing_TFTR_TBR_SUR_DIV.pdf	Annexures and Drawings

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

Signed By: AYUSH MEHTO

Designation : DSTEWks