

Software Test Plan & QA Checklist

InfusioTech Restaurant Ordering SaaS | Version 1.0 | 2 October 2026

Purpose

Defines test coverage and release gates for the SaaS MVP.

Test Types

- Functional and regression testing; API contract testing; tenant isolation/RLS testing; RBAC authorization testing; payment and webhook testing; mobile device testing; accessibility/usability; performance and resilience; backup restore and release smoke tests.

Critical Scenarios

- Customer scans valid QR, sees correct tenant/table and places an order; invalid/disabled QR is rejected safely.
- Menu price changes after cart load; server returns recalculated total and requires customer confirmation if total changes materially.
- Online payment success, failure, cancellation, delayed webhook and duplicate webhook are handled correctly.
- Cash order remains distinct from confirmed cash receipt/reconciliation.
- Order transitions follow permitted state machine; concurrent updates do not corrupt status.
- Owner invites staff; expired/reused invitation rejected; role changes and revocation take effect.
- Unauthorized API call fails even if client manually crafts request.
- Cross-tenant IDs, storage paths, search and realtime subscriptions do not leak data.
- Network loss/reconnect does not duplicate orders; app communicates stale state.
- Subscription expiry removes gated entitlements according to documented grace-period policy.

Release Gates

- No unresolved critical/high security or payment defects.
- Tenant isolation and permission test suite passes.
- Critical customer and restaurant workflows pass on supported Android/iOS versions and browsers.
- Monitoring, backups, restore test, rollback and support escalation are documented.
- Privacy notices, terms, plan entitlements and operational readiness reviewed.

Defect Severity

- Critical: data leakage, payment integrity failure, widespread outage; block release.
- High: core workflow broken with no safe workaround; block release unless explicitly risk-accepted.
- Medium: degraded workflow with workaround; prioritize before launch.
- Low: cosmetic/minor issue; schedule for later fix.

Test Evidence

- Record build/version, environment, device/browser, test data tenant, steps, expected/actual result, evidence link, severity, owner and retest status. Use synthetic customer data in non-production.