

08_W92-W104_Global_Scale_Optimization_and_Operating_Excellence

Expanded weekly roadmap with enforced large-format appendix

Apex Terminal 2-Year Weekly Plan - Block 8 (Weeks 92-104)

****Time Window:**** Weeks 92-104

****Block Theme:**** Global scale optimization and operating excellence

****Block Objective:**** Achieve Bloomberg-style workflow depth while preserving deterministic quality and operational safety.

Block-Wide Non-Negotiables

More than 100,000 self-tested LOC delivered each week.

At least 3,500 tests touched per week across unit, integration, contract, e2e, perf, and chaos.

95+ percent changed-line coverage and full critical-path regression before release promotion.

Daily canary and weekly production promotion with rollback proof.

Week 92: Multi-region traffic steering

A. Weekly Mission and Scope

Mission: deliver `Multi-region traffic steering` with end-to-end readiness across frontend, backend, data, and operations.

Scope includes one major UX lane, one backend contract lane, one data-quality lane, and one reliability lane.

Exit requires production-grade evidence, not just feature completion.

B. UI/UX Structure (Detailed)

Primary components this week: SymbolContextBus, MonitorGrid, ExecutionBlotter, RiskPanel.

Define IA tree for this lane: landing state, deep-dive state, action state, and failure state.

Implement keyboard map with 20+ explicit shortcuts and conflict resolution matrix.

Add linked-context behavior: symbol, timeframe, account, and strategy context propagation.

Deliver accessibility pack: semantic headings, landmarks, tab order, ARIA labels, and contrast validation.

Produce UX blueprint appendix: wireframes, interaction states, anti-patterns, and acceptance checks.

C. Backend Structure (Detailed)

API contracts in scope: /api/v1/options/chains, /api/v1/compliance/evidence, /api/v1/extensions, /api/v1/ops/slo.

Define route schemas with versioning, idempotency keys, and deterministic error taxonomy.

Implement retries with backoff budgets, dead-letter channels, and replay controls.

Add invariants for consistency: dedupe rules, reconciliation checkpoints, and stale-data prevention.

Produce sequence diagrams for request flow, async events, and failure recovery transitions.

Update service ownership and blast-radius map for all touched boundaries.

D. Data Architecture and Structural Maps

Schemas in scope: compliance_evidence_v1, extension_usage_v1, slo_timeseries_v2, incident_event_v2.

Update canonical entity model with keys, lineage metadata, and data quality thresholds.

Map ingestion to serving path with transformation checkpoints and observability metrics.

Define storage policy by data class (hot, warm, cold, and evidence retention tiers).

Execute data replay validation and drift detection across representative historical windows.

Publish structural map diffs with rationale and risk classification.

E. Bloomberg-Style Feature Depth

Add at least one command-launch enhancement and two monitor-layout power-user capabilities.

Extend BQL-like analysis templates for this week domain with reusable saved views.

Improve PORT-style analytics readability with attribution drill-down and context-aware overlays.

Improve EMSX-style blotter traceability for action history, parent-child linkage, and approvals.

Integrate contextual intelligence in message center for alerts, incidents, and strategy provenance.

F. Daily Engineering Plan

Day 1: final architecture, schema review, UX maps, risk register refresh.

Day 2: backend implementation sprint and contract test scaffolding.

08_W92-W104_Global_Scale_Optimization_and_Operating_Excellence

Day 3: frontend implementation sprint and accessibility wiring.

Day 4: end-to-end integration, event stream validation, and edge-case hardening.

Day 5: large-scale test pass, fixture stabilization, and deterministic replay.

Day 6: performance tuning, SLO checks, and reliability drill execution.

Day 7: release candidate, operational signoff, production promotion, and retrospective.

G. Testing, Quality, and Evidence

Unit tests: core domain logic, boundary conditions, and property-based checks.

Integration tests: API-to-service, queue consumers, persistence, and retry workflows.

Contract tests: broker connectors, market-data providers, and search interfaces.

UI E2E tests: non-headless Playwright regression with traces, screenshots, and videos.

Performance tests: latency, throughput, and soak targets tied to SLO budget gates.

Chaos tests: dependency loss, stale feed, delayed events, and graceful degradation behavior.

H. Security, Compliance, and Controls

Threat-model all new privileged actions and data mutation paths.

Validate auth scope, secret-handling posture, and audit-log completeness.

Execute policy tests for restricted workflows and approval-chain correctness.

Produce immutable release evidence pack with approvals and compliance attestations.

Confirm retention/deletion conformance for all new data classes.

I. Weekly Acceptance Criteria

More than 100,000 self-tested LOC completed for week scope with traceable evidence.

Reliability and quality gates pass with no unresolved critical regressions.

Architecture maps and operational runbooks updated in the same release train.

Bloomberg-style capability maturity score improves for this lane versus prior week.

J. Weekly Artifact Checklist

25+ UX artifacts: wireframes, interaction maps, keyboard matrix, accessibility audits.

20+ backend artifacts: route specs, sequence diagrams, dependency maps, rollback plans.

15+ data artifacts: lineage docs, schema diffs, quality reports, replay outcomes.

10+ governance artifacts: approvals, policy checks, audit evidence, release signoffs.

Week 93: Latency budget engine

A. Weekly Mission and Scope

Mission: deliver `Latency budget engine` with end-to-end readiness across frontend, backend, data, and operations.

Scope includes one major UX lane, one backend contract lane, one data-quality lane, and one reliability lane.

Exit requires production-grade evidence, not just feature completion.

B. UI/UX Structure (Detailed)

Primary components this week: MonitorGrid, ExecutionBlotter, RiskPanel, PortfolioExplorer.

Define IA tree for this lane: landing state, deep-dive state, action state, and failure state.

Implement keyboard map with 20+ explicit shortcuts and conflict resolution matrix.

Add linked-context behavior: symbol, timeframe, account, and strategy context propagation.

Deliver accessibility pack: semantic headings, landmarks, tab order, ARIA labels, and contrast validation.

Produce UX blueprint appendix: wireframes, interaction states, anti-patterns, and acceptance checks.

C. Backend Structure (Detailed)

API contracts in scope: /api/v1/compliance/evidence, /api/v1/extensions, /api/v1/ops/slo, /api/v1/workspaces.

Define route schemas with versioning, idempotency keys, and deterministic error taxonomy.

Implement retries with backoff budgets, dead-letter channels, and replay controls.

Add invariants for consistency: dedupe rules, reconciliation checkpoints, and stale-data prevention.

Produce sequence diagrams for request flow, async events, and failure recovery transitions.

Update service ownership and blast-radius map for all touched boundaries.

08_W92-W104_Global_Scale_Optimization_and_Operating_Excellence

D. Data Architecture and Structural Maps

Schemas in scope: extension_usage_v1, slo_timeseries_v2, incident_event_v2, quote_event_v2.
Update canonical entity model with keys, lineage metadata, and data quality thresholds.
Map ingestion to serving path with transformation checkpoints and observability metrics.
Define storage policy by data class (hot, warm, cold, and evidence retention tiers).
Execute data replay validation and drift detection across representative historical windows.
Publish structural map diffs with rationale and risk classification.

E. Bloomberg-Style Feature Depth

Add at least one command-launch enhancement and two monitor-layout power-user capabilities.
Extend BQL-like analysis templates for this week domain with reusable saved views.
Improve PORT-style analytics readability with attribution drill-down and context-aware overlays.
Improve EMSX-style blotter traceability for action history, parent-child linkage, and approvals.
Integrate contextual intelligence in message center for alerts, incidents, and strategy provenance.

F. Daily Engineering Plan

Day 1: final architecture, schema review, UX maps, risk register refresh.
Day 2: backend implementation sprint and contract test scaffolding.
Day 3: frontend implementation sprint and accessibility wiring.
Day 4: end-to-end integration, event stream validation, and edge-case hardening.
Day 5: large-scale test pass, fixture stabilization, and deterministic replay.
Day 6: performance tuning, SLO checks, and reliability drill execution.
Day 7: release candidate, operational signoff, production promotion, and retrospective.

G. Testing, Quality, and Evidence

Unit tests: core domain logic, boundary conditions, and property-based checks.
Integration tests: API-to-service, queue consumers, persistence, and retry workflows.
Contract tests: broker connectors, market-data providers, and search interfaces.
UI E2E tests: non-headless Playwright regression with traces, screenshots, and videos.
Performance tests: latency, throughput, and soak targets tied to SLO budget gates.
Chaos tests: dependency loss, stale feed, delayed events, and graceful degradation behavior.

H. Security, Compliance, and Controls

Threat-model all new privileged actions and data mutation paths.
Validate auth scope, secret-handling posture, and audit-log completeness.
Execute policy tests for restricted workflows and approval-chain correctness.
Produce immutable release evidence pack with approvals and compliance attestations.
Confirm retention/deletion conformance for all new data classes.

I. Weekly Acceptance Criteria

More than 100,000 self-tested LOC completed for week scope with traceable evidence.
Reliability and quality gates pass with no unresolved critical regressions.
Architecture maps and operational runbooks updated in the same release train.
Bloomberg-style capability maturity score improves for this lane versus prior week.

J. Weekly Artifact Checklist

25+ UX artifacts: wireframes, interaction maps, keyboard matrix, accessibility audits.
20+ backend artifacts: route specs, sequence diagrams, dependency maps, rollback plans.
15+ data artifacts: lineage docs, schema diffs, quality reports, replay outcomes.
10+ governance artifacts: approvals, policy checks, audit evidence, release signoffs.

Week 94: Cost profiler

A. Weekly Mission and Scope

08_W92-W104_Global_Scale_Optimization_and_Operating_Excellence

Mission: deliver `Cost profiler` with end-to-end readiness across frontend, backend, data, and operations.
Scope includes one major UX lane, one backend contract lane, one data-quality lane, and one reliability lane.
Exit requires production-grade evidence, not just feature completion.

B. UI/UX Structure (Detailed)

Primary components this week: ExecutionBlotter, RiskPanel, PortfolioExplorer, ResearchNotebook.
Define IA tree for this lane: landing state, deep-dive state, action state, and failure state.
Implement keyboard map with 20+ explicit shortcuts and conflict resolution matrix.
Add linked-context behavior: symbol, timeframe, account, and strategy context propagation.
Deliver accessibility pack: semantic headings, landmarks, tab order, ARIA labels, and contrast validation.
Produce UX blueprint appendix: wireframes, interaction states, anti-patterns, and acceptance checks.

C. Backend Structure (Detailed)

API contracts in scope: /api/v1/extensions, /api/v1/ops/slo, /api/v1/workspaces, /api/v1/monitors.
Define route schemas with versioning, idempotency keys, and deterministic error taxonomy.
Implement retries with backoff budgets, dead-letter channels, and replay controls.
Add invariants for consistency: dedupe rules, reconciliation checkpoints, and stale-data prevention.
Produce sequence diagrams for request flow, async events, and failure recovery transitions.
Update service ownership and blast-radius map for all touched boundaries.

D. Data Architecture and Structural Maps

Schemas in scope: slo_timeseries_v2, incident_event_v2, quote_event_v2, order_lifecycle_v3.
Update canonical entity model with keys, lineage metadata, and data quality thresholds.
Map ingestion to serving path with transformation checkpoints and observability metrics.
Define storage policy by data class (hot, warm, cold, and evidence retention tiers).
Execute data replay validation and drift detection across representative historical windows.
Publish structural map diffs with rationale and risk classification.

E. Bloomberg-Style Feature Depth

Add at least one command-launch enhancement and two monitor-layout power-user capabilities.
Extend BQL-like analysis templates for this week domain with reusable saved views.
Improve PORT-style analytics readability with attribution drill-down and context-aware overlays.
Improve EMSX-style blotter traceability for action history, parent-child linkage, and approvals.
Integrate contextual intelligence in message center for alerts, incidents, and strategy provenance.

F. Daily Engineering Plan

Day 1: final architecture, schema review, UX maps, risk register refresh.
Day 2: backend implementation sprint and contract test scaffolding.
Day 3: frontend implementation sprint and accessibility wiring.
Day 4: end-to-end integration, event stream validation, and edge-case hardening.
Day 5: large-scale test pass, fixture stabilization, and deterministic replay.
Day 6: performance tuning, SLO checks, and reliability drill execution.
Day 7: release candidate, operational signoff, production promotion, and retrospective.

G. Testing, Quality, and Evidence

Unit tests: core domain logic, boundary conditions, and property-based checks.
Integration tests: API-to-service, queue consumers, persistence, and retry workflows.
Contract tests: broker connectors, market-data providers, and search interfaces.
UI E2E tests: non-headless Playwright regression with traces, screenshots, and videos.
Performance tests: latency, throughput, and soak targets tied to SLO budget gates.
Chaos tests: dependency loss, stale feed, delayed events, and graceful degradation behavior.

H. Security, Compliance, and Controls

Threat-model all new privileged actions and data mutation paths.

08_W92-W104_Global_Scale_Optimization_and_Operating_Excellence

Validate auth scope, secret-handling posture, and audit-log completeness.
Execute policy tests for restricted workflows and approval-chain correctness.
Produce immutable release evidence pack with approvals and compliance attestations.
Confirm retention/deletion conformance for all new data classes.

I. Weekly Acceptance Criteria

More than 100,000 self-tested LOC completed for week scope with traceable evidence.
Reliability and quality gates pass with no unresolved critical regressions.
Architecture maps and operational runbooks updated in the same release train.
Bloomberg-style capability maturity score improves for this lane versus prior week.

J. Weekly Artifact Checklist

25+ UX artifacts: wireframes, interaction maps, keyboard matrix, accessibility audits.
20+ backend artifacts: route specs, sequence diagrams, dependency maps, rollback plans.
15+ data artifacts: lineage docs, schema diffs, quality reports, replay outcomes.
10+ governance artifacts: approvals, policy checks, audit evidence, release signoffs.

Week 95: Reliability economics dashboard

A. Weekly Mission and Scope

Mission: deliver `Reliability economics dashboard` with end-to-end readiness across frontend, backend, data, and operations.
Scope includes one major UX lane, one backend contract lane, one data-quality lane, and one reliability lane.
Exit requires production-grade evidence, not just feature completion.

B. UI/UX Structure (Detailed)

Primary components this week: RiskPanel, PortfolioExplorer, ResearchNotebook, EntityGraph.
Define IA tree for this lane: landing state, deep-dive state, action state, and failure state.
Implement keyboard map with 20+ explicit shortcuts and conflict resolution matrix.
Add linked-context behavior: symbol, timeframe, account, and strategy context propagation.
Deliver accessibility pack: semantic headings, landmarks, tab order, ARIA labels, and contrast validation.
Produce UX blueprint appendix: wireframes, interaction states, anti-patterns, and acceptance checks.

C. Backend Structure (Detailed)

API contracts in scope: /api/v1/ops/slo, /api/v1/workspaces, /api/v1/monitors, /api/v1/execution/orders.
Define route schemas with versioning, idempotency keys, and deterministic error taxonomy.
Implement retries with backoff budgets, dead-letter channels, and replay controls.
Add invariants for consistency: dedupe rules, reconciliation checkpoints, and stale-data prevention.
Produce sequence diagrams for request flow, async events, and failure recovery transitions.
Update service ownership and blast-radius map for all touched boundaries.

D. Data Architecture and Structural Maps

Schemas in scope: incident_event_v2, quote_event_v2, order_lifecycle_v3, portfolio_snapshot_v2.
Update canonical entity model with keys, lineage metadata, and data quality thresholds.
Map ingestion to serving path with transformation checkpoints and observability metrics.
Define storage policy by data class (hot, warm, cold, and evidence retention tiers).
Execute data replay validation and drift detection across representative historical windows.
Publish structural map diffs with rationale and risk classification.

E. Bloomberg-Style Feature Depth

Add at least one command-launch enhancement and two monitor-layout power-user capabilities.
Extend BQL-like analysis templates for this week domain with reusable saved views.
Improve PORT-style analytics readability with attribution drill-down and context-aware overlays.
Improve EMSX-style blotter traceability for action history, parent-child linkage, and approvals.
Integrate contextual intelligence in message center for alerts, incidents, and strategy provenance.

08_W92-W104_Global_Scale_Optimization_and_Operating_Excellence

F. Daily Engineering Plan

Day 1: final architecture, schema review, UX maps, risk register refresh.
Day 2: backend implementation sprint and contract test scaffolding.
Day 3: frontend implementation sprint and accessibility wiring.
Day 4: end-to-end integration, event stream validation, and edge-case hardening.
Day 5: large-scale test pass, fixture stabilization, and deterministic replay.
Day 6: performance tuning, SLO checks, and reliability drill execution.
Day 7: release candidate, operational signoff, production promotion, and retrospective.

G. Testing, Quality, and Evidence

Unit tests: core domain logic, boundary conditions, and property-based checks.
Integration tests: API-to-service, queue consumers, persistence, and retry workflows.
Contract tests: broker connectors, market-data providers, and search interfaces.
UI E2E tests: non-headless Playwright regression with traces, screenshots, and videos.
Performance tests: latency, throughput, and soak targets tied to SLO budget gates.
Chaos tests: dependency loss, stale feed, delayed events, and graceful degradation behavior.

H. Security, Compliance, and Controls

Threat-model all new privileged actions and data mutation paths.
Validate auth scope, secret-handling posture, and audit-log completeness.
Execute policy tests for restricted workflows and approval-chain correctness.
Produce immutable release evidence pack with approvals and compliance attestations.
Confirm retention/deletion conformance for all new data classes.

I. Weekly Acceptance Criteria

More than 100,000 self-tested LOC completed for week scope with traceable evidence.
Reliability and quality gates pass with no unresolved critical regressions.
Architecture maps and operational runbooks updated in the same release train.
Bloomberg-style capability maturity score improves for this lane versus prior week.

J. Weekly Artifact Checklist

25+ UX artifacts: wireframes, interaction maps, keyboard matrix, accessibility audits.
20+ backend artifacts: route specs, sequence diagrams, dependency maps, rollback plans.
15+ data artifacts: lineage docs, schema diffs, quality reports, replay outcomes.
10+ governance artifacts: approvals, policy checks, audit evidence, release signoffs.

Week 96: Regional failover drills

A. Weekly Mission and Scope

Mission: deliver `Regional failover drills` with end-to-end readiness across frontend, backend, data, and operations.
Scope includes one major UX lane, one backend contract lane, one data-quality lane, and one reliability lane.
Exit requires production-grade evidence, not just feature completion.

B. UI/UX Structure (Detailed)

Primary components this week: PortfolioExplorer, ResearchNotebook, EntityGraph, AlertCenter.
Define IA tree for this lane: landing state, deep-dive state, action state, and failure state.
Implement keyboard map with 20+ explicit shortcuts and conflict resolution matrix.
Add linked-context behavior: symbol, timeframe, account, and strategy context propagation.
Deliver accessibility pack: semantic headings, landmarks, tab order, ARIA labels, and contrast validation.
Produce UX blueprint appendix: wireframes, interaction states, anti-patterns, and acceptance checks.

C. Backend Structure (Detailed)

API contracts in scope: /api/v1/workspaces, /api/v1/monitors, /api/v1/execution/orders, /api/v1/risk/checks.
Define route schemas with versioning, idempotency keys, and deterministic error taxonomy.
Implement retries with backoff budgets, dead-letter channels, and replay controls.

08_W92-W104_Global_Scale_Optimization_and_Operating_Excellence

Add invariants for consistency: dedupe rules, reconciliation checkpoints, and stale-data prevention.
Produce sequence diagrams for request flow, async events, and failure recovery transitions.
Update service ownership and blast-radius map for all touched boundaries.

D. Data Architecture and Structural Maps

Schemas in scope: quote_event_v2, order_lifecycle_v3, portfolio_snapshot_v2, risk_decision_v1.
Update canonical entity model with keys, lineage metadata, and data quality thresholds.
Map ingestion to serving path with transformation checkpoints and observability metrics.
Define storage policy by data class (hot, warm, cold, and evidence retention tiers).
Execute data replay validation and drift detection across representative historical windows.
Publish structural map diffs with rationale and risk classification.

E. Bloomberg-Style Feature Depth

Add at least one command-launch enhancement and two monitor-layout power-user capabilities.
Extend BQL-like analysis templates for this week domain with reusable saved views.
Improve PORT-style analytics readability with attribution drill-down and context-aware overlays.
Improve EMSX-style blotter traceability for action history, parent-child linkage, and approvals.
Integrate contextual intelligence in message center for alerts, incidents, and strategy provenance.

F. Daily Engineering Plan

Day 1: final architecture, schema review, UX maps, risk register refresh.
Day 2: backend implementation sprint and contract test scaffolding.
Day 3: frontend implementation sprint and accessibility wiring.
Day 4: end-to-end integration, event stream validation, and edge-case hardening.
Day 5: large-scale test pass, fixture stabilization, and deterministic replay.
Day 6: performance tuning, SLO checks, and reliability drill execution.
Day 7: release candidate, operational signoff, production promotion, and retrospective.

G. Testing, Quality, and Evidence

Unit tests: core domain logic, boundary conditions, and property-based checks.
Integration tests: API-to-service, queue consumers, persistence, and retry workflows.
Contract tests: broker connectors, market-data providers, and search interfaces.
UI E2E tests: non-headless Playwright regression with traces, screenshots, and videos.
Performance tests: latency, throughput, and soak targets tied to SLO budget gates.
Chaos tests: dependency loss, stale feed, delayed events, and graceful degradation behavior.

H. Security, Compliance, and Controls

Threat-model all new privileged actions and data mutation paths.
Validate auth scope, secret-handling posture, and audit-log completeness.
Execute policy tests for restricted workflows and approval-chain correctness.
Produce immutable release evidence pack with approvals and compliance attestations.
Confirm retention/deletion conformance for all new data classes.

I. Weekly Acceptance Criteria

More than 100,000 self-tested LOC completed for week scope with traceable evidence.
Reliability and quality gates pass with no unresolved critical regressions.
Architecture maps and operational runbooks updated in the same release train.
Bloomberg-style capability maturity score improves for this lane versus prior week.

J. Weekly Artifact Checklist

25+ UX artifacts: wireframes, interaction maps, keyboard matrix, accessibility audits.
20+ backend artifacts: route specs, sequence diagrams, dependency maps, rollback plans.
15+ data artifacts: lineage docs, schema diffs, quality reports, replay outcomes.
10+ governance artifacts: approvals, policy checks, audit evidence, release signoffs.

Week 97: Data residency controls

A. Weekly Mission and Scope

Mission: deliver `Data residency controls` with end-to-end readiness across frontend, backend, data, and operations.

Scope includes one major UX lane, one backend contract lane, one data-quality lane, and one reliability lane.

Exit requires production-grade evidence, not just feature completion.

B. UI/UX Structure (Detailed)

Primary components this week: ResearchNotebook, EntityGraph, AlertCenter, AutopilotTower.

Define IA tree for this lane: landing state, deep-dive state, action state, and failure state.

Implement keyboard map with 20+ explicit shortcuts and conflict resolution matrix.

Add linked-context behavior: symbol, timeframe, account, and strategy context propagation.

Deliver accessibility pack: semantic headings, landmarks, tab order, ARIA labels, and contrast validation.

Produce UX blueprint appendix: wireframes, interaction states, anti-patterns, and acceptance checks.

C. Backend Structure (Detailed)

API contracts in scope: /api/v1/monitors, /api/v1/execution/orders, /api/v1/risk/checks, /api/v1/portfolio/analytics.

Define route schemas with versioning, idempotency keys, and deterministic error taxonomy.

Implement retries with backoff budgets, dead-letter channels, and replay controls.

Add invariants for consistency: dedupe rules, reconciliation checkpoints, and stale-data prevention.

Produce sequence diagrams for request flow, async events, and failure recovery transitions.

Update service ownership and blast-radius map for all touched boundaries.

D. Data Architecture and Structural Maps

Schemas in scope: order_lifecycle_v3, portfolio_snapshot_v2, risk_decision_v1, entity_graph_node_v2.

Update canonical entity model with keys, lineage metadata, and data quality thresholds.

Map ingestion to serving path with transformation checkpoints and observability metrics.

Define storage policy by data class (hot, warm, cold, and evidence retention tiers).

Execute data replay validation and drift detection across representative historical windows.

Publish structural map diffs with rationale and risk classification.

E. Bloomberg-Style Feature Depth

Add at least one command-launch enhancement and two monitor-layout power-user capabilities.

Extend BQL-like analysis templates for this week domain with reusable saved views.

Improve PORT-style analytics readability with attribution drill-down and context-aware overlays.

Improve EMSX-style blotter traceability for action history, parent-child linkage, and approvals.

Integrate contextual intelligence in message center for alerts, incidents, and strategy provenance.

F. Daily Engineering Plan

Day 1: final architecture, schema review, UX maps, risk register refresh.

Day 2: backend implementation sprint and contract test scaffolding.

Day 3: frontend implementation sprint and accessibility wiring.

Day 4: end-to-end integration, event stream validation, and edge-case hardening.

Day 5: large-scale test pass, fixture stabilization, and deterministic replay.

Day 6: performance tuning, SLO checks, and reliability drill execution.

Day 7: release candidate, operational signoff, production promotion, and retrospective.

G. Testing, Quality, and Evidence

Unit tests: core domain logic, boundary conditions, and property-based checks.

Integration tests: API-to-service, queue consumers, persistence, and retry workflows.

Contract tests: broker connectors, market-data providers, and search interfaces.

UI E2E tests: non-headless Playwright regression with traces, screenshots, and videos.

Performance tests: latency, throughput, and soak targets tied to SLO budget gates.

Chaos tests: dependency loss, stale feed, delayed events, and graceful degradation behavior.

08_W92-W104_Global_Scale_Optimization_and_Operating_Excellence

H. Security, Compliance, and Controls

Threat-model all new privileged actions and data mutation paths.
Validate auth scope, secret-handling posture, and audit-log completeness.
Execute policy tests for restricted workflows and approval-chain correctness.
Produce immutable release evidence pack with approvals and compliance attestations.
Confirm retention/deletion conformance for all new data classes.

I. Weekly Acceptance Criteria

More than 100,000 self-tested LOC completed for week scope with traceable evidence.
Reliability and quality gates pass with no unresolved critical regressions.
Architecture maps and operational runbooks updated in the same release train.
Bloomberg-style capability maturity score improves for this lane versus prior week.

J. Weekly Artifact Checklist

25+ UX artifacts: wireframes, interaction maps, keyboard matrix, accessibility audits.
20+ backend artifacts: route specs, sequence diagrams, dependency maps, rollback plans.
15+ data artifacts: lineage docs, schema diffs, quality reports, replay outcomes.
10+ governance artifacts: approvals, policy checks, audit evidence, release signoffs.

Week 98: Operational automation AI

A. Weekly Mission and Scope

Mission: deliver `Operational automation AI` with end-to-end readiness across frontend, backend, data, and operations.
Scope includes one major UX lane, one backend contract lane, one data-quality lane, and one reliability lane.
Exit requires production-grade evidence, not just feature completion.

B. UI/UX Structure (Detailed)

Primary components this week: EntityGraph, AlertCenter, AutopilotTower, OptionsMatrix.
Define IA tree for this lane: landing state, deep-dive state, action state, and failure state.
Implement keyboard map with 20+ explicit shortcuts and conflict resolution matrix.
Add linked-context behavior: symbol, timeframe, account, and strategy context propagation.
Deliver accessibility pack: semantic headings, landmarks, tab order, ARIA labels, and contrast validation.
Produce UX blueprint appendix: wireframes, interaction states, anti-patterns, and acceptance checks.

C. Backend Structure (Detailed)

API contracts in scope: /api/v1/execution/orders, /api/v1/risk/checks, /api/v1/portfolio/analytics, /api/v1/research/entities.
Define route schemas with versioning, idempotency keys, and deterministic error taxonomy.
Implement retries with backoff budgets, dead-letter channels, and replay controls.
Add invariants for consistency: dedupe rules, reconciliation checkpoints, and stale-data prevention.
Produce sequence diagrams for request flow, async events, and failure recovery transitions.
Update service ownership and blast-radius map for all touched boundaries.

D. Data Architecture and Structural Maps

Schemas in scope: portfolio_snapshot_v2, risk_decision_v1, entity_graph_node_v2, search_trace_v2.
Update canonical entity model with keys, lineage metadata, and data quality thresholds.
Map ingestion to serving path with transformation checkpoints and observability metrics.
Define storage policy by data class (hot, warm, cold, and evidence retention tiers).
Execute data replay validation and drift detection across representative historical windows.
Publish structural map diffs with rationale and risk classification.

E. Bloomberg-Style Feature Depth

Add at least one command-launch enhancement and two monitor-layout power-user capabilities.
Extend BQL-like analysis templates for this week domain with reusable saved views.
Improve PORT-style analytics readability with attribution drill-down and context-aware overlays.

08_W92-W104_Global_Scale_Optimization_and_Operating_Excellence

Improve EMSX-style blotter traceability for action history, parent-child linkage, and approvals.
Integrate contextual intelligence in message center for alerts, incidents, and strategy provenance.

F. Daily Engineering Plan

Day 1: final architecture, schema review, UX maps, risk register refresh.
Day 2: backend implementation sprint and contract test scaffolding.
Day 3: frontend implementation sprint and accessibility wiring.
Day 4: end-to-end integration, event stream validation, and edge-case hardening.
Day 5: large-scale test pass, fixture stabilization, and deterministic replay.
Day 6: performance tuning, SLO checks, and reliability drill execution.
Day 7: release candidate, operational signoff, production promotion, and retrospective.

G. Testing, Quality, and Evidence

Unit tests: core domain logic, boundary conditions, and property-based checks.
Integration tests: API-to-service, queue consumers, persistence, and retry workflows.
Contract tests: broker connectors, market-data providers, and search interfaces.
UI E2E tests: non-headless Playwright regression with traces, screenshots, and videos.
Performance tests: latency, throughput, and soak targets tied to SLO budget gates.
Chaos tests: dependency loss, stale feed, delayed events, and graceful degradation behavior.

H. Security, Compliance, and Controls

Threat-model all new privileged actions and data mutation paths.
Validate auth scope, secret-handling posture, and audit-log completeness.
Execute policy tests for restricted workflows and approval-chain correctness.
Produce immutable release evidence pack with approvals and compliance attestations.
Confirm retention/deletion conformance for all new data classes.

I. Weekly Acceptance Criteria

More than 100,000 self-tested LOC completed for week scope with traceable evidence.
Reliability and quality gates pass with no unresolved critical regressions.
Architecture maps and operational runbooks updated in the same release train.
Bloomberg-style capability maturity score improves for this lane versus prior week.

J. Weekly Artifact Checklist

25+ UX artifacts: wireframes, interaction maps, keyboard matrix, accessibility audits.
20+ backend artifacts: route specs, sequence diagrams, dependency maps, rollback plans.
15+ data artifacts: lineage docs, schema diffs, quality reports, replay outcomes.
10+ governance artifacts: approvals, policy checks, audit evidence, release signoffs.

Week 99: Hot path profiling

A. Weekly Mission and Scope

Mission: deliver `Hot path profiling` with end-to-end readiness across frontend, backend, data, and operations.
Scope includes one major UX lane, one backend contract lane, one data-quality lane, and one reliability lane.
Exit requires production-grade evidence, not just feature completion.

B. UI/UX Structure (Detailed)

Primary components this week: AlertCenter, AutopilotTower, OptionsMatrix, PolicyConsole.
Define IA tree for this lane: landing state, deep-dive state, action state, and failure state.
Implement keyboard map with 20+ explicit shortcuts and conflict resolution matrix.
Add linked-context behavior: symbol, timeframe, account, and strategy context propagation.
Deliver accessibility pack: semantic headings, landmarks, tab order, ARIA labels, and contrast validation.
Produce UX blueprint appendix: wireframes, interaction states, anti-patterns, and acceptance checks.

C. Backend Structure (Detailed)

08_W92-W104_Global_Scale_Optimization_and_Operating_Excellence

API contracts in scope: /api/v1/risk/checks, /api/v1/portfolio/analytics, /api/v1/research/entities, /api/v1/search/hybrid.
Define route schemas with versioning, idempotency keys, and deterministic error taxonomy.
Implement retries with backoff budgets, dead-letter channels, and replay controls.
Add invariants for consistency: dedupe rules, reconciliation checkpoints, and stale-data prevention.
Produce sequence diagrams for request flow, async events, and failure recovery transitions.
Update service ownership and blast-radius map for all touched boundaries.

D. Data Architecture and Structural Maps

Schemas in scope: risk_decision_v1, entity_graph_node_v2, search_trace_v2, autopilot_action_v2.
Update canonical entity model with keys, lineage metadata, and data quality thresholds.
Map ingestion to serving path with transformation checkpoints and observability metrics.
Define storage policy by data class (hot, warm, cold, and evidence retention tiers).
Execute data replay validation and drift detection across representative historical windows.
Publish structural map diffs with rationale and risk classification.

E. Bloomberg-Style Feature Depth

Add at least one command-launch enhancement and two monitor-layout power-user capabilities.
Extend BQL-like analysis templates for this week domain with reusable saved views.
Improve PORT-style analytics readability with attribution drill-down and context-aware overlays.
Improve EMSX-style blotter traceability for action history, parent-child linkage, and approvals.
Integrate contextual intelligence in message center for alerts, incidents, and strategy provenance.

F. Daily Engineering Plan

Day 1: final architecture, schema review, UX maps, risk register refresh.
Day 2: backend implementation sprint and contract test scaffolding.
Day 3: frontend implementation sprint and accessibility wiring.
Day 4: end-to-end integration, event stream validation, and edge-case hardening.
Day 5: large-scale test pass, fixture stabilization, and deterministic replay.
Day 6: performance tuning, SLO checks, and reliability drill execution.
Day 7: release candidate, operational signoff, production promotion, and retrospective.

G. Testing, Quality, and Evidence

Unit tests: core domain logic, boundary conditions, and property-based checks.
Integration tests: API-to-service, queue consumers, persistence, and retry workflows.
Contract tests: broker connectors, market-data providers, and search interfaces.
UI E2E tests: non-headless Playwright regression with traces, screenshots, and videos.
Performance tests: latency, throughput, and soak targets tied to SLO budget gates.
Chaos tests: dependency loss, stale feed, delayed events, and graceful degradation behavior.

H. Security, Compliance, and Controls

Threat-model all new privileged actions and data mutation paths.
Validate auth scope, secret-handling posture, and audit-log completeness.
Execute policy tests for restricted workflows and approval-chain correctness.
Produce immutable release evidence pack with approvals and compliance attestations.
Confirm retention/deletion conformance for all new data classes.

I. Weekly Acceptance Criteria

More than 100,000 self-tested LOC completed for week scope with traceable evidence.
Reliability and quality gates pass with no unresolved critical regressions.
Architecture maps and operational runbooks updated in the same release train.
Bloomberg-style capability maturity score improves for this lane versus prior week.

J. Weekly Artifact Checklist

25+ UX artifacts: wireframes, interaction maps, keyboard matrix, accessibility audits.

08_W92-W104_Global_Scale_Optimization_and_Operating_Excellence

20+ backend artifacts: route specs, sequence diagrams, dependency maps, rollback plans.

15+ data artifacts: lineage docs, schema diffs, quality reports, replay outcomes.

10+ governance artifacts: approvals, policy checks, audit evidence, release signoffs.

Week 100: Release quality predictor

A. Weekly Mission and Scope

Mission: deliver `Release quality predictor` with end-to-end readiness across frontend, backend, data, and operations.

Scope includes one major UX lane, one backend contract lane, one data-quality lane, and one reliability lane.

Exit requires production-grade evidence, not just feature completion.

B. UI/UX Structure (Detailed)

Primary components this week: AutopilotTower, OptionsMatrix, PolicyConsole, DeveloperPortal.

Define IA tree for this lane: landing state, deep-dive state, action state, and failure state.

Implement keyboard map with 20+ explicit shortcuts and conflict resolution matrix.

Add linked-context behavior: symbol, timeframe, account, and strategy context propagation.

Deliver accessibility pack: semantic headings, landmarks, tab order, ARIA labels, and contrast validation.

Produce UX blueprint appendix: wireframes, interaction states, anti-patterns, and acceptance checks.

C. Backend Structure (Detailed)

API contracts in scope: /api/v1/portfolio/analytics, /api/v1/research/entities, /api/v1/search/hybrid, /api/v1/autopilot/sessions.

Define route schemas with versioning, idempotency keys, and deterministic error taxonomy.

Implement retries with backoff budgets, dead-letter channels, and replay controls.

Add invariants for consistency: dedupe rules, reconciliation checkpoints, and stale-data prevention.

Produce sequence diagrams for request flow, async events, and failure recovery transitions.

Update service ownership and blast-radius map for all touched boundaries.

D. Data Architecture and Structural Maps

Schemas in scope: entity_graph_node_v2, search_trace_v2, autopilot_action_v2, options_surface_v1.

Update canonical entity model with keys, lineage metadata, and data quality thresholds.

Map ingestion to serving path with transformation checkpoints and observability metrics.

Define storage policy by data class (hot, warm, cold, and evidence retention tiers).

Execute data replay validation and drift detection across representative historical windows.

Publish structural map diffs with rationale and risk classification.

E. Bloomberg-Style Feature Depth

Add at least one command-launch enhancement and two monitor-layout power-user capabilities.

Extend BQL-like analysis templates for this week domain with reusable saved views.

Improve PORT-style analytics readability with attribution drill-down and context-aware overlays.

Improve EMSX-style blotter traceability for action history, parent-child linkage, and approvals.

Integrate contextual intelligence in message center for alerts, incidents, and strategy provenance.

F. Daily Engineering Plan

Day 1: final architecture, schema review, UX maps, risk register refresh.

Day 2: backend implementation sprint and contract test scaffolding.

Day 3: frontend implementation sprint and accessibility wiring.

Day 4: end-to-end integration, event stream validation, and edge-case hardening.

Day 5: large-scale test pass, fixture stabilization, and deterministic replay.

Day 6: performance tuning, SLO checks, and reliability drill execution.

Day 7: release candidate, operational signoff, production promotion, and retrospective.

G. Testing, Quality, and Evidence

Unit tests: core domain logic, boundary conditions, and property-based checks.

Integration tests: API-to-service, queue consumers, persistence, and retry workflows.

Contract tests: broker connectors, market-data providers, and search interfaces.

08_W92-W104_Global_Scale_Optimization_and_Operating_Excellence

UI E2E tests: non-headless Playwright regression with traces, screenshots, and videos.

Performance tests: latency, throughput, and soak targets tied to SLO budget gates.

Chaos tests: dependency loss, stale feed, delayed events, and graceful degradation behavior.

H. Security, Compliance, and Controls

Threat-model all new privileged actions and data mutation paths.

Validate auth scope, secret-handling posture, and audit-log completeness.

Execute policy tests for restricted workflows and approval-chain correctness.

Produce immutable release evidence pack with approvals and compliance attestations.

Confirm retention/deletion conformance for all new data classes.

I. Weekly Acceptance Criteria

More than 100,000 self-tested LOC completed for week scope with traceable evidence.

Reliability and quality gates pass with no unresolved critical regressions.

Architecture maps and operational runbooks updated in the same release train.

Bloomberg-style capability maturity score improves for this lane versus prior week.

J. Weekly Artifact Checklist

25+ UX artifacts: wireframes, interaction maps, keyboard matrix, accessibility audits.

20+ backend artifacts: route specs, sequence diagrams, dependency maps, rollback plans.

15+ data artifacts: lineage docs, schema diffs, quality reports, replay outcomes.

10+ governance artifacts: approvals, policy checks, audit evidence, release signoffs.

Week 101: Capacity planning model

A. Weekly Mission and Scope

Mission: deliver `Capacity planning model` with end-to-end readiness across frontend, backend, data, and operations.

Scope includes one major UX lane, one backend contract lane, one data-quality lane, and one reliability lane.

Exit requires production-grade evidence, not just feature completion.

B. UI/UX Structure (Detailed)

Primary components this week: OptionsMatrix, PolicyConsole, DeveloperPortal, OpsConsole.

Define IA tree for this lane: landing state, deep-dive state, action state, and failure state.

Implement keyboard map with 20+ explicit shortcuts and conflict resolution matrix.

Add linked-context behavior: symbol, timeframe, account, and strategy context propagation.

Deliver accessibility pack: semantic headings, landmarks, tab order, ARIA labels, and contrast validation.

Produce UX blueprint appendix: wireframes, interaction states, anti-patterns, and acceptance checks.

C. Backend Structure (Detailed)

API contracts in scope: /api/v1/research/entities, /api/v1/search/hybrid, /api/v1/autopilot/sessions, /api/v1/options/chains.

Define route schemas with versioning, idempotency keys, and deterministic error taxonomy.

Implement retries with backoff budgets, dead-letter channels, and replay controls.

Add invariants for consistency: dedupe rules, reconciliation checkpoints, and stale-data prevention.

Produce sequence diagrams for request flow, async events, and failure recovery transitions.

Update service ownership and blast-radius map for all touched boundaries.

D. Data Architecture and Structural Maps

Schemas in scope: search_trace_v2, autopilot_action_v2, options_surface_v1, compliance_evidence_v1.

Update canonical entity model with keys, lineage metadata, and data quality thresholds.

Map ingestion to serving path with transformation checkpoints and observability metrics.

Define storage policy by data class (hot, warm, cold, and evidence retention tiers).

Execute data replay validation and drift detection across representative historical windows.

Publish structural map diffs with rationale and risk classification.

E. Bloomberg-Style Feature Depth

08_W92-W104_Global_Scale_Optimization_and_Operating_Excellence

Add at least one command-launch enhancement and two monitor-layout power-user capabilities.
Extend BQL-like analysis templates for this week domain with reusable saved views.
Improve PORT-style analytics readability with attribution drill-down and context-aware overlays.
Improve EMSX-style blotter traceability for action history, parent-child linkage, and approvals.
Integrate contextual intelligence in message center for alerts, incidents, and strategy provenance.

F. Daily Engineering Plan

Day 1: final architecture, schema review, UX maps, risk register refresh.
Day 2: backend implementation sprint and contract test scaffolding.
Day 3: frontend implementation sprint and accessibility wiring.
Day 4: end-to-end integration, event stream validation, and edge-case hardening.
Day 5: large-scale test pass, fixture stabilization, and deterministic replay.
Day 6: performance tuning, SLO checks, and reliability drill execution.
Day 7: release candidate, operational signoff, production promotion, and retrospective.

G. Testing, Quality, and Evidence

Unit tests: core domain logic, boundary conditions, and property-based checks.
Integration tests: API-to-service, queue consumers, persistence, and retry workflows.
Contract tests: broker connectors, market-data providers, and search interfaces.
UI E2E tests: non-headless Playwright regression with traces, screenshots, and videos.
Performance tests: latency, throughput, and soak targets tied to SLO budget gates.
Chaos tests: dependency loss, stale feed, delayed events, and graceful degradation behavior.

H. Security, Compliance, and Controls

Threat-model all new privileged actions and data mutation paths.
Validate auth scope, secret-handling posture, and audit-log completeness.
Execute policy tests for restricted workflows and approval-chain correctness.
Produce immutable release evidence pack with approvals and compliance attestations.
Confirm retention/deletion conformance for all new data classes.

I. Weekly Acceptance Criteria

More than 100,000 self-tested LOC completed for week scope with traceable evidence.
Reliability and quality gates pass with no unresolved critical regressions.
Architecture maps and operational runbooks updated in the same release train.
Bloomberg-style capability maturity score improves for this lane versus prior week.

J. Weekly Artifact Checklist

25+ UX artifacts: wireframes, interaction maps, keyboard matrix, accessibility audits.
20+ backend artifacts: route specs, sequence diagrams, dependency maps, rollback plans.
15+ data artifacts: lineage docs, schema diffs, quality reports, replay outcomes.
10+ governance artifacts: approvals, policy checks, audit evidence, release signoffs.

Week 102: Platform debt retirement

A. Weekly Mission and Scope

Mission: deliver `Platform debt retirement` with end-to-end readiness across frontend, backend, data, and operations.
Scope includes one major UX lane, one backend contract lane, one data-quality lane, and one reliability lane.
Exit requires production-grade evidence, not just feature completion.

B. UI/UX Structure (Detailed)

Primary components this week: PolicyConsole, DeveloperPortal, OpsConsole, SearchWorkbench.
Define IA tree for this lane: landing state, deep-dive state, action state, and failure state.
Implement keyboard map with 20+ explicit shortcuts and conflict resolution matrix.
Add linked-context behavior: symbol, timeframe, account, and strategy context propagation.
Deliver accessibility pack: semantic headings, landmarks, tab order, ARIA labels, and contrast validation.

08_W92-W104_Global_Scale_Optimization_and_Operating_Excellence

Produce UX blueprint appendix: wireframes, interaction states, anti-patterns, and acceptance checks.

C. Backend Structure (Detailed)

API contracts in scope: /api/v1/search/hybrid, /api/v1/autopilot/sessions, /api/v1/options/chains, /api/v1/compliance/evidence.

Define route schemas with versioning, idempotency keys, and deterministic error taxonomy.

Implement retries with backoff budgets, dead-letter channels, and replay controls.

Add invariants for consistency: dedupe rules, reconciliation checkpoints, and stale-data prevention.

Produce sequence diagrams for request flow, async events, and failure recovery transitions.

Update service ownership and blast-radius map for all touched boundaries.

D. Data Architecture and Structural Maps

Schemas in scope: autopilot_action_v2, options_surface_v1, compliance_evidence_v1, extension_usage_v1.

Update canonical entity model with keys, lineage metadata, and data quality thresholds.

Map ingestion to serving path with transformation checkpoints and observability metrics.

Define storage policy by data class (hot, warm, cold, and evidence retention tiers).

Execute data replay validation and drift detection across representative historical windows.

Publish structural map diffs with rationale and risk classification.

E. Bloomberg-Style Feature Depth

Add at least one command-launch enhancement and two monitor-layout power-user capabilities.

Extend BQL-like analysis templates for this week domain with reusable saved views.

Improve PORT-style analytics readability with attribution drill-down and context-aware overlays.

Improve EMSX-style blotter traceability for action history, parent-child linkage, and approvals.

Integrate contextual intelligence in message center for alerts, incidents, and strategy provenance.

F. Daily Engineering Plan

Day 1: final architecture, schema review, UX maps, risk register refresh.

Day 2: backend implementation sprint and contract test scaffolding.

Day 3: frontend implementation sprint and accessibility wiring.

Day 4: end-to-end integration, event stream validation, and edge-case hardening.

Day 5: large-scale test pass, fixture stabilization, and deterministic replay.

Day 6: performance tuning, SLO checks, and reliability drill execution.

Day 7: release candidate, operational signoff, production promotion, and retrospective.

G. Testing, Quality, and Evidence

Unit tests: core domain logic, boundary conditions, and property-based checks.

Integration tests: API-to-service, queue consumers, persistence, and retry workflows.

Contract tests: broker connectors, market-data providers, and search interfaces.

UI E2E tests: non-headless Playwright regression with traces, screenshots, and videos.

Performance tests: latency, throughput, and soak targets tied to SLO budget gates.

Chaos tests: dependency loss, stale feed, delayed events, and graceful degradation behavior.

H. Security, Compliance, and Controls

Threat-model all new privileged actions and data mutation paths.

Validate auth scope, secret-handling posture, and audit-log completeness.

Execute policy tests for restricted workflows and approval-chain correctness.

Produce immutable release evidence pack with approvals and compliance attestations.

Confirm retention/deletion conformance for all new data classes.

I. Weekly Acceptance Criteria

More than 100,000 self-tested LOC completed for week scope with traceable evidence.

Reliability and quality gates pass with no unresolved critical regressions.

Architecture maps and operational runbooks updated in the same release train.

Bloomberg-style capability maturity score improves for this lane versus prior week.

08_W92-W104_Global_Scale_Optimization_and_Operating_Excellence

J. Weekly Artifact Checklist

25+ UX artifacts: wireframes, interaction maps, keyboard matrix, accessibility audits.

20+ backend artifacts: route specs, sequence diagrams, dependency maps, rollback plans.

15+ data artifacts: lineage docs, schema diffs, quality reports, replay outcomes.

10+ governance artifacts: approvals, policy checks, audit evidence, release signoffs.

Week 103: Operator enablement

A. Weekly Mission and Scope

Mission: deliver `Operator enablement` with end-to-end readiness across frontend, backend, data, and operations.

Scope includes one major UX lane, one backend contract lane, one data-quality lane, and one reliability lane.

Exit requires production-grade evidence, not just feature completion.

B. UI/UX Structure (Detailed)

Primary components this week: DeveloperPortal, OpsConsole, SearchWorkbench, MacroBoard.

Define IA tree for this lane: landing state, deep-dive state, action state, and failure state.

Implement keyboard map with 20+ explicit shortcuts and conflict resolution matrix.

Add linked-context behavior: symbol, timeframe, account, and strategy context propagation.

Deliver accessibility pack: semantic headings, landmarks, tab order, ARIA labels, and contrast validation.

Produce UX blueprint appendix: wireframes, interaction states, anti-patterns, and acceptance checks.

C. Backend Structure (Detailed)

API contracts in scope: /api/v1/autopilot/sessions, /api/v1/options/chains, /api/v1/compliance/evidence, /api/v1/extensions.

Define route schemas with versioning, idempotency keys, and deterministic error taxonomy.

Implement retries with backoff budgets, dead-letter channels, and replay controls.

Add invariants for consistency: dedupe rules, reconciliation checkpoints, and stale-data prevention.

Produce sequence diagrams for request flow, async events, and failure recovery transitions.

Update service ownership and blast-radius map for all touched boundaries.

D. Data Architecture and Structural Maps

Schemas in scope: options_surface_v1, compliance_evidence_v1, extension_usage_v1, slo_timeseries_v2.

Update canonical entity model with keys, lineage metadata, and data quality thresholds.

Map ingestion to serving path with transformation checkpoints and observability metrics.

Define storage policy by data class (hot, warm, cold, and evidence retention tiers).

Execute data replay validation and drift detection across representative historical windows.

Publish structural map diffs with rationale and risk classification.

E. Bloomberg-Style Feature Depth

Add at least one command-launch enhancement and two monitor-layout power-user capabilities.

Extend BQL-like analysis templates for this week domain with reusable saved views.

Improve PORT-style analytics readability with attribution drill-down and context-aware overlays.

Improve EMSX-style blotter traceability for action history, parent-child linkage, and approvals.

Integrate contextual intelligence in message center for alerts, incidents, and strategy provenance.

F. Daily Engineering Plan

Day 1: final architecture, schema review, UX maps, risk register refresh.

Day 2: backend implementation sprint and contract test scaffolding.

Day 3: frontend implementation sprint and accessibility wiring.

Day 4: end-to-end integration, event stream validation, and edge-case hardening.

Day 5: large-scale test pass, fixture stabilization, and deterministic replay.

Day 6: performance tuning, SLO checks, and reliability drill execution.

Day 7: release candidate, operational signoff, production promotion, and retrospective.

G. Testing, Quality, and Evidence

08_W92-W104_Global_Scale_Optimization_and_Operating_Excellence

Unit tests: core domain logic, boundary conditions, and property-based checks.

Integration tests: API-to-service, queue consumers, persistence, and retry workflows.

Contract tests: broker connectors, market-data providers, and search interfaces.

UI E2E tests: non-headless Playwright regression with traces, screenshots, and videos.

Performance tests: latency, throughput, and soak targets tied to SLO budget gates.

Chaos tests: dependency loss, stale feed, delayed events, and graceful degradation behavior.

H. Security, Compliance, and Controls

Threat-model all new privileged actions and data mutation paths.

Validate auth scope, secret-handling posture, and audit-log completeness.

Execute policy tests for restricted workflows and approval-chain correctness.

Produce immutable release evidence pack with approvals and compliance attestations.

Confirm retention/deletion conformance for all new data classes.

I. Weekly Acceptance Criteria

More than 100,000 self-tested LOC completed for week scope with traceable evidence.

Reliability and quality gates pass with no unresolved critical regressions.

Architecture maps and operational runbooks updated in the same release train.

Bloomberg-style capability maturity score improves for this lane versus prior week.

J. Weekly Artifact Checklist

25+ UX artifacts: wireframes, interaction maps, keyboard matrix, accessibility audits.

20+ backend artifacts: route specs, sequence diagrams, dependency maps, rollback plans.

15+ data artifacts: lineage docs, schema diffs, quality reports, replay outcomes.

10+ governance artifacts: approvals, policy checks, audit evidence, release signoffs.

Week 104: Global readiness certification

A. Weekly Mission and Scope

Mission: deliver `Global readiness certification` with end-to-end readiness across frontend, backend, data, and operations.

Scope includes one major UX lane, one backend contract lane, one data-quality lane, and one reliability lane.

Exit requires production-grade evidence, not just feature completion.

B. UI/UX Structure (Detailed)

Primary components this week: OpsConsole, SearchWorkbench, MacroBoard, ChartStudio.

Define IA tree for this lane: landing state, deep-dive state, action state, and failure state.

Implement keyboard map with 20+ explicit shortcuts and conflict resolution matrix.

Add linked-context behavior: symbol, timeframe, account, and strategy context propagation.

Deliver accessibility pack: semantic headings, landmarks, tab order, ARIA labels, and contrast validation.

Produce UX blueprint appendix: wireframes, interaction states, anti-patterns, and acceptance checks.

C. Backend Structure (Detailed)

API contracts in scope: /api/v1/options/chains, /api/v1/compliance/evidence, /api/v1/extensions, /api/v1/ops/slo.

Define route schemas with versioning, idempotency keys, and deterministic error taxonomy.

Implement retries with backoff budgets, dead-letter channels, and replay controls.

Add invariants for consistency: dedupe rules, reconciliation checkpoints, and stale-data prevention.

Produce sequence diagrams for request flow, async events, and failure recovery transitions.

Update service ownership and blast-radius map for all touched boundaries.

D. Data Architecture and Structural Maps

Schemas in scope: compliance_evidence_v1, extension_usage_v1, slo_timeseries_v2, incident_event_v2.

Update canonical entity model with keys, lineage metadata, and data quality thresholds.

Map ingestion to serving path with transformation checkpoints and observability metrics.

Define storage policy by data class (hot, warm, cold, and evidence retention tiers).

Execute data replay validation and drift detection across representative historical windows.

08_W92-W104_Global_Scale_Optimization_and_Operating_Excellence

Publish structural map diffs with rationale and risk classification.

E. Bloomberg-Style Feature Depth

Add at least one command-launch enhancement and two monitor-layout power-user capabilities.

Extend BQL-like analysis templates for this week domain with reusable saved views.

Improve PORT-style analytics readability with attribution drill-down and context-aware overlays.

Improve EMSX-style blotter traceability for action history, parent-child linkage, and approvals.

Integrate contextual intelligence in message center for alerts, incidents, and strategy provenance.

F. Daily Engineering Plan

Day 1: final architecture, schema review, UX maps, risk register refresh.

Day 2: backend implementation sprint and contract test scaffolding.

Day 3: frontend implementation sprint and accessibility wiring.

Day 4: end-to-end integration, event stream validation, and edge-case hardening.

Day 5: large-scale test pass, fixture stabilization, and deterministic replay.

Day 6: performance tuning, SLO checks, and reliability drill execution.

Day 7: release candidate, operational signoff, production promotion, and retrospective.

G. Testing, Quality, and Evidence

Unit tests: core domain logic, boundary conditions, and property-based checks.

Integration tests: API-to-service, queue consumers, persistence, and retry workflows.

Contract tests: broker connectors, market-data providers, and search interfaces.

UI E2E tests: non-headless Playwright regression with traces, screenshots, and videos.

Performance tests: latency, throughput, and soak targets tied to SLO budget gates.

Chaos tests: dependency loss, stale feed, delayed events, and graceful degradation behavior.

H. Security, Compliance, and Controls

Threat-model all new privileged actions and data mutation paths.

Validate auth scope, secret-handling posture, and audit-log completeness.

Execute policy tests for restricted workflows and approval-chain correctness.

Produce immutable release evidence pack with approvals and compliance attestations.

Confirm retention/deletion conformance for all new data classes.

I. Weekly Acceptance Criteria

More than 100,000 self-tested LOC completed for week scope with traceable evidence.

Reliability and quality gates pass with no unresolved critical regressions.

Architecture maps and operational runbooks updated in the same release train.

Bloomberg-style capability maturity score improves for this lane versus prior week.

J. Weekly Artifact Checklist

25+ UX artifacts: wireframes, interaction maps, keyboard matrix, accessibility audits.

20+ backend artifacts: route specs, sequence diagrams, dependency maps, rollback plans.

15+ data artifacts: lineage docs, schema diffs, quality reports, replay outcomes.

10+ governance artifacts: approvals, policy checks, audit evidence, release signoffs.

Block Exit Definition

All 13 weekly epics complete with release-grade evidence and policy compliance.

No unresolved critical incidents, and SLO trend is improving block-over-block.

Documentation complete: UX maps, backend maps, data maps, and runbooks.

PDF Depth Guidance (300+ pages target)

Keep all week sections and append all artifacts in annexes.

Insert page breaks per week and subsection for navigability.

Include diagram-heavy appendices (UI map, service map, data lineage, failure mode map).

Appendix Expansion

Appendix Page 1: UI and UX Structural Maps (Week 92 deep-dive)

1. Week 92 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 2: Backend Service Topology and API Contracts (Week 93 deep-dive)

1. Week 93 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 3: Data Lineage, Schemas, and Retention Matrices (Week 94 deep-dive)

1. Week 94 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 4: Test Strategy, Evidence, and Defect Analytics (Week 95 deep-dive)

1. Week 95 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 5: Security, Compliance, and Governance Controls (Week 96 deep-dive)

1. Week 96 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 6: Observability, SLOs, and Incident Runbooks (Week 97 deep-dive)

1. Week 97 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 7: Performance Engineering and Capacity Planning (Week 98 deep-dive)

1. Week 98 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 8: Release Governance and Rollback Readiness (Week 99 deep-dive)

1. Week 99 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 9: UI and UX Structural Maps (Week 100 deep-dive)

1. Week 100 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 10: Backend Service Topology and API Contracts (Week 101 deep-dive)

1. Week 101 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 11: Data Lineage, Schemas, and Retention Matrices (Week 102 deep-dive)

1. Week 102 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 12: Test Strategy, Evidence, and Defect Analytics (Week 103 deep-dive)

1. Week 103 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 13: Security, Compliance, and Governance Controls (Week 104 deep-dive)

1. Week 104 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 14: Observability, SLOs, and Incident Runbooks (Week 92 deep-dive)

1. Week 92 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 15: Performance Engineering and Capacity Planning (Week 93 deep-dive)

1. Week 93 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 16: Release Governance and Rollback Readiness (Week 94 deep-dive)

1. Week 94 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 17: UI and UX Structural Maps (Week 95 deep-dive)

1. Week 95 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 18: Backend Service Topology and API Contracts (Week 96 deep-dive)

1. Week 96 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 19: Data Lineage, Schemas, and Retention Matrices (Week 97 deep-dive)

1. Week 97 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 20: Test Strategy, Evidence, and Defect Analytics (Week 98 deep-dive)

1. Week 98 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 21: Security, Compliance, and Governance Controls (Week 99 deep-dive)

1. Week 99 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 22: Observability, SLOs, and Incident Runbooks (Week 100 deep-dive)

1. Week 100 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 23: Performance Engineering and Capacity Planning (Week 101 deep-dive)

1. Week 101 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 24: Release Governance and Rollback Readiness (Week 102 deep-dive)

1. Week 102 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 25: UI and UX Structural Maps (Week 103 deep-dive)

1. Week 103 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 26: Backend Service Topology and API Contracts (Week 104 deep-dive)

1. Week 104 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 27: Data Lineage, Schemas, and Retention Matrices (Week 92 deep-dive)

1. Week 92 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 28: Test Strategy, Evidence, and Defect Analytics (Week 93 deep-dive)

1. Week 93 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 29: Security, Compliance, and Governance Controls (Week 94 deep-dive)

1. Week 94 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 30: Observability, SLOs, and Incident Runbooks (Week 95 deep-dive)

1. Week 95 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 31: Performance Engineering and Capacity Planning (Week 96 deep-dive)

1. Week 96 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 32: Release Governance and Rollback Readiness (Week 97 deep-dive)

1. Week 97 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 33: UI and UX Structural Maps (Week 98 deep-dive)

1. Week 98 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 34: Backend Service Topology and API Contracts (Week 99 deep-dive)

1. Week 99 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 35: Data Lineage, Schemas, and Retention Matrices (Week 100 deep-dive)

1. Week 100 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 36: Test Strategy, Evidence, and Defect Analytics (Week 101 deep-dive)

1. Week 101 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 37: Security, Compliance, and Governance Controls (Week 102 deep-dive)

1. Week 102 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 38: Observability, SLOs, and Incident Runbooks (Week 103 deep-dive)

1. Week 103 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 39: Performance Engineering and Capacity Planning (Week 104 deep-dive)

1. Week 104 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 40: Release Governance and Rollback Readiness (Week 92 deep-dive)

1. Week 92 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 41: UI and UX Structural Maps (Week 93 deep-dive)

1. Week 93 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 42: Backend Service Topology and API Contracts (Week 94 deep-dive)

1. Week 94 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 43: Data Lineage, Schemas, and Retention Matrices (Week 95 deep-dive)

1. Week 95 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 44: Test Strategy, Evidence, and Defect Analytics (Week 96 deep-dive)

1. Week 96 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 45: Security, Compliance, and Governance Controls (Week 97 deep-dive)

1. Week 97 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 46: Observability, SLOs, and Incident Runbooks (Week 98 deep-dive)

1. Week 98 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 47: Performance Engineering and Capacity Planning (Week 99 deep-dive)

1. Week 99 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 48: Release Governance and Rollback Readiness (Week 100 deep-dive)

1. Week 100 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 49: UI and UX Structural Maps (Week 101 deep-dive)

1. Week 101 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 50: Backend Service Topology and API Contracts (Week 102 deep-dive)

1. Week 102 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 51: Data Lineage, Schemas, and Retention Matrices (Week 103 deep-dive)

1. Week 103 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 52: Test Strategy, Evidence, and Defect Analytics (Week 104 deep-dive)

1. Week 104 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 53: Security, Compliance, and Governance Controls (Week 92 deep-dive)

1. Week 92 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 54: Observability, SLOs, and Incident Runbooks (Week 93 deep-dive)

1. Week 93 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 55: Performance Engineering and Capacity Planning (Week 94 deep-dive)

1. Week 94 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 56: Release Governance and Rollback Readiness (Week 95 deep-dive)

1. Week 95 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 57: UI and UX Structural Maps (Week 96 deep-dive)

1. Week 96 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 58: Backend Service Topology and API Contracts (Week 97 deep-dive)

1. Week 97 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 59: Data Lineage, Schemas, and Retention Matrices (Week 98 deep-dive)

1. Week 98 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 60: Test Strategy, Evidence, and Defect Analytics (Week 99 deep-dive)

1. Week 99 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 61: Security, Compliance, and Governance Controls (Week 100 deep-dive)

1. Week 100 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 62: Observability, SLOs, and Incident Runbooks (Week 101 deep-dive)

1. Week 101 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 63: Performance Engineering and Capacity Planning (Week 102 deep-dive)

1. Week 102 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 64: Release Governance and Rollback Readiness (Week 103 deep-dive)

1. Week 103 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 65: UI and UX Structural Maps (Week 104 deep-dive)

1. Week 104 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 66: Backend Service Topology and API Contracts (Week 92 deep-dive)

1. Week 92 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 67: Data Lineage, Schemas, and Retention Matrices (Week 93 deep-dive)

1. Week 93 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 68: Test Strategy, Evidence, and Defect Analytics (Week 94 deep-dive)

1. Week 94 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 69: Security, Compliance, and Governance Controls (Week 95 deep-dive)

1. Week 95 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 70: Observability, SLOs, and Incident Runbooks (Week 96 deep-dive)

1. Week 96 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 71: Performance Engineering and Capacity Planning (Week 97 deep-dive)

1. Week 97 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 72: Release Governance and Rollback Readiness (Week 98 deep-dive)

1. Week 98 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 73: UI and UX Structural Maps (Week 99 deep-dive)

1. Week 99 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 74: Backend Service Topology and API Contracts (Week 100 deep-dive)

1. Week 100 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 75: Data Lineage, Schemas, and Retention Matrices (Week 101 deep-dive)

1. Week 101 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 76: Test Strategy, Evidence, and Defect Analytics (Week 102 deep-dive)

1. Week 102 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 77: Security, Compliance, and Governance Controls (Week 103 deep-dive)

1. Week 103 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 78: Observability, SLOs, and Incident Runbooks (Week 104 deep-dive)

1. Week 104 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 79: Performance Engineering and Capacity Planning (Week 92 deep-dive)

1. Week 92 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 80: Release Governance and Rollback Readiness (Week 93 deep-dive)

1. Week 93 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 81: UI and UX Structural Maps (Week 94 deep-dive)

1. Week 94 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 82: Backend Service Topology and API Contracts (Week 95 deep-dive)

1. Week 95 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 83: Data Lineage, Schemas, and Retention Matrices (Week 96 deep-dive)

1. Week 96 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 84: Test Strategy, Evidence, and Defect Analytics (Week 97 deep-dive)

1. Week 97 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 85: Security, Compliance, and Governance Controls (Week 98 deep-dive)

1. Week 98 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 86: Observability, SLOs, and Incident Runbooks (Week 99 deep-dive)

1. Week 99 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 87: Performance Engineering and Capacity Planning (Week 100 deep-dive)

1. Week 100 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 88: Release Governance and Rollback Readiness (Week 101 deep-dive)

1. Week 101 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 89: UI and UX Structural Maps (Week 102 deep-dive)

1. Week 102 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 90: Backend Service Topology and API Contracts (Week 103 deep-dive)

1. Week 103 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 91: Data Lineage, Schemas, and Retention Matrices (Week 104 deep-dive)

1. Week 104 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 92: Test Strategy, Evidence, and Defect Analytics (Week 92 deep-dive)

1. Week 92 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 93: Security, Compliance, and Governance Controls (Week 93 deep-dive)

1. Week 93 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 94: Observability, SLOs, and Incident Runbooks (Week 94 deep-dive)

1. Week 94 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 95: Performance Engineering and Capacity Planning (Week 95 deep-dive)

1. Week 95 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 96: Release Governance and Rollback Readiness (Week 96 deep-dive)

1. Week 96 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 97: UI and UX Structural Maps (Week 97 deep-dive)

1. Week 97 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 98: Backend Service Topology and API Contracts (Week 98 deep-dive)

1. Week 98 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 99: Data Lineage, Schemas, and Retention Matrices (Week 99 deep-dive)

1. Week 99 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 100: Test Strategy, Evidence, and Defect Analytics (Week 100 deep-dive)

1. Week 100 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 101: Security, Compliance, and Governance Controls (Week 101 deep-dive)

1. Week 101 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 102: Observability, SLOs, and Incident Runbooks (Week 102 deep-dive)

1. Week 102 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 103: Performance Engineering and Capacity Planning (Week 103 deep-dive)

1. Week 103 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 104: Release Governance and Rollback Readiness (Week 104 deep-dive)

1. Week 104 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 105: UI and UX Structural Maps (Week 92 deep-dive)

1. Week 92 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 106: Backend Service Topology and API Contracts (Week 93 deep-dive)

1. Week 93 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 107: Data Lineage, Schemas, and Retention Matrices (Week 94 deep-dive)

1. Week 94 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 108: Test Strategy, Evidence, and Defect Analytics (Week 95 deep-dive)

1. Week 95 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 109: Security, Compliance, and Governance Controls (Week 96 deep-dive)

1. Week 96 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 110: Observability, SLOs, and Incident Runbooks (Week 97 deep-dive)

1. Week 97 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 111: Performance Engineering and Capacity Planning (Week 98 deep-dive)

1. Week 98 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 112: Release Governance and Rollback Readiness (Week 99 deep-dive)

1. Week 99 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 113: UI and UX Structural Maps (Week 100 deep-dive)

1. Week 100 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 114: Backend Service Topology and API Contracts (Week 101 deep-dive)

1. Week 101 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 115: Data Lineage, Schemas, and Retention Matrices (Week 102 deep-dive)

1. Week 102 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 116: Test Strategy, Evidence, and Defect Analytics (Week 103 deep-dive)

1. Week 103 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 117: Security, Compliance, and Governance Controls (Week 104 deep-dive)

1. Week 104 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 118: Observability, SLOs, and Incident Runbooks (Week 92 deep-dive)

1. Week 92 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 119: Performance Engineering and Capacity Planning (Week 93 deep-dive)

1. Week 93 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 120: Release Governance and Rollback Readiness (Week 94 deep-dive)

1. Week 94 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 121: UI and UX Structural Maps (Week 95 deep-dive)

1. Week 95 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 122: Backend Service Topology and API Contracts (Week 96 deep-dive)

1. Week 96 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 123: Data Lineage, Schemas, and Retention Matrices (Week 97 deep-dive)

1. Week 97 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 124: Test Strategy, Evidence, and Defect Analytics (Week 98 deep-dive)

1. Week 98 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 125: Security, Compliance, and Governance Controls (Week 99 deep-dive)

1. Week 99 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 126: Observability, SLOs, and Incident Runbooks (Week 100 deep-dive)

1. Week 100 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 127: Performance Engineering and Capacity Planning (Week 101 deep-dive)

1. Week 101 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 128: Release Governance and Rollback Readiness (Week 102 deep-dive)

1. Week 102 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 129: UI and UX Structural Maps (Week 103 deep-dive)

1. Week 103 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 130: Backend Service Topology and API Contracts (Week 104 deep-dive)

1. Week 104 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 131: Data Lineage, Schemas, and Retention Matrices (Week 92 deep-dive)

1. Week 92 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 132: Test Strategy, Evidence, and Defect Analytics (Week 93 deep-dive)

1. Week 93 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 133: Security, Compliance, and Governance Controls (Week 94 deep-dive)

1. Week 94 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 134: Observability, SLOs, and Incident Runbooks (Week 95 deep-dive)

1. Week 95 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 135: Performance Engineering and Capacity Planning (Week 96 deep-dive)

1. Week 96 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 136: Release Governance and Rollback Readiness (Week 97 deep-dive)

1. Week 97 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 137: UI and UX Structural Maps (Week 98 deep-dive)

1. Week 98 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 138: Backend Service Topology and API Contracts (Week 99 deep-dive)

1. Week 99 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 139: Data Lineage, Schemas, and Retention Matrices (Week 100 deep-dive)

1. Week 100 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 140: Test Strategy, Evidence, and Defect Analytics (Week 101 deep-dive)

1. Week 101 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 141: Security, Compliance, and Governance Controls (Week 102 deep-dive)

1. Week 102 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 142: Observability, SLOs, and Incident Runbooks (Week 103 deep-dive)

1. Week 103 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 143: Performance Engineering and Capacity Planning (Week 104 deep-dive)

1. Week 104 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 144: Release Governance and Rollback Readiness (Week 92 deep-dive)

1. Week 92 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 145: UI and UX Structural Maps (Week 93 deep-dive)

1. Week 93 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 146: Backend Service Topology and API Contracts (Week 94 deep-dive)

1. Week 94 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 147: Data Lineage, Schemas, and Retention Matrices (Week 95 deep-dive)

1. Week 95 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 148: Test Strategy, Evidence, and Defect Analytics (Week 96 deep-dive)

1. Week 96 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 149: Security, Compliance, and Governance Controls (Week 97 deep-dive)

1. Week 97 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 150: Observability, SLOs, and Incident Runbooks (Week 98 deep-dive)

1. Week 98 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 151: Performance Engineering and Capacity Planning (Week 99 deep-dive)

1. Week 99 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 152: Release Governance and Rollback Readiness (Week 100 deep-dive)

1. Week 100 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 153: UI and UX Structural Maps (Week 101 deep-dive)

1. Week 101 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 154: Backend Service Topology and API Contracts (Week 102 deep-dive)

1. Week 102 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 155: Data Lineage, Schemas, and Retention Matrices (Week 103 deep-dive)

1. Week 103 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 156: Test Strategy, Evidence, and Defect Analytics (Week 104 deep-dive)

1. Week 104 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 157: Security, Compliance, and Governance Controls (Week 92 deep-dive)

1. Week 92 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 158: Observability, SLOs, and Incident Runbooks (Week 93 deep-dive)

1. Week 93 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 159: Performance Engineering and Capacity Planning (Week 94 deep-dive)

1. Week 94 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 160: Release Governance and Rollback Readiness (Week 95 deep-dive)

1. Week 95 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 161: UI and UX Structural Maps (Week 96 deep-dive)

1. Week 96 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 162: Backend Service Topology and API Contracts (Week 97 deep-dive)

1. Week 97 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 163: Data Lineage, Schemas, and Retention Matrices (Week 98 deep-dive)

1. Week 98 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 164: Test Strategy, Evidence, and Defect Analytics (Week 99 deep-dive)

1. Week 99 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 165: Security, Compliance, and Governance Controls (Week 100 deep-dive)

1. Week 100 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 166: Observability, SLOs, and Incident Runbooks (Week 101 deep-dive)

1. Week 101 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 167: Performance Engineering and Capacity Planning (Week 102 deep-dive)

1. Week 102 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 168: Release Governance and Rollback Readiness (Week 103 deep-dive)

1. Week 103 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 169: UI and UX Structural Maps (Week 104 deep-dive)

1. Week 104 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 170: Backend Service Topology and API Contracts (Week 92 deep-dive)

1. Week 92 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 171: Data Lineage, Schemas, and Retention Matrices (Week 93 deep-dive)

1. Week 93 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 172: Test Strategy, Evidence, and Defect Analytics (Week 94 deep-dive)

1. Week 94 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 173: Security, Compliance, and Governance Controls (Week 95 deep-dive)

1. Week 95 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 174: Observability, SLOs, and Incident Runbooks (Week 96 deep-dive)

1. Week 96 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 175: Performance Engineering and Capacity Planning (Week 97 deep-dive)

1. Week 97 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 176: Release Governance and Rollback Readiness (Week 98 deep-dive)

1. Week 98 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 177: UI and UX Structural Maps (Week 99 deep-dive)

1. Week 99 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 178: Backend Service Topology and API Contracts (Week 100 deep-dive)

1. Week 100 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 179: Data Lineage, Schemas, and Retention Matrices (Week 101 deep-dive)

1. Week 101 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 180: Test Strategy, Evidence, and Defect Analytics (Week 102 deep-dive)

1. Week 102 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 181: Security, Compliance, and Governance Controls (Week 103 deep-dive)

1. Week 103 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 182: Observability, SLOs, and Incident Runbooks (Week 104 deep-dive)

1. Week 104 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 183: Performance Engineering and Capacity Planning (Week 92 deep-dive)

1. Week 92 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 184: Release Governance and Rollback Readiness (Week 93 deep-dive)

1. Week 93 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 185: UI and UX Structural Maps (Week 94 deep-dive)

1. Week 94 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 186: Backend Service Topology and API Contracts (Week 95 deep-dive)

1. Week 95 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 187: Data Lineage, Schemas, and Retention Matrices (Week 96 deep-dive)

1. Week 96 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 188: Test Strategy, Evidence, and Defect Analytics (Week 97 deep-dive)

1. Week 97 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 189: Security, Compliance, and Governance Controls (Week 98 deep-dive)

1. Week 98 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 190: Observability, SLOs, and Incident Runbooks (Week 99 deep-dive)

1. Week 99 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 191: Performance Engineering and Capacity Planning (Week 100 deep-dive)

1. Week 100 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 192: Release Governance and Rollback Readiness (Week 101 deep-dive)

1. Week 101 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 193: UI and UX Structural Maps (Week 102 deep-dive)

1. Week 102 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 194: Backend Service Topology and API Contracts (Week 103 deep-dive)

1. Week 103 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 195: Data Lineage, Schemas, and Retention Matrices (Week 104 deep-dive)

1. Week 104 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 196: Test Strategy, Evidence, and Defect Analytics (Week 92 deep-dive)

1. Week 92 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 197: Security, Compliance, and Governance Controls (Week 93 deep-dive)

1. Week 93 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 198: Observability, SLOs, and Incident Runbooks (Week 94 deep-dive)

1. Week 94 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 199: Performance Engineering and Capacity Planning (Week 95 deep-dive)

1. Week 95 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 200: Release Governance and Rollback Readiness (Week 96 deep-dive)

1. Week 96 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 201: UI and UX Structural Maps (Week 97 deep-dive)

1. Week 97 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 202: Backend Service Topology and API Contracts (Week 98 deep-dive)

1. Week 98 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 203: Data Lineage, Schemas, and Retention Matrices (Week 99 deep-dive)

1. Week 99 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 204: Test Strategy, Evidence, and Defect Analytics (Week 100 deep-dive)

1. Week 100 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 205: Security, Compliance, and Governance Controls (Week 101 deep-dive)

1. Week 101 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 206: Observability, SLOs, and Incident Runbooks (Week 102 deep-dive)

1. Week 102 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 207: Performance Engineering and Capacity Planning (Week 103 deep-dive)

1. Week 103 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 208: Release Governance and Rollback Readiness (Week 104 deep-dive)

1. Week 104 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 209: UI and UX Structural Maps (Week 92 deep-dive)

1. Week 92 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 210: Backend Service Topology and API Contracts (Week 93 deep-dive)

1. Week 93 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 211: Data Lineage, Schemas, and Retention Matrices (Week 94 deep-dive)

1. Week 94 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 212: Test Strategy, Evidence, and Defect Analytics (Week 95 deep-dive)

1. Week 95 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 213: Security, Compliance, and Governance Controls (Week 96 deep-dive)

1. Week 96 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 214: Observability, SLOs, and Incident Runbooks (Week 97 deep-dive)

1. Week 97 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 215: Performance Engineering and Capacity Planning (Week 98 deep-dive)

1. Week 98 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 216: Release Governance and Rollback Readiness (Week 99 deep-dive)

1. Week 99 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 217: UI and UX Structural Maps (Week 100 deep-dive)

1. Week 100 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 218: Backend Service Topology and API Contracts (Week 101 deep-dive)

1. Week 101 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 219: Data Lineage, Schemas, and Retention Matrices (Week 102 deep-dive)

1. Week 102 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 220: Test Strategy, Evidence, and Defect Analytics (Week 103 deep-dive)

1. Week 103 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 221: Security, Compliance, and Governance Controls (Week 104 deep-dive)

1. Week 104 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 222: Observability, SLOs, and Incident Runbooks (Week 92 deep-dive)

1. Week 92 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 223: Performance Engineering and Capacity Planning (Week 93 deep-dive)

1. Week 93 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 224: Release Governance and Rollback Readiness (Week 94 deep-dive)

1. Week 94 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 225: UI and UX Structural Maps (Week 95 deep-dive)

1. Week 95 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 226: Backend Service Topology and API Contracts (Week 96 deep-dive)

1. Week 96 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 227: Data Lineage, Schemas, and Retention Matrices (Week 97 deep-dive)

1. Week 97 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 228: Test Strategy, Evidence, and Defect Analytics (Week 98 deep-dive)

1. Week 98 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 229: Security, Compliance, and Governance Controls (Week 99 deep-dive)

1. Week 99 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 230: Observability, SLOs, and Incident Runbooks (Week 100 deep-dive)

1. Week 100 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 231: Performance Engineering and Capacity Planning (Week 101 deep-dive)

1. Week 101 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 232: Release Governance and Rollback Readiness (Week 102 deep-dive)

1. Week 102 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 233: UI and UX Structural Maps (Week 103 deep-dive)

1. Week 103 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 234: Backend Service Topology and API Contracts (Week 104 deep-dive)

1. Week 104 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 235: Data Lineage, Schemas, and Retention Matrices (Week 92 deep-dive)

1. Week 92 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 236: Test Strategy, Evidence, and Defect Analytics (Week 93 deep-dive)

1. Week 93 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 237: Security, Compliance, and Governance Controls (Week 94 deep-dive)

1. Week 94 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 238: Observability, SLOs, and Incident Runbooks (Week 95 deep-dive)

1. Week 95 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 239: Performance Engineering and Capacity Planning (Week 96 deep-dive)

1. Week 96 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 240: Release Governance and Rollback Readiness (Week 97 deep-dive)

1. Week 97 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 241: UI and UX Structural Maps (Week 98 deep-dive)

1. Week 98 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 242: Backend Service Topology and API Contracts (Week 99 deep-dive)

1. Week 99 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 243: Data Lineage, Schemas, and Retention Matrices (Week 100 deep-dive)

1. Week 100 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 244: Test Strategy, Evidence, and Defect Analytics (Week 101 deep-dive)

1. Week 101 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 245: Security, Compliance, and Governance Controls (Week 102 deep-dive)

1. Week 102 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 246: Observability, SLOs, and Incident Runbooks (Week 103 deep-dive)

1. Week 103 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 247: Performance Engineering and Capacity Planning (Week 104 deep-dive)

1. Week 104 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 248: Release Governance and Rollback Readiness (Week 92 deep-dive)

1. Week 92 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 249: UI and UX Structural Maps (Week 93 deep-dive)

1. Week 93 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 250: Backend Service Topology and API Contracts (Week 94 deep-dive)

1. Week 94 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 251: Data Lineage, Schemas, and Retention Matrices (Week 95 deep-dive)

1. Week 95 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 252: Test Strategy, Evidence, and Defect Analytics (Week 96 deep-dive)

1. Week 96 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 253: Security, Compliance, and Governance Controls (Week 97 deep-dive)

1. Week 97 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 254: Observability, SLOs, and Incident Runbooks (Week 98 deep-dive)

1. Week 98 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 255: Performance Engineering and Capacity Planning (Week 99 deep-dive)

1. Week 99 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 256: Release Governance and Rollback Readiness (Week 100 deep-dive)

1. Week 100 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 257: UI and UX Structural Maps (Week 101 deep-dive)

1. Week 101 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 258: Backend Service Topology and API Contracts (Week 102 deep-dive)

1. Week 102 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 259: Data Lineage, Schemas, and Retention Matrices (Week 103 deep-dive)

1. Week 103 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 260: Test Strategy, Evidence, and Defect Analytics (Week 104 deep-dive)

1. Week 104 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 261: Security, Compliance, and Governance Controls (Week 92 deep-dive)

1. Week 92 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 262: Observability, SLOs, and Incident Runbooks (Week 93 deep-dive)

1. Week 93 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 263: Performance Engineering and Capacity Planning (Week 94 deep-dive)

1. Week 94 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 264: Release Governance and Rollback Readiness (Week 95 deep-dive)

1. Week 95 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 265: UI and UX Structural Maps (Week 96 deep-dive)

1. Week 96 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 266: Backend Service Topology and API Contracts (Week 97 deep-dive)

1. Week 97 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 267: Data Lineage, Schemas, and Retention Matrices (Week 98 deep-dive)

1. Week 98 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 268: Test Strategy, Evidence, and Defect Analytics (Week 99 deep-dive)

1. Week 99 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 269: Security, Compliance, and Governance Controls (Week 100 deep-dive)

1. Week 100 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 270: Observability, SLOs, and Incident Runbooks (Week 101 deep-dive)

1. Week 101 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 271: Performance Engineering and Capacity Planning (Week 102 deep-dive)

1. Week 102 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 272: Release Governance and Rollback Readiness (Week 103 deep-dive)

1. Week 103 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 273: UI and UX Structural Maps (Week 104 deep-dive)

1. Week 104 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 274: Backend Service Topology and API Contracts (Week 92 deep-dive)

1. Week 92 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 275: Data Lineage, Schemas, and Retention Matrices (Week 93 deep-dive)

1. Week 93 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 276: Test Strategy, Evidence, and Defect Analytics (Week 94 deep-dive)

1. Week 94 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 277: Security, Compliance, and Governance Controls (Week 95 deep-dive)

1. Week 95 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 278: Observability, SLOs, and Incident Runbooks (Week 96 deep-dive)

1. Week 96 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 279: Performance Engineering and Capacity Planning (Week 97 deep-dive)

1. Week 97 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 280: Release Governance and Rollback Readiness (Week 98 deep-dive)

1. Week 98 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 281: UI and UX Structural Maps (Week 99 deep-dive)

1. Week 99 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 282: Backend Service Topology and API Contracts (Week 100 deep-dive)

1. Week 100 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 283: Data Lineage, Schemas, and Retention Matrices (Week 101 deep-dive)

1. Week 101 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 284: Test Strategy, Evidence, and Defect Analytics (Week 102 deep-dive)

1. Week 102 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 285: Security, Compliance, and Governance Controls (Week 103 deep-dive)

1. Week 103 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 286: Observability, SLOs, and Incident Runbooks (Week 104 deep-dive)

1. Week 104 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 287: Performance Engineering and Capacity Planning (Week 92 deep-dive)

1. Week 92 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 288: Release Governance and Rollback Readiness (Week 93 deep-dive)

1. Week 93 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 289: UI and UX Structural Maps (Week 94 deep-dive)

1. Week 94 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 290: Backend Service Topology and API Contracts (Week 95 deep-dive)

1. Week 95 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 291: Data Lineage, Schemas, and Retention Matrices (Week 96 deep-dive)

1. Week 96 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 292: Test Strategy, Evidence, and Defect Analytics (Week 97 deep-dive)

1. Week 97 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 293: Security, Compliance, and Governance Controls (Week 98 deep-dive)

1. Week 98 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 294: Observability, SLOs, and Incident Runbooks (Week 99 deep-dive)

1. Week 99 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 295: Performance Engineering and Capacity Planning (Week 100 deep-dive)

1. Week 100 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 296: Release Governance and Rollback Readiness (Week 101 deep-dive)

1. Week 101 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 297: UI and UX Structural Maps (Week 102 deep-dive)

1. Week 102 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 298: Backend Service Topology and API Contracts (Week 103 deep-dive)

1. Week 103 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 299: Data Lineage, Schemas, and Retention Matrices (Week 104 deep-dive)

1. Week 104 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 300: Test Strategy, Evidence, and Defect Analytics (Week 92 deep-dive)

1. Week 92 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 301: Security, Compliance, and Governance Controls (Week 93 deep-dive)

1. Week 93 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.

Appendix Expansion

Appendix Page 302: Observability, SLOs, and Incident Runbooks (Week 94 deep-dive)

1. Week 94 objective decomposition: deliver architecture-complete readiness across UX, backend, data, quality, and operations.
2. UI/UX structure artifacts: screen hierarchies, keyboard command matrices, state-transition maps, and accessibility conformance reports.
3. Backend structure artifacts: endpoint contracts, idempotency strategy, sequence diagrams, retry and dead-letter handling, and reconciliation controls.
4. Data structure artifacts: schema registries, lineage map, retention tiers, replay procedures, and quality SLO definitions.
5. Testing structure artifacts: unit/integration/contract/e2e/performance/chaos matrix with release evidence and defect trend analytics.
6. Operations structure artifacts: observability dashboards, SLO burn analysis, runbooks, rollback drills, and incident response decision trees.
7. Governance artifacts: approval chain records, policy tests, audit completeness checks, and release attestation package.
8. Bloomberg-parity artifacts: launchpad layout standards, command launcher behavior specs, monitor templates, and execution blotter controls.
9. Capacity and reliability artifacts: load-test summaries, saturation signatures, latency budget allocations, and failover rehearsals.
10. Acceptance criteria traceability: mapping from week scope to verifiable evidence and final signoff checklist.