INDEX

Acceptor atoms, 64 A.C. equivalent circuit, 248 A. C. load line, 251 Active region, 475 Alpha, 148 Amplitude modulation, 414 Amplification, 146 Amplifier: Class A power, 312 bandwidth, 284 Class B power, 312 Class C power, 313	Barrier potential, 67 Base, 143 Bel power gain, 283 Bel voltage gain, 284 Beta, 153 Binary system, 730 Bipolar transistor, 146 Bi-stable multivibrator, 482 Boolean algebra, 748 Breakdown: Avalanche, 72 Zener, 108 Bridge rectifier, 92
Class C tuned, 402	Bypass capacitor, 242
direct coupled, 299 distortion in, 311	C
•	Capacitor filter, 103 Cathode, 33 Cathode ray oscilloscope, 616 CE amplifier, 164 Chassis, 24 Chip, semiconductor, 628
distortion in, 311 AND gate, 740 Anode, 33 Antenna, 413 Astable multivibrator, 478 Audio amplifier, 307	Capacitor filter, 103 Cathode, 33 Cathode ray oscilloscope, 616 CE amplifier, 164 Chassis, 24

776 • Principles of Electronics Clippers, 487 Full-wave rectifier, 94 Collector, 143 Electromagnetic deflection, 618 Electrons, 4 Collector feedback bias, 209 Electron emission, 28–37 Colpitts oscillator, 372 Electron gun, 617 CB amplifier, 148 Electron-hole pair, 61 Complementary-symmetry, 330 Emitter, 143 Conduction band, 51 Emitter follower, 349 Constant current source, 9 Encoder, 746 Constant voltage source, 8 Energy band theory, 50 Coupling capacitor, 242 Equivalent circuit of amplifier, 272 Covalent bond, 56 Equivalent circuit with signal source, 272 Crystal oscillator, 383 Epitaxial layer, 630 Current feedback, 347 Exclusive OR gate, 744 Current gain, 173 Extrinsic semiconductor, 62 Cut-off frequency, 285 Expression for collector: D efficiency, 313 D. C. amplifier, 299 F D. C. equivalent circuit, 247 Feedback, 335 Decibel, 283 Feedback amplifier, 337 Depletion layer, 67 JFET importance, 510 Diac, 586 Field effect transistor, 507 Differential amplifier, 664-687 Field emission, 34 Diffusion, 67 Filter circuit, 103 Digital circuit, 730 Forward bias, 68 Diode circuits, 76-124 Forbidden gap, 51 Direct coupling, 299 Free electron, 6 Discrete circuit, 627 Free-running multivibrator, 478 Distortion, 311 Frequency modulation, 426 Donor atom, 63 Frequency response, 283 Doping, 62 G Double based diode, 590 Drain-source curve, 511 Gain: Driver stage, 325 power, 173 Dynamic resistance, 79 voltage, 173 Dual-in-line pack, 635 gate, 507 E ground, 24 н Efficiency: Half-wave rectifier, 88 Hartley oscillator, 374

Holding current, 558 Hole current, 61 Heat sink, 322 Hybrid, 643 Inductor filter, 104 Insulated gate, 536	AM, 414 FM, 426 Monolithic IC, 629 MOSFET, 535 Multicolour LEDs, 128 Multivibrators: astable, 478 bistable, 482 monostable, 480
Integrated circuit, 628 Interstage coupling, 281 Intermediate frequency, 434 Intrinsic semiconductor, 62 Intrinsic stand off ratio, 592 Impedance matching, 296 Input impedance, 172	NAND gate, 742 Negative feedback, 336 n-p-n transistor, 142 n-type semiconductor, 62 Noise, 311 NOR gate, 743 NOT gate, 742
Junction, pn, 66 Junction diode, 77 Junction transistor, 142	Operational Amplifiers, 662-728 Block diagram, 663 Input/output Polarity relation, 689 Voltage gain, 688 Values of supply voltage, 690 Optoisolator, 133 OR gate, 739 Oscillators: Collpits. 372 Crystal, 383 Hartley, 374 L.C., 371-376 Phase shift, 377 Tuned collector, 371 Wein bridge, 378 Oscilloscope, 616 Output resistance, 172
Knee voltage, 72	
Large signal operation, 312 LC oscillators, 371–376 Leakage current, 71 Light-emitting diode (LED), 126 Load D.C. and A.C., 248, 249 Load line: a.c., 251 d.c., 249 Local oscillator, 433 Logic gates, 738	
M	Over voltage detector, 595
Max. A.C. power output, 314 Max. collector efficiency, 314 Majority carriers, 65 Microelectronics, 627 Minority carriers, 65 Modulation:	Peak inverse voltage, 73 Pentavalent atoms, 63

778 • Principles of Electronics Phase-shift oscillator, 377 т Photo-diode, 130 Thermal runaway, 197 Photo-emission, 35 Piezo-electric effect, 380 Thermionic emission, 30 Thevenin's theorem, 15 π -filter, 104 Pinch off voltage, 513 Thyristor, 555 p-n-junction, 66 Transformer coupling, 294 *p-n-p* transistor, 142 Transistor: Positive clipper, 487 AM modulator, 419 Power dissipation, 311 CB, 148 Power gain, 173 CC, 162 Push-pull amplifier, 326 CE, 152 Trivalent impurity, 64 Q Tuned collector oscillator, 371 Quartz crystal, 381 Tunnel diode, 134 Quiescent point, 167 U R Uni-junction transistor, 589 RC differentiator, 483 Unipolar transistor, 510 RC integrator, 486 RC oscillator, 377 RC coupling, 289 Varactor-diode, 136 Rectifiers, 87 Voltage divider bias, 212 Relaxation oscillator, 595 Voltage regulator, 448 Reverse bias, 68 Voltmeter, electronic, 609 Ripple factor, 101 W S Wein bridge oscillator, 378 Saturation collector current, 473 Window, 631 Saturation region, 474 X Sawtooth wave, 619 Secondary emission, 34 X-cut, 380 SCR, 555 Semiconductors, 56 Shockley diode, 137 Y-cut, 380 Sideband frequencies, 418 Z Stabilisation, 197 Stand off voltage, 592 Zener breakdown, 108 Substrate, 629 Zener diode, 108 Superhetrodyne receiver, 433 Zener diode regulator, 110 Zener symbol, 109