

HubSpot Contact Import — UX Walkthrough & PRD for Gym CRM Lead Import

Prepared by: Claude (Anthropic), Browser Agent | Date: July 8, 2026

Source: HubSpot Contact Import flow (app-na2.hubspot.com), walked through end-to-end on a live test account using an uploaded sample CSV of 1,000 leads.

Purpose: This document captures the complete HubSpot contact import user experience, screen by screen, with annotated screenshots, so the salient UX patterns can be re-implemented in Gym CRM's lead import feature.

Purpose & Scope

Gym CRM currently has a lead import feature that needs to be improved. Rather than guess at best practices, we reverse-engineered HubSpot's contact import experience — widely regarded as one of the most polished CSV import flows in the CRM space — by performing a real import on a live account. The sections below document every screen, decision point, and edge case encountered, so that engineering (via Claude Code) can select and implement the parts that are most valuable for Gym CRM.

High-Level Import Flow (3 Steps)

HubSpot's contact import is structured as a short, linear 3-step wizard rather than one long form. This keeps cognitive load low at each stage:

Step 1 — Upload: Upload or confirm a CSV/XLSX file (or connect Google Sheets), and declare the language of the column headers.

Step 2 — Match columns: Map each column in the file to a CRM property, resolve data-quality errors, and create new properties on the fly if no match exists.

Step 3 — Name & confirm: Name the import for later reference, confirm a data-usage/consent statement, and confirm the detected date format.

After submission, a persistent Import Details/results page shows a summary (rows processed, new records, updated records, errors) and a full audit trail of any automatic value remapping.

Step-by-Step Walkthrough

Step 1: Upload a File

The wizard opens directly to Step 1 of 3, titled "Upload a file to create and update contacts." Key UX details:

Step 1 of 3

Upload a file to create and update contacts

With contacts to start with, you can get a feel for our tools and get set up for success. If we find any duplicate contacts, we'll remove them for you.

[View import property requirements](#)



File uploaded, and renamed "tableConvert.com_0tcof6-2.csv".
127.5KB

Select the language of the column headers in your file

Identifying the language of the column headers in your file allows us to accurately map them to existing HubSpot properties. [Learn more](#)

English

Looking for advanced features? To import with other objects or advanced features, such as data enrichment, segmentation, marketing contacts and more, continue in the [advanced import flow](#).

Don't have a file ready?

✓ Start with our sample template

Download our template and add your contacts to it, or apply the format to your own spreadsheet.

[Download template](#)

> Upload a file from Google Sheets

> Sync data to HubSpot from another app

[Cancel](#)

Tip: press Enter/Return ⏎ to continue

[Next](#) >

The file is already parsed and shown with its filename, an auto-generated safe filename, and file size — with an “x” to remove/replace it.

A “View import property requirements” link sets expectations before the user proceeds.

A required “Select the language of the column headers in your file” dropdown improves matching accuracy for non-English headers.

A side panel offers alternatives for users without a ready file: a downloadable sample template, Google Sheets import, or syncing via another app’s integration — reducing drop-off for unprepared users.

A callout links to an “advanced import flow” for multi-object imports, data enrichment, and marketing contacts, keeping the default path simple while surfacing power-user options.

Step 2 of 3

Match your data to our contact properties

We've mapped the columns in your file to HubSpot [contact properties](#).

You can check that everything looks right, and make changes if you need to. If we couldn't find a match for a column, you can choose or create a property.

No unique identifier selected

We notice you didn't use a unique identifier. For contacts, HubSpot accepts **Email** as the unique identifier. Without this, every row in your import file will be created as a new record. [Learn more](#)

Some required properties are missing.

To complete your Contacts import, you need **Email**, **First Name**, or **Last Name** as HubSpot properties. Please review your property mappings below or review the columns in your file.

All mapped statuses ▾

Search columns 🔍

Column header from file	Preview Information ⓘ	Mapped	Import as ⓘ	HubSpot property
NAME	Uma ahmed pardeep		📁 Contact properties ▾	Choose or create a property ▾
GENDER	F M M	✓	📁 Contact properties ▾	Gender ▾
CONTACT	9646029209 9888325155 8827211280		📁 Contact properties ▾	Choose or create a property ▾
STATUS	● Final ● Interested ● Interested	100 errors	📁 Contact properties ▾	Status ▾
SOURCE	Reference Instagram Instagram	✓	📁 Contact properties ▾	Source ▾
CATEGORY	Boxing Fitness Boxing Competition Boxing Competition	✓	📁 Contact properties ▾	Category ▾

< Back

Cancel

You have 6 unmapped columns

☐ Don't import data in unmapped columns

Next >

Step 2: Match Your Data to Contact Properties

This is the heart of the import experience and the most feature-rich screen. It automatically matches file columns to existing CRM properties and lets the user fix anything it couldn't confidently match.

Column mapping table. Every column from the file is listed as a row with five elements: the raw column header, a live preview of the first few values, a "Mapped" status indicator (green check, amber warning, or blank/unmapped), an "Import as" selector (e.g., Contact properties vs. association/other record type), and a "HubSpot property" selector showing the matched or chosen destination field. A running counter at the bottom right ("You have N unmapped columns") and a "Don't import data in unmapped columns" checkbox give the user full control before proceeding.

Property search & inline creation. Clicking any "HubSpot property" cell opens a searchable dropdown grouped by category (Suggested Properties, Sales properties, Deal information, etc.),

No unique identifier selected

We notice you didn't use a unique identifier. For contacts, HubSpot accepts **Email** as the unique identifier. Without this, every row in your import file will be created as a new record. [Learn more](#)

All mapped statuses ▾

Search columns

Column header from file	Preview Information ⓘ	Mapped	Import as ⓘ	HubSpot property
NAME	Uma ahmed pardeep	✓	Contact properties ▾	* First Name ▾
GENDER	F M M	✓	Contact properties ▾	Gender ▾
CONTACT	9646029209 9888325155 8827211280		Contact properties ▾	Choose or create a property ▾
STATUS	Final Interested Interested	100 errors	Contact properties ▾	Choose or create a property ▾
SOURCE	Reference Instagram Instagram	✓	Contact properties ▾	Choose or create a property ▾
CATEGORY	Boxing Fitness Boxing Competition Boxing Competition	✓	Contact properties ▾	Choose or create a property ▾
REMINDE R	-- 10-Jul-2026 08-Jul-2026		Contact properties ▾	Choose or create a property ▾
VISITED DATE	08-Jul-2026 06:28 ... 07-Jul-2026 04:59 ... 06-Jul-2026 11:44 ...		Contact properties ▾	Choose or create a property ▾
RECEIVED BY	Aakash Mishra Mohit Aakash Mishra		Contact properties ▾	Choose or create a property ▾
ASSIGNED TO	Aakash Mishra Mohit Aryan saini		Contact properties ▾	Choose or create a property ▾

Phone ✕

Contact information

Mobile Phone Number

Phone Number

WhatsApp Phone Number

Create new property - CONTACT

< Back

Cancel

You have 5 unmapped columns

☐ Don't import data in unmapped columns

Next >

so the user can type e.g. “phone” and get an instantly filtered list (Mobile Phone Number, Phone Number, WhatsApp Phone Number). If nothing matches, a persistent “Create new property” option is pinned at the bottom of the same dropdown — the user never has to leave the import Inline data-quality error detection & fixing. If a column maps to a property with restricted values (e.g., a dropdown/enumeration like “Status”), and the file contains values outside that list, the row shows an amber warning icon with a live error count (e.g., “100 errors”) instead of a green check. Clicking it opens a slide-in “Fix import errors” panel that: (1) names the exact validation problem (“Invalid enumeration option”), (2) lets the user view or edit the offending raw values, and (3) presents a mapping grid to replace each unmatched value with a valid option — with a

No unique identifier selected

We notice you didn't use a unique identifier. For contacts, HubSpot accepts **Email** as the unique identifier as a new record. [Learn more](#)

All mapped statuses ▼

Column header from file	Preview Information ⓘ	Mapped	Import as ⓘ
NAME	Uma ahmed pardeep	✓	Contact property
GENDER	F M M	✓	Contact property
CONTACT	9646029209 9888325155 8827211280	✓	Contact property
STATUS	Final Interested Interested	100 errors	Contact property
SOURCE	Reference Instagram Instagram	✓	Contact property
CATEGORY	Boxing Fitness Boxing Competition Boxing Competition	✓	Contact property
REMINDE R	10-Jul-2026 08-Jul-2026		Contact property
VISITED DATE	08-Jul-2026 06:28 ... 07-Jul-2026 04:59 ... 06-Jul-2026 11:44 ...		Contact property
RECEIVED BY	Aakash Mishra Mohit Aakash Mishra		Contact property
ASSIGNED TO	Aakash Mishra Mohit Aryan saini		Contact property

< Back

Cancel

Fix import errors

Column

STATUS

100 errors

Property

Status

Dropdown select

Invalid enumeration option ⓘ

This column has values that don't match the options defined for the Status property. Values that don't match an existing choice won't be imported.

Errored values

View errored values

Edit errored values

Fix errors

Replace the unmatched option with an existing property option

Column value	Replacement value
Interested	Replacement value
40+ rows with this value	
Not Intrested	Replacement value
35+ rows with this value	
Final	Replacement value
25+ rows with this value	

Replace another value

Auto fix errors

Reset all changes

Update your file and try importing again

Other options

row count next to each (e.g., “40+ rows with this value”) so the user understands impact before choosing. An “Auto fix errors” button attempts a best-guess mapping automatically. As each value is resolved, the error counter updates live (100 → 60 → 25 → 0) and the header flips from amber to a green check the moment the column is fully clean.

Creating new custom properties inline (with AI-assisted field detection). When the user picks “Create new property” for an unmapped column, HubSpot doesn’t just show a blank form — it first runs a “Scanning column data...” step that samples up to 1,000 rows of that column and auto-detects: (a) a sensible property label, (b) the most appropriate field type (Date picker, Single-line text, Dropdown select, etc.), and (c) for dropdown/enumeration fields, the actual

No unique identifier selected

We notice you didn't use a unique identifier. For contacts, HubSpot accepts **Email** as the unique identifier as a new record. [Learn more](#)

All mapped statuses

Column header from file	Preview Information ⓘ	Mapped	Import as ⓘ
NAME	Uma ahmed pardeep	✓	Contact properties
GENDER	F M M	✓	Contact properties
CONTACT	9646029209 9888325155 8827211280	✓	Contact properties
STATUS	✎ Edited	1 error	Contact properties
SOURCE	Reference Instagram Instagram	✓	Contact properties
CATEGORY	Boxing Fitness Boxing Competition Boxing Competition	✓	Contact properties
REMINDE R	-- 10-Jul-2026 08-Jul-2026	✓	Contact properties
VISITED DATE	08-Jul-2026 06:28 ... 07-Jul-2026 04:59 ... 06-Jul-2026 11:44 ...	✓	Contact properties
RECEIVED BY	Aakash Mishra Mohit Aakash Mishra		Contact properties
ASSIGNED TO	Aakash Mishra Mohit Aryan saini		Contact properties

[< Back](#)[Cancel](#)

Create new property

[✎ Create manually](#)[✦ Create with Breeze](#)

Property label *

</>

[Add property description](#)

Field type *

▼

Option style *

☐ Default☒ With dot☐ Badge

Dropdown options (6) *

</>

✕

</>

✕

</>

✕

</>

✕

</>

✕

</>

✕

[+ Add option](#)

Data Agent prompt ⓘ

☐

Make this a smart property and let Data Agent research and fill this property for you.

[Create property](#)[Edit more options](#)[Cancel](#)

Step 2 of 3

Match your data to our contact properties

We've mapped the columns in your file to HubSpot [contact properties](#).

You can check that everything looks right, and make changes if you need to. If we couldn't find a match for

No unique identifier selected

We notice you didn't use a unique identifier. For contacts, HubSpot accepts **Email** as the unique identifier as a new record. [Learn more](#)

All mapped statuses ▾

Column header from file	Preview Information ⓘ	Mapped	Import as ⓘ
NAME	Uma ahmed pardeep	✓	Contact properties
GENDER	F M M	✓	Contact properties
CONTACT	9646029209 9888325155 8827211280	✓	Contact properties
STATUS	✎ Edited	1 error	Contact properties
SOURCE	Reference Instagram Instagram	✓	Contact properties
CATEGORY	Boxing Fitness Boxing Competition Boxing Competition	✓	Contact properties
REMINDE R	✎ Edit column values	✓	Contact properties
VISITED DATE	08-Jul-2026 06:28 ... 07-Jul-2026 04:59 ... 06-Jul-2026 11:44 ...		Contact properties

< Back

Cancel

Scanning column data

✓

Scanning the first 1,000 rows of this column to auto-fill property details... Done

Auto-fill property details

Property label

VISITED DATE

Property type

Single-line text

You can review and change any of the property details before creating.

Cancel

Review property details >

distinct values to use as options (e.g., “Aakash Mishra, Mohit, Aryan saini, and +3 more”). The user is shown this auto-fill summary and can accept it or click through to a full “Create new property” editor before committing.

For dropdown fields specifically, the “Create new property” editor pre-fills all detected option values as editable rows, plus an “Option style” choice (Default text, With colored dot, or Badge/pill) and a “Data Agent prompt” toggle to let HubSpot’s AI (“Breeze”) research and fill the property automatically. A “Create with Breeze” tab next to “Create manually” offers a fully AI-driven alternative to defining the property by hand. This pattern — detect, pre-fill, let the user

Step 2 of 3

Match your data to our contact properties

We've mapped the columns in your file to HubSpot [contact properties](#).

You can check that everything looks right, and make changes if you need to. If we couldn't find a match for a column, you can choose or create a property.

No unique identifier selected

We notice you didn't use a unique identifier. For contacts, HubSpot accepts **Email** as the unique identifier. Without this, every row in your import file will be created as a new record. [Learn more](#)

All mapped statuses ▼

Search columns 🔍

Column header from file	Preview Information ⓘ	Mapped	Import as ⓘ	HubSpot property
NAME	Uma ahmed pardeep	✓	☰ Contact properties ▼	* First Name ▼
GENDER	F M M	✓	☰ Contact properties ▼	Gender ▼
CONTACT	9646029209 9886325155 8827211280	✓	☰ Contact properties ▼	Phone Number ▼
STATUS	✍ Edited	✓	☰ Contact properties ▼	Status ▼
SOURCE	Reference Instagram Instagram	✓	☰ Contact properties ▼	Source ▼
CATEGORY	Boxing Fitness Boxing Competition Boxing Competition	✓	☰ Contact properties ▼	Category ▼
REMINDE R	... 10-Jul-2026 08-Jul-2026	✓	☰ Contact properties ▼	REMINDER ▼
VISITED DATE	08-Jul-2026 06:28 ... 07-Jul-2026 04:59 ... 06-Jul-2026 11:44 ...	✓	☰ Contact properties ▼	VISITED DATE ▼

< Back

[Cancel](#)

Next >

confirm/edit — removes almost all manual data-modeling work from the import flow.

Fully resolved state. Once every column shows a green check (mapped, no errors), the table becomes a clean audit view: reviewers can see at a glance which columns were auto-matched, which were manually mapped, and which became brand-new properties (REMINDER, VISITED DATE, RECEIVED BY, ASSIGNED TO in our test run). Only then does the primary “Next” button become fully actionable.

Step 3: Name & Confirm the Import

The final step is deliberately short. Three elements only:

Import name (required, pre-filled with the source filename, editable) so the import can be found

Step 3 of 3

Give your import a name

This will make it easier for you to find it later

Import name *

Jim CRM Leads Import - Sample Data

☒ * I agree that all contacts in this import are expecting to hear from my organization. I have a prior relationship with these contacts and have emailed them at least once in the past year. I can confirm this list wasn't purchased, rented, appended, or provided by a third party.

Date format

day month year

[Looking for advanced features?](#) To import with other objects or advanced features, such as data enrichment, segmentation, marketing contacts and more, continue in the [advanced import flow](#).

< Back

Cancel

Tip: press Enter/Return ⌵ to continue

Finish import



You're almost ready to start

Your information is safe and secure in HubSpot.

again later in import history.


A required consent checkbox affirming the contacts are expecting to hear from the organization and that the list wasn't purchased or rented — a lightweight anti-spam / deliverability safeguard baked directly into the workflow rather than buried in legal terms.

Date format confirmation (e.g., "day month year"), auto-detected from the file in Step 2 but editable here as a final safety check.

A reassuring illustration and "You're almost ready to start" / "Your information is safe and secure" message reduce last-second anxiety before the final, committing action.

Post-Import Experience: Results & Audit Trail

Clicking "Finish import" immediately routes the user to a persistent Import Details page (not a modal), which remains accessible later from import history. In our test, the import of 1,000 rows



completed in well under 10 seconds. Key elements:

Header metadata: import name, object type ("Contacts"), timestamp, and the importing user's name/email — useful for team accountability on shared CRM instances.

Summary tile: Import rows, New records, Updated records, and New associations shown as large, scannable numbers. In our run: 1,000 import rows → 1,000 new records, 0 updated, 0 associations (expected, since no unique identifier/email was mapped).

A tabbed results panel with three views: Errors (0) — a big green checkmark and "Import completed with no errors" when clean; Contacts (1,000) — a live, searchable table of every

Find or Ask

Assistant

13 days left in trial

Usefulmade

Back to Import History

Jim CRM Leads Import - Sample Data

Contacts

Wednesday, July 8, 2026 7:01 PM

Rajat Kashyap rajat.kshyp@gmail.com

Learn more about import

[Import records and activities](#)

[Setup your import files](#)

[Troubleshoot import errors](#)

Summary

View Contacts

Actions

IMPORT ROWS

1,000

NEW RECORDS

1,000

UPDATED RECORDS

--

NEW ASSOCIATIONS

--



Fix formatting issues in your imported contacts.

Clean up your import

Errors (0)

Contacts (1,000)

Remappings (4)

All activity types

Search

	Name	Gender	Phone Number	Status	Source
☐	S sahil	M	7707886527	Active	Google Map
☐	K Kartik	M	7018272195	Active	Google Map
☐	ML Mr. Lagan	M	9041111717	Active	Google Map
☐	AC Abhishek Chawla	M	6239582264	Active	Google Map
☐	MK Mr. Kalki	M	8264410923	Active	Google Map
☐	KB Karan Bhatt	M	7696366029	Active	Instagram
☐	A Anmol	M	9915020128	Active	Google Map
☐	AS Avatar Singh	M	8427777034	Active	Reference
☐	M Mohit	M	6239808660	Active	Reference
☐	CS charanjeet singh	M	9877110677	Active	Google Map

Find or Ask

Assistant

13 days left in trial

Usefulmade

Save up to 65% on Starter

Smarter tools, lower price. Get special Starter pricing when you choose a monthly or annual subscription. New customers only. Select offers available for a limited time.

Clean up your imported data

Fix issues like invalid characters, placeholder text, or unexpected capitalization.

Unlock this and more with Starter Customer Platform. Starting at \$585/mo/seat.

Buy now

Talk to Sales



Marketing Hub

Free tools

Your current plan

Starter Customer Platform

Buy now

SEO recommendations & optimizations	Basic recommendations.	Basic recommendations, one page at a time.
Ad management	✓	✓
Simple ad automation		1 simple workflow per form, with up to 10 actions.
Ad retargeting	All available ad types 2 audiences	All available ad types 2 audiences
		Does not include custom targeting by device type.

Buy our Starter Customer Platform for \$10/mo/seat, or ask me a question. I'm here to help!

Find or Ask

Back to Import History

Jim CRM Leads Import - Sample Data

Contacts

Wednesday, July 8, 2026 7:01 PM

Rajat Kashyap rajat.kshyp@gmail.com

[Learn more about import](#)
[Import records and activities](#)
[Setup your import files](#)
[Troubleshoot import errors](#)

Summary

IMPORT ROWS	NEW RECORDS	UPDATED RECORDS	NEW ASSOCIATIONS
1,000	1,000	--	--

[View Contacts](#) [Actions](#)



Fix formatting issues in your imported contacts.

[Clean up your import](#)

Errors (0)

Contacts (1,000)

Remappings (4)

Column	→	Contact Property
STATUS	→	Status
Not Interested	→	Inactive
Ongoing	→	Active
Interested	→	Active
Final	→	Active

imported record with its mapped property values, linked directly to each new contact record; and Remappings (4) — a full audit log of every automatic value substitution performed during Step 2 (e.g., STATUS: “Not Interested” → Inactive, “Ongoing” → Active, “Interested” → Active, “Final” → Active), grouped by source column and destination property.

A “Clean up your import” upsell card offers to fix formatting issues (invalid characters, placeholder text, inconsistent capitalization) in the just-imported data — gated behind a paid plan upgrade. This is a monetization pattern worth noting but not necessarily replicating.

Key Features Summary (for Claude Code / Gym CRM PRD)

The table below distills every feature observed above into a build checklist, with a suggested priority for a first release of Gym CRM's improved lead import.

Feature	What it does	Priority	Implementation notes for Gym CRM
3-step wizard (Upload → Map → Confirm)	Linear stepper with progress indicator instead of one long form	P0	Replace existing single-page import form with a 3-step flow
Column-to-property mapping table	Auto-matches file columns to CRM fields; shows live preview values and a mapped/unmapped status per column	P0	Core of the feature; needs a fuzzy-match algorithm against existing lead fields
Searchable, grouped property picker	Type-ahead search across property categories when manually mapping a column	P0	Simple filtered dropdown component; group by field category
Inline “create new field” during import	Create a brand-new custom lead field without leaving the import flow	P0	Biggest drop-off risk today is probably missing fields; this removes it
Auto-detected field type & dropdown options	Scans sample rows to suggest field type (text/date/dropdown) and pre-fill dropdown option values	P1	Start with simple heuristics (date regex, distinct-value count for dropdown); add AI later
Inline data-quality error panel	Flags values that don't match a dropdown field's allowed options; lets user remap each bad value with live error counts and an auto-fix option	P0	Critical for lead status/source fields; prevents silent data loss on import
Unique-identifier / duplicate warning	Warns the user if no email/unique key column is mapped, since every row will	P0	Directly prevents duplicate leads, a common CRM pain point

	otherwise be created as a new record		
Required-field validation gate	Blocks progressing to the next step until required fields (e.g., name/email) are mapped	P0	Straightforward form validation logic
Date format auto-detection & confirmation	Detects day/month/year ordering from sample data and lets the user confirm or change it before import	P1	Avoids a common silent-corruption bug (swapped day/month)
Import naming & history	Editable, pre-filled import name so the batch can be found again later	P1	Requires an import-history list view in Gym CRM
Persistent results page with summary tiles	Shows rows processed, new records, updated records, and errors as large scannable numbers after import finishes	P0	Gives immediate, trustworthy confirmation the import worked
Tabbed results: Errors / Records / Remappings	Full audit trail: a live contacts table plus a log of every automatic value substitution made during mapping	P1	Remappings tab builds user trust and aids debugging of bad imports
Sample template & alternate sources	Downloadable CSV template, plus Google Sheets or other app sync as alternatives to a raw file upload	P2	Nice onboarding aid; not required for core import to work
Consent / data-source confirmation checkbox	Lightweight checkbox confirming contacts are expecting to hear from the org, before the final import is triggered	P2	Optional for an internal-only CRM; valuable if leads may be contacted externally
Post-import “clean up	Paid-tier prompt to	P3	Monetization pattern,

your data” upsell	auto-fix formatting issues in just-imported data		not a core UX need — skip for v1
-------------------	--	--	----------------------------------

Recommendations for Gym CRM’s First Release

Based on this walkthrough, we recommend Claude Code prioritize the following for the first release of Gym CRM’s lead import: build the three-step wizard shell first, since it is the structural foundation everything else hangs off of; then the column-mapping table with searchable property picker and inline property creation, since these eliminate the two most common import failure modes (missing fields and unmapped columns); then the inline data-quality error panel and the unique-identifier/duplicate warning, since together they prevent the two most damaging outcomes of a bad import, silent data loss and duplicate leads. The AI-assisted field-type detection, date-format confirmation, and the tabbed results/remappings audit view are strong second-phase additions that meaningfully improve trust and polish but are not blocking for a functional v1. The consent checkbox, sample templates, and any monetized “clean up your data” upsell are lower priority and can be deferred or dropped depending on Gym CRM’s product strategy.

A note on scope: this document intentionally covers the “standard” HubSpot import flow rather than its “advanced” import flow (multi-object imports, marketing-contact segmentation, data enrichment), since the standard flow is the closer analog to a single-object lead import in Gym CRM. If Gym CRM later needs to import leads alongside related records (e.g., companies or deals), the advanced flow would be a useful follow-up study.