Rayna Edwards - R Graphs & Tables:






Average Black Spruce Browsing Intensity by Ecoregion
Average Browsing Score
0
1
2
3
4
Avalon_Forests
EasternHyperOceanicBarrens
Maritime_Barrens
Northern_Peninsula_Forests
Ecoregion


Moose density in Newfoundland ecoregions over time
Moose per sq km
0.0
0.5
1.0
1.5
2.0
2.5
1900
1920
1940
1960
1980
2000
2020
Year



Data just in case it doesn’t load in the file:

Environment | History | Connections | Tutorial

Import Dataset | 6 MiB

R | Global Environment

moosedata2	54 obs. of 7 variables
moosefinal	4 obs. of 7 variables
MoosePopulation	54 obs. of 6 variables
sap_clean	44 obs. of 5 variables
sap_reg_browse	9 obs. of 2 variables
sap_reg_height	9 obs. of 2 variables
sap_reg_tally	9 obs. of 2 variables
SaplingStudy	
sum_spe_browse	54 obs. of 4 variables

sap_reg_tally (tbl_df , 1840 bytes)

Files | Plots | Packages | Help | Viewer | Presentation

Zoom | Export



Environment | History | Connections | Tutorial

Import Dataset · 6 MiB

R · Global Environment

sap_clean	44 obs. of 5 variables
sap_reg_browse	9 obs. of 2 variables
sap_reg_height	9 obs. of 2 variables
sap_reg_tally	9 obs. of 2 variables
SaplingStudy	45 obs. of 5 variables
sum_spe_browse	38 obs. of 4 variables

Values

moose_max	41250
year_min	1904

Files | Plots | Packages | Help | Viewer | Presentation

Zoom | Export



Environment | History | Connections | Tutorial

Import Dataset · 6 MiB

R · Global Environment

Data

moose_2020	9 obs. of 7 variables
moose_2020_high	4 obs. of 7 variables
moose_2020_high_byD	4 obs. of 7 variables
moose_2020b	9 obs. of 7 variables
moose_clean	37 obs. of 6 variables
moose_sap	44 obs. of 11 variables
moose_sel	9 obs. of 6 variables
moose_west	6 obs. of 7 variables

Files | Plots | Packages | Help | Viewer | Presentation

Zoom | Export