

(a) dense agate stock/standings listings

input crop (6 pt type)						PRISM structure (cells merged)					
Rochester.....	21	9	3	0	45	Rochester. Cleveland.					
Cleveland.....	20	10	1	3	44	21 9 3 0 45 20 10 1 3 44					
Laval.....	20	10	1	1	42	Laval. 20 10 1 1					
Toronto.....	17	8	2	3	39	42 17 8 2 3 39					
Syracuse.....	15	9	5	3	38	Toronto. Syracuse 15 9 5 3 38					
Belleville.....	14	10	1	4	33	Belleville. 14 10 1 4 33					
Utica.....	7	17	2	2	18	Utica.. 7 17 2 2 18					

TEDS 0.19 — digits are read correctly, but agate rows and columns collapse into single cells: table-structure capacity, not OCR or assembly.

(b) handwritten CJK-mixed formula


input crop (student note page)

GT: ∴ $\frac{S_{\Delta MAD}}{S_{\Delta MBC}} = (ratio)^2 = (\frac{4}{5})^2 = \frac{16}{25}$ (ratio = GT literal 相似比)

PRISM: $\frac{\pi p}{\sin p} \ \frac{S_{\Delta npo}+S_{\Delta npiv}+N_{\Delta po}}{= \frac{16}{25}(4)}$

CDM 33 — the 20M recognizer substitutes look-alike symbols (∴ → πp, S_ΔMAD → S_Δnpo) and emits malformed LaTeX.

(c) degraded 1920s typescript, one-character slip



GT: soft reflections, we may one day go out to that

PRISM: soft reflections, we may one day go out to that

olmOCR-Bench unit test fails on one substituted character (c→o);
page-level edit-distance cost <0.1%. Recognition capacity, not assembly.