

MATH/STAT 394: Probability I Summer 2021 A Term

Introduction to Probability
D. Anderson, T.Seppäläinen, B. Valkó
§ 1.4

Aaron Osgood-Zimmerman

Department of Statistics

Outline

Birthday Problem

Exercise

In a room we have k people, each of which can have any of the n (e.g., n=365) days as his/her birthday (equally likely). What is the chance that there are two in the room who have the same birthday?

Exercise

In a room we have k people, each of which can have any of the n (e.g., n=365) days as his/her birthday (equally likely). What is the chance that there are two in the room who have the same birthday?

Solution

Exercise

In a room we have k people, each of which can have any of the n (e.g., n=365) days as his/her birthday (equally likely). What is the chance that there are two in the room who have the same birthday?

Solution Let the event be A, and $A^c = \{$ no two have the same birthday $\}$.

$$#\Omega = n^k$$
, $#A^c = (n)_k$.

Exercise

In a room we have k people, each of which can have any of the n (e.g., n=365) days as his/her birthday (equally likely). What is the chance that there are two in the room who have the same birthday?

Solution Let the event be A, and $A^c = \{$ no two have the same birthday $\}$.

$$#\Omega = n^k$$
, $#A^c = (n)_k$.

Then, by equally likely outcomes,

$$P(A^{c}) = \frac{\#A^{c}}{\#\Omega} = \frac{(n)_{k}}{n^{k}} = \frac{n(n-1)(n-2)\dots(n-k+1)}{n^{k}}$$
$$= 1(1-1/n)(1-2/n)\dots(1-(k-1)/n).$$

Exercise

In a room we have k people, each of which can have any of the n (e.g., n=365) days as his/her birthday (equally likely). What is the chance that there are two in the room who have the same birthday?

Solution Let the event be A, and $A^c = \{$ no two have the same birthday $\}$.

$$\#\Omega = n^k, \quad \#A^c = (n)_k.$$

Then, by equally likely outcomes,

$$P(A^{c}) = \frac{\#A^{c}}{\#\Omega} = \frac{(n)_{k}}{n^{k}} = \frac{n(n-1)(n-2)\dots(n-k+1)}{n^{k}}$$
$$= 1(1-1/n)(1-2/n)\dots(1-(k-1)/n).$$

Suppose *n* is big compared to *k*. Using $1 - x \approx e^{-x}$ for $x \approx 0$,

$$P(A^{c}) \approx \exp(-(1+2+\cdots+k-1)/n)) = \exp(-k(k-1)/2n) \approx \exp(-k^{2}/2n),$$

and hence $P(A) \approx 1 - \exp(-k^2/2n)$.

Exercise

Suppose Charlie is in the room — what is the chance that there is someone else with the same birthday as Charlie?

Exercise

Suppose Charlie is in the room — what is the chance that there is someone else with the same birthday as Charlie?

Solution Let the event be B and $B^c = \{\text{every of the } (k-1) \text{ people has a birthday different from Charlie's}\}.$

Exercise

Suppose Charlie is in the room — what is the chance that there is someone else with the same birthday as Charlie?

Solution Let the event be B and

 $B^c = \{\text{every of the } (k-1) \text{ people has a birthday different from Charlie's}\}.$

$$\#\Omega = n^{k-1}, \quad \#B^c = (n-1)^{k-1},$$

and

$$P(B^c) = \frac{\#B^c}{\#\Omega} = \frac{(n-1)^{k-1}}{n^{k-1}} = (1-1/n)^{k-1}.$$

Exercise

Suppose Charlie is in the room — what is the chance that there is someone else with the same birthday as Charlie?

Solution Let the event be B and

 $B^c = \{\text{every of the } (k-1) \text{ people has a birthday different from Charlie's}\}.$

$$#\Omega = n^{k-1}, \quad #B^c = (n-1)^{k-1},$$

and

$$P(B^c) = \frac{\#B^c}{\#\Omega} = \frac{(n-1)^{k-1}}{n^{k-1}} = (1-1/n)^{k-1}.$$

Again using $e^{-x} \approx 1 - x$, we have

$$P(B) = 1 - P(B^c) \approx 1 - \exp(-(k-1)/n).$$

 $A = \{$ there are two in the room who have the same birthday $\}$, $B = \{$ someone else with the same birthday as Charlie $\}$.

