<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN" "http://www.w3.org/TR/xhtml1-strict.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="es" lang="es"> </html>

<head>

<title lang="es"> </title>

<meta http-equiv="Content-Type" content="text/html;charset=utf-8" />

</head>

..... </body> <body> ...
 <hr /> <hn°>... </hn°> <i>...</i> ... ^{. . .} _{...} <tt>...</tt> <big>...</big> <small>...</small> <abbr title="...">...</abbr> <acronym title="...">...</acronym> <address>...</address> <cite>...</cite> <q>. . . </q> <code>. . . </code> <dfn>...</dfn> <kbd>...</kbd> <samp>...</samp> <var>...</var> <blockquote cite="...">..</blockquote> <ins>...</ins> **<bdo** dir="ltr"|"rtl">...</bdo> <!-- ... -->

```
...
     :...
:...
<d1>...</d1>
     <dt>...</dt>
     <dd>...</dd>
<a href="..." title="...">...</a>
<a id="..." >...</a>
...
   border="n°"
   width="n°" 0 width="n°%"
   cellspacing="n°"
   cellpadding="n°"
   summary="Texto del resumen"
     <caption>...</caption>
     ...
        align="valor" --> "left"-"center"-"right"
        valign="valor" --> "top"-"middle"-"bottom"-
                           "baseline"
        . . . 
            align="valor" --> "left"-"center"-"right"
            valign="valor"--> "top"-"middle"-"bottom"
                             -"baseline"
            colspan="n°"
            rowspan="n°"
<img ..... />
     src="ruta imagen"
     alt="texto"
     title="texto"
     height="n°"
     width="n°"
     longdesc="archivo"
```

```
<form>...</form>
    method="método envío"
    action="url"
    enctype="tipo codificación"
    accept-charset="juego caracteres"
    accept="tipo-MIME"
<input type="text" />
     name="nombre"
      size="n°"
     {\tt maxlength="} n^{\circ} {\tt "}
      value="valor"
      accesskey="tecla"
      tabindex="n°"
      readonly="readonly"
      disabled="disabled"
<input type="password" />
     name="nombre"
      size="n°"
     maxlength="n°"
     value="valor"
      accesskey="tecla"
      tabindex="n°"
      readonly="readonly"
     disabled="disabled"
<textarea>...</textarea>
     name="nombre"
     rows="n°"
      cols="n°"
      accesskey="tecla"
      tabindex="n°"
      readonly="readonly"
      disabled="disabled"
<input type="submit" />
     name="nombre"
      value="valor"
      accesskey="tecla"
      tabindex="n°"
      disabled="disabled"
<input type="reset" />
     name="nombre"
      value="valor"
      accesskey="tecla"
      tabindex="n°"
      disabled="disabled"
<select>...</select>
     name="nombre"
      size="n°"
      accesskey="tecla"
      tabindex="n°"
      multiple="multiple"
      disabled="disabled"
  <option>...</option>
     value="valor"
      selected="selected"
      disabled="disabled"
  <optgroup>...</optgroup >
      label="nombre"
```

```
<input type="radio" />
     name="nombre"
     value="valor"
      accesskey="tecla"
     tabindex="n°"
      checked="checked"
      readonly="readonly"
     disabled="disabled"
<input type="checkbox" />
     name="nombre"
     value="valor"
      accesskey="tecla"
      tabindex="n°"
      checked="checked"
      readonly="readonly"
      disabled="disabled"
<fieldset>...</fieldset>
    <legend>...</legend>
<label>...</label>
     for="valor id"
<input type="file" />
     name="nombre"
     size="n°"
     maxlength="n°"
      accept="tipo/*"
<input type="button" />
     name="nombre"
     value="valor"
```