

# **DATA VISUALIZATION IN PYTHON**

Course Code: MTH1203 Probability and Statistics

Programme: Bachelor of Science in Information Technology (Year 1,  
Semester 2)

**Assessment:** Group Research Work

**Due Date:** September 25, 2026

# Contents

|          |                                                   |          |
|----------|---------------------------------------------------|----------|
| <b>1</b> | <b>Introduction</b>                               | <b>3</b> |
| 1.1      | Definition of Data Visualization . . . . .        | 3        |
| 1.2      | Role in Statistics and Data Analysis . . . . .    | 3        |
| <b>2</b> | <b>Python Visualization Libraries</b>             | <b>3</b> |
| 2.1      | Matplotlib . . . . .                              | 3        |
| 2.2      | Seaborn . . . . .                                 | 4        |
| 2.3      | Plotly . . . . .                                  | 4        |
| 2.4      | Pandas Plotting . . . . .                         | 4        |
| <b>3</b> | <b>Types of Plots and Their Uses</b>              | <b>4</b> |
| 3.1      | Bar Chart . . . . .                               | 4        |
| 3.2      | Line Chart . . . . .                              | 5        |
| 3.3      | Histogram . . . . .                               | 5        |
| 3.4      | Scatter Plot . . . . .                            | 5        |
| 3.5      | Box Plot . . . . .                                | 6        |
| 3.6      | Pie Chart . . . . .                               | 6        |
| 3.7      | Heatmap . . . . .                                 | 6        |
| <b>4</b> | <b>Best Practices in Data Visualization</b>       | <b>6</b> |
| 4.1      | Choose the Right Chart . . . . .                  | 7        |
| 4.2      | Provide Clear Titles and Labels . . . . .         | 7        |
| 4.3      | Use Colour Sensibly . . . . .                     | 7        |
| 4.4      | Avoid Clutter . . . . .                           | 7        |
| 4.5      | Be Honest and Avoid Misleading Graphics . . . . . | 7        |
| 4.6      | Ensure Accessibility . . . . .                    | 7        |
| <b>5</b> | <b>Notebook Implementation</b>                    | <b>7</b> |
| <b>6</b> | <b>Discussion and Conclusion</b>                  | <b>8</b> |
| <b>7</b> | <b>References</b>                                 | <b>8</b> |
|          | <b>Appendix — Group Members</b>                   | <b>9</b> |

# 1 Introduction

## 1.1 Definition of Data Visualization

Data visualization is the representation of quantitative and qualitative information in graphical or pictorial form, allowing patterns, trends, relationships, and anomalies in data to be perceived visually rather than through numerical inspection alone. It is both an analytical tool for exploring data and a communicative medium for presenting statistical results to an audience.

## 1.2 Role in Statistics and Data Analysis

Within statistics and data analysis, visualization performs several essential functions:

1. **Exploratory Data Analysis (EDA):** Visualization precedes formal statistical testing. Analysts use histograms, box plots, and scatter plots to understand distributions, detect outliers, and identify relationships before modelling.
2. **Communication of Results:** Well-constructed visualizations convey statistical findings to audiences who may lack technical expertise, enabling informed decision-making.
3. **Validation of Assumptions:** Many statistical tests (e.g., normality, homoscedasticity) rely on visual diagnostics such as Q–Q plots and residual plots.
4. **Detection of Errors:** Anomalies visible in plots often reveal data entry mistakes, missing values, or measurement failures.
5. **Pattern and Trend Recognition:** Human cognition processes visual patterns far faster than tabular data, making charts essential for trend analysis over time or across categories.

In summary, data visualization is not merely a presentation step but a core component of the statistical workflow.

# 2 Python Visualization Libraries

Python offers a rich ecosystem of visualization libraries. The four most widely used are Matplotlib, Seaborn, Plotly, and Pandas plotting.

## 2.1 Matplotlib

Matplotlib is the foundational plotting library in Python, introduced by John D. Hunter in 2003. It provides a low-level, object-oriented interface that gives the developer complete control over every element of a figure, including axes, ticks, labels, legends, and line styles. Its `pyplot` module offers a MATLAB-like procedural interface for rapid plotting, while its object-oriented API is preferred for complex, multi-panel figures. Matplotlib serves as the rendering backend for many other libraries, including Seaborn and Pandas plotting.

- **Strengths:** Maximum control, publication-quality output, extensive documentation.
- **Limitations:** Verbose syntax for statistical plots, static output by default.

## 2.2 Seaborn

Seaborn is a high-level statistical visualization library built on top of Matplotlib. It provides a simplified interface for creating attractive, informative statistical graphics with concise code. Seaborn includes built-in themes and colour palettes, and offers specialized functions such as `boxplot`, `violinplot`, `pairplot`, `heatmap`, and `regplot`. It integrates tightly with Pandas DataFrames, allowing variables to be referenced by column name.

- **Strengths:** Elegant defaults, statistical plots in one line, DataFrame integration.
- **Limitations:** Less control over fine details than Matplotlib, static output.

## 2.3 Plotly

Plotly is an interactive, web-oriented visualization library. It produces figures rendered in HTML/JavaScript, supporting hover tooltips, zooming, panning, and clicking. Plotly supports 3D charts, geographic maps, animations, and dashboards through the companion Dash framework. It is well-suited to web applications, presentations, and exploratory analysis where interactivity enhances insight.

- **Strengths:** Interactivity, web embedding, 3D and animated charts.
- **Limitations:** Larger file sizes, steeper learning curve for advanced customization.

## 2.4 Pandas Plotting

Pandas provides a `.plot()` method on DataFrame and Series objects as a convenience wrapper around Matplotlib. It permits rapid plotting with minimal code, supporting line, bar, histogram, scatter, pie, box, area, and kernel density plots. It is best suited to fast exploration rather than publication-quality output.

- **Strengths:** Extremely concise, ideal for quick inspection.
- **Limitations:** Limited customization, less polished defaults.

# 3 Types of Plots and Their Uses

The choice of chart depends on the data type and the analytical question being asked.

## 3.1 Bar Chart

**Purpose:** Compares a numerical quantity across discrete categories. Used for comparing means, totals, or counts across groups.

**Pitfalls:** Do not truncate the y-axis; avoid too many categories.

```
1 import matplotlib.pyplot as plt
2
3 categories = ['A', 'B', 'C', 'D']
4 values = [23, 45, 12, 67]
5
6 plt.bar(categories, values, color='skyblue', edgecolor='black')
7 plt.title('Bar Chart Example')
```

```

8 plt.xlabel('Categories')
9 plt.ylabel('Values')
10 plt.show()

```

Listing 1: Bar Chart Example

## 3.2 Line Chart

**Purpose:** Displays a trend over a continuous variable, usually time. Used in time series and sequential measurements.

```

1 import matplotlib.pyplot as plt
2
3 x = [1, 2, 3, 4, 5]
4 y = [10, 15, 13, 18, 22]
5
6 plt.plot(x, y, marker='o', color='green')
7 plt.title('Line Chart Example')
8 plt.xlabel('Time')
9 plt.ylabel('Value')
10 plt.show()

```

Listing 2: Line Chart Example

## 3.3 Histogram

**Purpose:** Visualizes the distribution of a single continuous variable. Used when assessing shape, spread, modality, and skewness.

```

1 import matplotlib.pyplot as plt
2 import numpy as np
3
4 data = np.random.randn(1000)
5
6 plt.hist(data, bins=30, color='purple', edgecolor='black')
7 plt.title('Histogram Example')
8 plt.xlabel('Value')
9 plt.ylabel('Frequency')
10 plt.show()

```

Listing 3: Histogram Example

## 3.4 Scatter Plot

**Purpose:** Shows the relationship between two continuous variables. Used in correlation analysis, cluster detection, and outlier identification.

```

1 import matplotlib.pyplot as plt
2
3 x = [1, 2, 3, 4, 5, 6]
4 y = [2, 4, 5, 4, 5, 7]
5
6 plt.scatter(x, y, color='red', alpha=0.6)
7 plt.title('Scatter Plot Example')
8 plt.xlabel('X')
9 plt.ylabel('Y')

```

```
10 plt.show()
```

Listing 4: Scatter Plot Example

### 3.5 Box Plot

**Purpose:** Summarizes distributions using median, quartiles, range, and outliers. Used in comparing distributions across categories.

```
1 import matplotlib.pyplot as plt
2 import seaborn as sns
3
4 data = sns.load_dataset('tips')
5 sns.boxplot(x='day', y='total_bill', data=data)
6 plt.title('Box Plot Example')
7 plt.show()
```

Listing 5: Box Plot Example

### 3.6 Pie Chart

**Purpose:** Shows proportions of a whole. Used only for a small number of categories ( $\leq 5$ ) where part-to-whole comparison is essential.

```
1 import matplotlib.pyplot as plt
2
3 sizes = [30, 20, 25, 25]
4 labels = ['A', 'B', 'C', 'D']
5
6 plt.pie(sizes, labels=labels, autopct='%1.1f%%')
7 plt.title('Pie Chart Example')
8 plt.show()
```

Listing 6: Pie Chart Example

### 3.7 Heatmap

**Purpose:** Matrix of values encoded by colour intensity. Used in correlation matrices, confusion matrices, and temporal patterns.

```
1 import matplotlib.pyplot as plt
2 import seaborn as sns
3
4 data = sns.load_dataset('flights')
5 pivot = data.pivot_table(index='month', columns='year', values='
    passengers')
6
7 sns.heatmap(pivot, cmap='YlGnBu')
8 plt.title('Heatmap Example')
9 plt.show()
```

Listing 7: Heatmap Example

## 4 Best Practices in Data Visualization

Effective visualizations follow established principles that maximize clarity and honesty.

## 4.1 Choose the Right Chart

Match the chart type to the analytical question. Bar charts compare categories; line charts show trends; scatter plots show relationships.

## 4.2 Provide Clear Titles and Labels

Every plot must contain a descriptive title, an x-axis label, and a y-axis label, with units where applicable.

## 4.3 Use Colour Sensibly

Colour should encode information, not decorate. Use perceptually uniform palettes such as `viridis` or `cividis`, which are also colour-blind friendly.

## 4.4 Avoid Clutter

Follow Tufte’s principle of maximizing the data–ink ratio. Remove unnecessary gridlines, borders, and 3D effects.

## 4.5 Be Honest and Avoid Misleading Graphics

Do not truncate axes on bar charts, use inconsistent scales, or distort proportions. Present data truthfully.

## 4.6 Ensure Accessibility

Use sufficient contrast, readable font sizes, and avoid relying on colour alone to convey meaning.

# 5 Notebook Implementation

The accompanying Jupyter notebook (`Data_Visualization.ipynb`) implements each plot type described above using the Tips dataset provided by Seaborn, which records restaurant bills, tips, and customer characteristics. The notebook is organised into sections:

1. Library imports and styling – `matplotlib`, `seaborn`, `plotly`, `pandas`, `numpy`.
2. Dataset loading and inspection – `df.head()`, `df.describe()`.
3. Bar chart – average tip by day.
4. Line chart – total bill across the first 50 records.
5. Histogram – distribution of total bill.
6. Scatter plot – total bill versus tip.
7. Box plot – tip distribution by day.

8. Pie chart – smoker vs non-smoker proportions.
9. Heatmap – correlation matrix of total bill, tip, and party size.
10. Interactive Plotly scatter plot – coloured by day, sized by party size.

Each plot includes a title, axis labels, and a sensible colour scheme, demonstrating the best practices discussed in Section 4.

## 6 Discussion and Conclusion

Data visualization is an indispensable component of statistical practice, bridging the gap between numerical analysis and human understanding. Python provides a mature and diverse ecosystem of visualization tools: Matplotlib for control, Seaborn for statistical elegance, Plotly for interactivity, and Pandas for speed. By selecting the appropriate chart type and following established design principles, analysts can produce visualizations that are clear, honest, and effective. This research has demonstrated each of these elements through a working notebook, and the accompanying presentation will defend the choices made.

## 7 References

- Cairo, A. (2016). *The Truthful Art: Data, Charts, and Maps for Communication*. New Riders.
- Hunter, J. D. (2007). Matplotlib: A 2D graphics environment. *Computing in Science & Engineering*, 9(3), 90–95.
- McKinney, W. (2017). *Python for Data Analysis* (2nd ed.). O'Reilly Media.
- Plotly Technologies Inc. (2015). *Collaborative Data Science*. Plotly.
- Tufte, E. R. (2001). *The Visual Display of Quantitative Information* (2nd ed.). Graphics Press.
- Waskom, M. (2021). Seaborn: Statistical data visualization. *Journal of Open Source Software*, 6(60), 3021.

## Group Members

| S/N | Student Name                  | Registration Number |
|-----|-------------------------------|---------------------|
| 1   | NABUKENYA SARAH               | M26B13/031          |
| 2   | AMANYA AARON                  | M26B13/006          |
| 3   | CHELANGAT RUTH HOPE           | M26B13/018          |
| 4   | MIREMBE NORAH                 | M26B13/025          |
| 5   | NAKAFEERO HADIJAH<br>KARAMAGI | M26B13/032          |
| 6   | SIMBILYABO DAVID              | M26B13/009          |
| 7   | CHELIMO HUSSEIN               | S24B13/088          |
| 8   | AMPUMUZA ESTHER               | M26B13/086          |

Table 1: Details of Group Members