



XTRAVON ONE

GRAIN CONTROL

QORA SYSTEMS - Alianza con MSL Marine Surveyors and Logistics Group

INTELIGENCIA QUE CONECTA. SISTEMAS QUE ESCALAN.

XTRAVON ONE | GRAIN CONTROL

Detailed Operational Manual

User guide for supervisors, dispatch, yard operators, drivers and clients

XTRAVON ONE | GRAIN CONTROL centralizes grain port operations: vessel opening, stowage plan, quotas, tickets, QR controls, scans, SOF, trip dispatch, reports and executive analytics.


The purpose of the system is to turn a historically manual operation into a digital, traceable, measurable and auditable workflow that reduces documentation errors, cargo differences and operational risks.

QORA SYSTEMS - Alianza con MSL Marine Surveyors and Logistics Group


Operational index

1	1. Login, roles and initial navigation
2	2. Vessel opening, products and stowage plan
3	3. Client quotas
4	4. Initial ticket load and controlled QR generation
5	5. Extraordinary approvals
6	6. Trip Dispatch
7	7. Driver portal
8	8. Yard QR Reader and offline mode
9	9. SOF - Statement of Facts
10	10. Executive Center
11	11. Reports
12	12. P.O.R.T.I.A
13	13. Roles, permissions and security
14	14. Help / Q&A

Screens and visual workflows



Supervisor view: Executive Center with KPIs, dynamic filters, vessel silhouette, executive reading and charts.



Vessel opening: products, hold capacities and visible partitions to avoid cargo mixing.

Trip Dispatch

XTRAVON ONE | GRAIN CONTROL

Driver

Plate

Client

Product

Assign ticket

Send QR

Requests

2

Assigned

120

First scan

65

Second scan

42

Third scan

30

Completed

279

New trip requests

Ticket

Client

Product

Status

Juan Perez | ABC123 | Corn

Luis Rojas | XYZ987 | DDGS

Assigned tickets

Ticket

Client

Product

Status

07764 | AgroCentro | Corn

07765 | NordGrain | Soy

Inside port

Ticket

Client

Product

Status

07766 | Tare OK

07767 | Hopper 3

Recently completed

Ticket

Client


Product

Status


07750 | 29.20 MT

07751 | 28.75 MT

Dispatch: trip status board with assignment confirmed by operator.



Yard handheld and driver portal: both must fit device margins and expose only the information required.



SOF, Reports and P.O.R.T.I.A: event records, exportable reports and interactive operational assistance.

1. Login, roles and initial navigation

Purpose

- Enter the system with the correct profile and prevent users from accessing functions outside their role.

Step by step

- Open XTRAVON ONE from the desktop icon or mobile app.
- Wait for the splash/loading screen to complete.
- Select the operating profile: Supervisor, Yard Operator, Driver or Client.
- In production, use personal credentials. Demo users may be enabled for testing.
- Confirm that the visible menu matches the selected role.

Validations

- Supervisor: full access to executive center, operations, dispatch, reports, approvals and roles.
- Yard Operator: limited access to Yard QR Reader and SOF.
- Driver: access to current QR, assigned trips, pending trips and request trips.
- Client: access to authorized quotas, discharge and reports.

2. Vessel opening, products and stowage plan

Purpose

- Create a vessel operation so tickets, quotas, SOF, QR and reports stay separated by operation.

Step by step

- Open Vessel Operations.
- Enter the vessel name exactly as it will be used in operational documents.
- Select the start date from the calendar.
- Add products with the + button. Multiple products may exist in one operation.
- Enter hold capacity in MT. Hold 1 is displayed at the bow and the visual order moves aft.
- If a hold is split by product or client, add partitions. Partition totals must match hold capacity.
- Review the vessel silhouette to confirm capacity and partitions.
- Press Open operation. The operation remains OPEN.

Control rules

- An open operation must not mix records from another operation.
- Two operations may be open if the business requires it, but each load must be explicitly linked to its operation.
- Do not close the operation until discharge, quotas, SOF, QR, reports and differences are validated.

Vessel opening and stowage plan

XTRAVON ONE | GRAIN CONTROL

Vessel	MV ATLANTIC GRAIN	Start date	May 28, 2026
Product 1	Corn	Product 2	Soybean meal

Hold capacity and partitions

Partitions separate client/product

Open operation Clear

Vessel opening, holds and partitions view.

3. Client quotas

Purpose

- Control how much each client must withdraw/discharge by client, product and vessel.

Step by step

- Select the active operation or the operation to manage.
- Add client, quota and unit of measure.
- Use + to add N client rows and - to remove rows.
- Press Create quotas to save all quotas for the operation.
- Use Load active quotas to verify the saved data.

Executive use

- The Executive Center compares quota vs real discharged amount.
- The system should alert overquota, shortfall, delayed client and documentation differences.
- Quotas also support trip remaining estimates based on real truck average.

4. Initial ticket load and controlled QR generation

Purpose

- Load the planned initial tickets and assign them to the correct operation.

Step by step

- Open Ticket Loading.
- Press Find active operation to confirm the target operation.

- Press Open Template. The Excel file opens for editing.
- Complete ticket number, company, vessel, date, product, driver, plate, hold and shipment if applicable.
- Save the Excel file.
- Press Load Excel. Initial records are approved automatically because they belong to the initial plan.
- Press Search table to review the loaded records.

Rules

- Initial loading does not go through Approvals.
- QR is enabled only for tickets assigned according to dispatch and security rules.
- The pass hatch/verification hash must never be shown to the driver.

Vessel opening and stowage plan
XTRAVON ONE | GRAIN CONTROL

Vessel	Start date
MV ATLANTIC GRAIN	May 28, 2026
Product 1	Product 2
Corn	Soybean meal

Hold capacity and partitions

Hold	Capacity (MT)	Product
B5	6,000.00	
B4	6,800.00	
B3		Maiz / DDGS
B2	8,400.00	
B1	9,200.00	

Partitions separate client/product

Open operation Clear

Initial loading is linked to the open operation and does not go through extraordinary approval.

5. Extraordinary approvals

Purpose

- Approve or reject additional tickets that were not part of the initial load.

Step by step

- Open Approvals.
- Open the extraordinary template.
- Load the extraordinary Excel file.
- Press View loaded data.
- Filter by ticket, company, product, driver or plate.
- Mark one, several or all tickets.
- Select action: Approve, Reject, Select all or Clear selection.

- Add a comment when the decision requires evidence.

Rules

- QR and pass hatch are generated only after approval.
- Rejected records must keep comment and responsible user.
- The approval must remain audited for traceability.

Trip Dispatch

XTRAVON ONE | GRAIN CONTROL

Driver
Plate
Client
Product

Assign ticket
Send QR

Requests
Assigned
First scan
Second scan
Third scan
Completed

2
120
65
42
30
279

New trip requests

Ticket	Client	Product	Status
Juan Perez	ABC123	Corn	
Luis Rojas	XYZ987	DDGS	

Assigned tickets

Ticket	Client	Product	Status
07764	AgroCentro	Corn	
07765	NordGrain	Soy	

Inside port

Ticket	Client	Product	Status
07766	Tare OK		
07767	Hopper 3		

Recently completed

Ticket	Client	Product	Status
07750	29.20 MT		
07751	28.75 MT		

Extraordinary tickets require approval before QR generation.

6. Trip Dispatch

Purpose


- Control assignment, continuity, reassignment and trip requests without leaving critical decisions to the driver.

Step by step

- Open Trip Dispatch.
- Find active operation.
- Review boards: requests, assigned, first scan, second scan, third scan, completed, available drivers and active blocks.
- To assign, select driver, plate, company and product. The system takes one ticket according to operation rules.
- After confirmation, the QR becomes available in the driver app and may be sent via WhatsApp or email.
- Use right click or long press in the app for actions: assign, reassign, release, cancel, block or send QR.

Rules

- The ERP may suggest, but dispatch confirms.
- If the driver does not continue, pending tickets go to manual reassignment.
- Reassignment is manual and controlled by dispatch, not blind automatic assignment.



Dispatch board: requests, assigned, scans, completed records and blocks.

7. Driver portal

Purpose

- Show drivers only what they need to operate without exposing sensitive information.

Driver can see

- Current trip QR.
- Company, product and driver name.
- Assigned trips and pending trips.
- Accumulated weight and trip summary.

Driver cannot see

- Pass hatch/verification hash.
- Internal audit data.
- Other drivers' information.
- An open link with the full ticket data.

Cycle completion flow

- When the third scan is completed, the QR is archived.
- The app asks whether the driver wants to continue.
- If yes, the decision is confirmed and the next assigned QR is displayed.
- If no, pending tickets are sent to dispatch for manual reassignment.
- If no tickets remain, the driver may press Request trips.



Driver portal: only current QR, company, product, trips and accumulated weight.

8. Yard QR Reader and offline mode

Purpose

- Record the three truck control points even when connectivity is unstable.

Scans

- First scan: yard ticket/ficha and tare weight.
- Second scan: hopper number.
- Third scan: gross weight and seals.
- Seals: use + to add all required seal entries and - to remove entries.

Offline

- The handheld saves locally when there is no signal.
- Each attempt is queued with date, time, ticket, stage and captured data.
- The device retries synchronization automatically when the network returns.
- The operation must not stop because the backend or signal is down.



Yard handheld: operational capture and offline queue when network is unavailable.

9. SOF - Statement of Facts

Purpose


- Record operational events with from/to time, hold, category and description.

Step by step

- Open SOF.
- The active operation should be selected by default.
- Select ticket if the event applies to a specific ticket.
- Enter from time and to time.
- Select subcategory.
- Write the event with operational detail.
- Save. In app/handheld it may remain offline and synchronize later.

Best practices

- Record crane, machinery, weather, hold, documentation or safety delays.
- Use objective descriptions.
- Do not mix events from different operations.



SOF is recorded by operation, from/to time, hold, category and event.

10. Executive Center

Purpose


- Analyze progress, risk, quotas, holds, time and trends by operation.

Step by step

- Open Executive Center.
- Press Find operation.
- Use dynamic filters: company, ticket, product, driver and plate.
- Press Generate data.
- Review KPIs, vessel silhouette, quota vs discharged, daily trend, truck duration and alerts.

Executive reading

- The system estimates remaining trips using real truck average.
- Each hold is discounted using gross weight minus tare weight.
- Charts must adjust to the selected filters.



Executive Center consolidates KPIs, charts, hold progress and executive reading.

11. Reports

Purpose


- Issue reports by vessel, client, product, hold, SOF and alerts.

Report types

- Executive vessel summary.
- SOF with duration by category.
- Quota vs discharged.
- Discharge by hold.
- Operational alerts.
- Truck productivity.
- Documentation differences.

Formats

- PDF for presentation.
- Excel for analysis.
- Word for editable reports.
- CSV for integrations.



Exportable reports with charts, KPIs and analysis according to report type.

12. P.O.R.T.I.A

Purpose


- Operational assistant for questions about operation, risks, weather, ports, drafts, AIS and times.

Activation

- Say: Oye Portia, Hola Portia, Portia estas ahi or Hey Portia.
- Wait for the listening confirmation.
- Ask one clear question.
- To stop: Es todo Portia, Desconectate Portia or Silencio Portia.

Best practices

- Ask one thing at a time.
- Weather answers use forecast language.
- Risk answers use cautious language: apparently.
- PORTIA does not replace validation with port authority, terminal or local authority.



P.O.R.T.I.A answers operational, weather, risk, port and time questions.

13. Roles, permissions and security

Purpose

- Protect critical functions and ensure users see only what they need.

Controls

- Role-based permissions.
- Audit trail for approvals, reassignments, scans and closures.
- QR valid only if operation, ticket, driver, plate and state match.
- Pass hatch/hash is not visible to the driver.
- Blocking by used QR, complete ticket or fulfilled quota.

14. Help / Q&A;

Purpose

- Consult an operational manual inside the ERP without internet or AI dependency.

Use

- Select topic.
- Select view: guide, FAQ, visual flow or full manual.
- Write a short question.
- Press Search help.

Operational checklists

Before operation	Vessel open, products correct, holds reviewed, quotas created, users/roles validated.
Before ticket load	Correct operation selected, template updated, driver and plate complete, hold and shipment if applicable.
Before dispatch	Tickets assigned, QR enabled, driver/plate not blocked, quota and product available.
During yard process	First scan with tare/ficha, second with hopper, third with gross/seals.
Offline mode	Confirm the app shows local pending records and syncs when network returns.
Closing	Quotas reviewed, SOF complete, reports generated, documentation differences resolved.