

ProPILOT Assist

Post-Drive Survey Results

27MY Rogue Hybrid e-POWER vs. Current System
n = 14 respondents | Survey Date: June 29 - July 6, 2026

Executive Summary


The 27MY Rogue Hybrid e-POWER ProPILOT Assist system shows a significant improvement over the current system. The average overall rating improved from 3.07 to 4.50 (+1.43 points, +47%). Zero respondents rated the new system negatively (vs. 29% for current). 64% of respondents rated the new system 'Very Favorable' compared to just 7% for the current system.

Key Strengths: Smoother steering, better cornering, improved GUI, confidence-inspiring.
Key Concern: Hands-Off Traffic Jam speed limit (31 mph) may be too low for US market.

Feature Rating Summary


Feature	Average	% Favorable+	% Very Fav.	vs Current
Current System (Baseline)	3.07	50%	7%	-
27MY Overall Performance	4.50	93%	57%	+1.43 (+47%)
Multi-Lane Dynamic Graphics	4.29	79%	50%	+1.21
Lane Change Assist	4.14	79%	36%	+1.07
Hands-Off Traffic Jam	3.57	57%	0%	+0.50

1. Current vs. 27MY System: Individual Ratings




The chart above shows each respondent's rating for the current system (red) and the 27MY system (green). Every respondent rated the new system equal to or higher than the current system. The biggest individual improvements came from respondents who were most dissatisfied with the current system (Spencer +3, Kinderknecht +4, Dancho +3, Enders +3).

2. Rating Distribution Shift




The distribution shows a dramatic shift to the right. The current system has responses spread across all categories including 3 'Very Unfavorable' and 1 'Unfavorable'. The 27MY system concentrates almost entirely in 'Favorable' and 'Very Favorable', with only 1 'Neutral' response and zero negative ratings.

3. Feature Comparison: Average Ratings



4. Individual Improvement Scores



5. Key Qualitative Feedback Themes

27MY System - Positive Themes

- Smoother steering intervention and cornering performance
- More natural braking behavior
- Increased driver confidence in the system
- Improved GUI with clear vehicle/environment recognition
- Touch-sensitive steering wheel (vs. torque-based) greatly preferred
- Lane changes feel seamless and natural

27MY System - Concerns

- Off-highway use: acceleration logic during lane changes is concerning off-highway
- Complexity: too many indicators and conditions for activation
- Turn signal interaction model (half vs. full engagement) is confusing
- Cost/marketability concerns for average Nissan customer

Multi-Lane Dynamic Graphics (Avg: 4.29)

- Positive: Informative without being distracting; good balance
- Positive: Seeing recognized vehicles/objects builds confidence
- Concern: ICC distance indicator too small (prefer previous larger bars)
- Suggestion: Add arrow/gradient for lane change path directionality

Lane Change Assist (Avg: 4.14)

- Positive: Smooth, predictable, 'wow factor' for some respondents
- Positive: Easy toggle via turn signal once understood
- Concern: Must wait for arrow indicators before activating signal
- Concern: Half-engagement vs full-engagement confusion
- Recommendation: Customer tutorial needed during sales process

Hands-Off Traffic Jam Support (Avg: 3.57)

- Concern: 30-31 mph limit too low for US traffic jams (frequently 0-40 mph)
- Concern: Constant hand-on/off cycling would frustrate customers
- Concern: Limited value if you still need to be ready to take over
- Concern: Highway-only limitation reduces use cases
- Positive: System performed well within its operating parameters

6. Recommendations

1. Raise Hands-Off speed threshold for US market

Multiple respondents indicated 31 mph is too low. Real US traffic jams often flow at 30-40 mph. Consider increasing to 40+ mph to reduce hand-on/off cycling and improve perceived value.

2. Simplify activation UI/indicators

Several respondents found the number of indicators and conditions for activation confusing. Streamline the interface and reduce cognitive load for the driver.

3. Clarify turn signal interaction model

The half-engagement vs full-engagement behavior was confusing to multiple users. Consider standardizing to one method or providing clear visual/haptic cues.

4. Develop customer tutorial/onboarding

Features require education. Build a tutorial into the sales/delivery process and consider an in-vehicle guided walkthrough for first-time use.

5. Address off-highway behavior

The acceleration logic during lane changes carries over to off-highway scenarios (e.g., left-turn lanes), which was described as 'scary'. Implement context-aware behavior.