

Build your first agent within 10 minutes


- 1. Step 1: Create an agent
 - 1.1. Access the Agent Workspace
 - 1.2. Configure Agent Settings
- 2. Step 2: Write the Prompts
- 3. Step 3: Add Knowledge to the Agent
 - 3.1. Add knowledge for your Agent
 - 3.2. Add new Knowledge base
 - 3.3. Upload Confluence URL to your Knowledge Base
 - 3.4. Select child pages from uploaded Confluence URL
- 4. Step 4: Add Skills to the Agent (Optional)
 - 4.1. Add tool for your Agent
 - 4.2. Select a Public Tool from Official Tool Market
 - 4.3. Modify Prompts
- 5. Step 5: Debug the agent
- 6. Step 6: Release the agent
- 7. Step 7: Integrate with SeaTalk Bot
 - 7.1. Add a SeaTalk Bot to your integration list
 - 7.2. Fill in Seataalk bot information
 - 7.3. Configure SeaTalk Event Callback (Apps)
- 8. Step 8: You're All Set!
 - 8.1. Find your bot on SeaTalk
 - 8.2. Test the AI Agent by asking any questions related to the agent specialization

Welcome to the Smart platform, where you can effortlessly build AI agents regardless of your programming experience. This article demonstrates how to build an agent on the Smart platform using a Smart Knowledge Bot as an example. Follow these steps to quickly build a knowledge bot:


1. Step 1: Create an agent

Sub-steps	UI
1.1. Access the Agent Workspace	

- Log in to Smart
- Navigate to the left menu, ensure the team selection is correct, and click on "Agent" under your team section to access the Team Agent tab.
- Click New Agent to proceed
- You will be landed on "Agent edit" page.



A new agent will be created



1.2. Configure Agent Settings

After creating a new agent, click on "Edit Agent Info" button to set a name, Project and Description. You can skip this step for later.

- **Name** : Provide a unique and descriptive name (maximum 40 characters).
- **Project** : Choose your project (auto-filled by default).

Optional: Locate Edit Agent Info button to update Name, Project and Description

The screenshot shows the top section of the agent configuration interface. At the top, there is a header bar with a back arrow, the text 'Untitled Agent (0z6g)', a gear icon, and a button labeled 'Edit Agent Info' which is highlighted with a red rectangular box. Below the header, there is a 'Draft' button. The main content area is divided into two sections: 'Orchestrate' with a 'Single Agent' dropdown menu, and 'Role and Prompt'.

The screenshot shows a modal window titled 'Create New Agent' with a close button (X) in the top right corner. The form contains the following fields and options:

- * Name**: A text input field with the placeholder 'Please give agent a name' and a character count '0 / 40'.
- * Cost Group ?**: A dropdown menu with the placeholder 'Please select'.
- * Description**: A large text area with the placeholder 'Please introduce your agent is and what it can do' and a character count '0 / 800'.
- Visibility ?**: Two radio button options: 'For Team' (selected) and 'For Global'.
- At the bottom right, there are two buttons: 'Cancel' and 'Confirm'.

- **Description:** Briefly describe the agent's purpose and use case (max 800 characters).
- **Visibility:** Set to **Team** (team-only access) or **Global** (shared across teams).
- Click **"Confirm"** to proceed.

2. Step 2: Write the Prompts

Define the agent's role and objectives through well-crafted prompts to ensure the agent responds appropriately in all interactions. You can include the following information in your prompt:

- **Role:** Specify the agent's function (e.g., helpful assistant for Smart-related queries).
- **Objectives:** Outline key goals, such as assisting with agent creation and providing contextual guidance.
- **Skills:** List capabilities like navigating the Smart UI and troubleshooting common issues.
- **Constraint:** Prevents the agent from going off-limits e.g., making up data, giving unsupported advice, or speaking outside its scope.
- **Output format:** Defines how the response should look especially important in user interfaces where clarity, readability, or structure matters.

Enter the prompts in the Role & Prompt panel on the **Orchestrate** page, click **General**. For example, the prompts for a Smart Knowledge Bot could be set as follows:

Role & Prompt

Role

You are helpful assistant to help answer user query related with shopee internal Smart platform, general good practice for LLM prompting, multi agent pattern and prompt engineering. You can also help with prompt engineering if user ask.

Skills

Skill 1: Understand user question

Comprehend the user's query. If the user's question is unclear, ask follow-up questions to gather needed information.

Make sure you know what is the context of user's question and which category it belongs to:

Smart Platform functionality

Smart Existing Implemented Tools

LLM

Multi Agent Pattern

Prompt Engineering

Others

Skill 2: Gather relevant information

If questions is LLM related, you can use your general knowledge to answer user questions.

If questions is related to Multi Agent Pattern and Prompt Engineering questions, can call retrieve from the to see if there is a answer first.

If questions is related to the functionality of Smart platform, query information from to help answer user query. But, REMEMBER Do validation is the given document by is relevant or not.

Always do validation between given document and the platform related question, before your final answer. If you don't know, please answer "I don't know", don't make assumption.

Additionally, you can give related document link to the user for more details. Make sure that the link that you gave to the user is relevant.

Skill 3: Answer user question

Always maintain a friendly and supportive tone, ensuring that users feel comfortable seeking help. Remember to provide clear explanations

Always verify whether a new user query requires fresh information (like knowledge_base or require other tool call or agent call), if so do not use the previous context answer.

Constraints

Topic: Only discuss topics related to Smart platform base on the provided knowledge base. Politely inform the user and acknowledge the inability to provide answers for unrelated topics.

Style: Ensure responses are accurate, concise, and easy to understand. Provide professional and definitive replies.

Language: Use the same language as the user's input.

Response length: Answers should be clear and concise, not exceeding 500 words.

Format: Respond using Markdown format.

Do NOT rely only on glossary to answer user query, always call the agent

Glossary

Smart: Stands for Sea Multi-agent Realization Technology, an Shopee's internal AI agent platform that allows teams to build, debug, and deploy agents powered by large language models (LLMs). Smart supports both single-agent and multi-agent architectures, and enables seamless integration with tools, knowledge bases, and business workflows.

Agent: An autonomous entity that acts or makes decisions based on the information it receives

Knowledge Base: A repository of documents that agents can use to retrieve external information

Tool: A chunk of code that agents can invoke to interact with external systems, fetching real-time data or performing specific actions

Workspace: An environment where users can design and test their agent capabilities

3. Step 3: Add Knowledge to the Agent




Adding a knowledge base to agents can provide accurate knowledge support and enhance the reliability and professionalism of the responses generated by LLMs. Smart's knowledge base allows you to upload and store external knowledge bases i.e Google files, Confluence pages, Web URLs, Hive Tables etc offering various retrieval capabilities. Using Smart's knowledge bases can address issues like hallucinations by large language models (LLMs) and lack of domain-specific knowledge, thereby improving the accuracy of responses generated by LLMs.

For example, with Smart Knowledge Bot, since the User Guide is written and stored in the Confluence pages, we can directly upload the Confluence URL to the agent

Sub-steps	UI
3.1. Add knowledge for your Agent In the Knowledge s ection of the develop page, click on the Tool feature corresponding to the + icon.	Knowledge Add knowledge to empower your Agent with the domain expertise.

3.2. Add new Knowledge base

- On the **Team Knowledge** page, click **Create New Knowledge**
- Add **Name**, **Description**, and **Visibility** setting, then click **Create**
- Click **Upload file**, select **Upload Confluence URL**, then click **Upload**



3.3. Upload Confluence URL to your Knowledge Base

- In the Upload File page, click **Upload URL**
- Input your Confluence token key in **Authorize Your Account for Getting Content**
 - Note: If you don't have a key yet, you can visit this [page](#) to get your personal access token
- Input the Confluence URL link, then click **Upload**
 - Smart Knowledge Bot Example: [Smart User Guide](#)

Upload File: Upload Confluence URL

1 Upload 2 Configuration

All 0 Uploading 0 Succeed 0 Failed 0 Upload URL

Upload Confluence URL

• Authorize Your Account for Getting Content

PSdgh6ghdy7ghbdr23579hbt67udtsdf

Make sure uploaded Confluence link is public and allows downloads for your personal account. If you don't know how to get personal access tokens, please refer this [user guide](#).

• Confluence URL




https://confluence.shopee.io/x/qZzo

Cancel Upload

Update Frequency: 1 hour Next >

3.4. Select child pages from uploaded Confluence URL

- After click **Upload**, you can see a popup that displays all the child pages that belong to the same uploaded Confluence URL. You can choose specific pages for focused knowledge inclusion.. Click **Add** to add the selected pages
- Double check the pages that you have selected to upload, then click **Next** to proceed with the upload
- In **Configuration** tab, you can choose the appropriate parsing strategy based on the file type to ensure proper handling and storage of your data.
- Click **Next** to proceed



4. Step 4: Add Skills to the Agent (Optional)

If the model's capabilities can essentially cover the agent's functions, then writing prompts for the agent is sufficient. However, if the functionalities designed for the agent cannot be accomplished solely through model capabilities, you will need to add skills to the agent to expand its capability boundaries. For example, text-based models do not have the capability to understand multimodal content. If an agent uses a text-based model, it needs to be attached with a multimodal tool to understand or summarize multimodal content such as PPTs and images. Moreover, the training data of the model is openly available on the internet, and the model usually lacks specialized knowledge in specific domains. If the agent is involved in intelligent chat scenarios, you would need to add a specific knowledge base to address the shortcomings in the model's specialized knowledge.

For example, with Smart Knowledge Bot, the model's capabilities can generally achieve the effects we anticipate. However, if you want to add more skills to the Smart Knowledge Bot, such as searching the internet for answers to questions the model cannot answer, you can add a Google search tool to the agent.

Sub-steps	UI
4.1. Add tool for your Agent In the Skills section of the development page, click on the Tool feature corresponding to the + icon.	Skills Tools + Add Tools to allow your agent expand the capabilities.
4.2. Select a Public Tool from Official Tool Market On the Official Tool Market tab, search for web_search-google_search, then click Add.	Team ToolsOfficial Tool Market Search by name or description Recommendation:GenericPDF ProcessGoogle Drive web_search-google_search search using google edward.sujono@shopee.com Updated at 19:00 May 15 Add 0 used
4.3. Modify Prompts	

- Modify Role & Prompt, directing the agent to use the Google Web Search tool to answer questions it is unsure about. Otherwise, the agent might not call the tool as expected.

Add this part to your prompt

Skills:
9. When encountering questions you cannot answer, involve Google Web Search to find answers

Role and Prompt

Role

You are helpful assistant to help answer user query related with SMART platform, general good practice for LLM prompting, multi agent pattern and prompt engineering. You can also help with prompt engineering if user ask.

Objectives

- Help users understand the layout and purpose of the SMART platform components (e.g., Agent, Tool, Knowledge Base).
- Assist users with creating, editing, and releasing AI agents.
- Provide contextual guidance when users interact with settings, buttons, or workflows.
- Recommend best practices for structuring prompts, setting visibility, and managing agent status.
- Refer users to relevant knowledge base entries when available.

Skills

1. Navigate and describe all sections of the SMART platform UI.
2. Provide step-by-step instructions for: - Creating a new agent (from scratch or mirroring existing) - Setting agent properties (name, cost group, visibility) - Writing prompts (role, objectives, skills, constraints, output) - Saving and releasing agents
3. Explain all form fields and agent settings (e.g., "Project", "Visibility", "Unreleased Change").
4. Interpret agent statuses such as "Live", "Draft", "Maintenance", and "Unreleased Change".
5. Guide users through previewing, testing, and debugging agents.
6. Troubleshoot common user issues (e.g., cannot release, unsaved edits, missing fields).
7. Recommend naming conventions, prompt-writing tips, and visibility settings.
8. Reference or summarize entries from the Knowledge Base using '@' commands when applicable.
9. When encountering questions you cannot answer, involve tool Google Web Search to find answers

Constraints

- Do not provide technical or backend integration support outside of platform UI usage.
- Do not give recommendations that involve custom coding unless officially supported by the platform.
- Responses must align with the current SMART V1.0 features and UI (as of May 2025).
- Avoid assuming user familiarity—always explain concepts clearly and concisely.
- Always maintain a friendly and supportive tone, ensuring that users feel comfortable seeking help.
- Always verify whether a new user query requires fresh information (like knowledge_base or require other tool call or agent call), if so do not use the previous context answer.

5. Step 5: Debug the agent


Sub-steps	UI
Test your agent in the Preview & Debug area to ensure it meets expectations.	Preview & Debug 44:38 Smart Platform Supervisor Hi, I am your AI Assistant! How can I assist you today? what is smart Smart stands for SEA Multi-Agent Realisation Technology. It is an internal AI agent platform developed by SEA Group that allows teams to develop AI agents powered by large language models (LLMs). Smart supports both single-agent and multi-agent architectures, and enables seamless integration with tools, knowledge bases, and business workflows. ✓ 1,633 ms 825 tokens Please Enter to send, or Shift + Enter to create new line

6. Step 6: Release the agent

After debugging, click **Release** to release the agent across various channels for use in end-user applications.


Sub-steps	UI
1. In the upper right corner of the agent develop page, click Release .	Autosave 12:23:23 Save ➤ Release ➤ Preview & Debug 45:00:00

1. Enter the release information including **Name**, **Description**, and **Release Note**
2. Click **Release** to proceed.





The 'Release Single Agent' dialog box contains three text input fields: 'Name' (placeholder: 'Please give Agent a name', 0 / 40), 'Description' (placeholder: 'Please introduce what your Agent is and what it can do', 0 / 800), and 'Release Note' (placeholder: 'Short brief of what are the changes'). Below these fields is a 'Review' section showing a flowchart with a 'Start' button, a 'DRM AI Agent' box (with sub-items: OPT10-C, 3 Knowledge, 0 Tools used), and a 'CPM AI Agent' box (with sub-items: OPT10-C, 3 Knowledge, 0 Tools used). At the bottom right are 'Cancel' and 'Release' buttons.

- Once the agent is successfully released, click **Configure Integration**
- User will be taken to the **Integration** tab to set up connections with:
 - SeaTalk Bot
 - External API



7. Step 7: Integrate with SeaTalk Bot

Sub-steps	UI
7.1. Add a SeaTalk Bot to your integration list In the Integration page, go to SeaTalk Bot in the left navigation menu, then click + New Bot	
7.2. Fill in Seataalk bot information - Fill in Integration Name, SeaTalk ID, App ID and Secret, Signing Secret - Note: If you don't have an existing SeaTalk bot yet, refer here to quickly build a bot - Click Save	

7.3. Configure SeaTalk Event Callback (Apps)

- Under **Action**, click **Bind**. Then copy the generated callback URL
- Go to [Seatalk Open Platform Event Callback](#) and paste the callback URL to complete integration

Integration Name	SeaTalk ID	Callback URL How to use	Added At	Action
Hang Test	9260784473	https://smart.shopee.io/apis/smart/v1/orchestrator/seatalk_webhook/fuipeoxc694lzc3tgp0mxd05	01:45 May 17	Details Bind Delete

[Apps](#)

Hang Test

Status Online

[General Settings](#)
[Basic Info & Credentials](#)
[App Managers](#)
[Scopes & Permission](#)

[Bot](#)
[Advanced Settings](#)
[Event Callback](#)
[Security Settings](#)

Event Callback

Set up event callback URL for your app to get notified when an enabled event has happened. [Learn more](#)

Event Callback URL

URL

To successfully configure the callback URL, your URL must pass a verification test from SeaTalk. SeaTalk will send an HTTP POST request to this URL with a parameter called "seatalk_challenge". After receiving the request, your server must return the value of that parameter as it is within 5 seconds. SeaTalk will retry a maximum of 3 times if no response is received. [Learn more](#)

Signing Secret wrScBapGcrTFsmq9fxqvDKrhIKTsyfkl [Copy](#) [Reset](#)

8. Step 8: You're All Set!

Sub-steps	UI
8.1. Find your bot on SeaTalk Go to SeaTalk > Search for the bot name	The screenshot shows the SeaTalk interface. At the top, there's a header with 'Hang Test' and a search icon. Below the header, there's a navigation bar with tabs: 'All', 'Contact', 'Group', 'Chat History', 'Bot' (selected), 'Announcement', and 'Notice'. The main content area shows a list of bots, with 'Hang Test' (Bot) being the only one listed. The bot's profile picture is a pink character.

8.2. Test the AI Agent by asking any questions related to the agent specialization

09:48

how do I create knowledge base



Creating a Knowledge Base (KB) in the Smart platform involves a few steps. Here's a concise guide to help you through the process:

- 1. Access the Knowledge Base Section:**
 - Log into the Smart platform.
 - Navigate to the Knowledge Base section from the main dashboard.
- 2. Create a New Knowledge Base Entry:**
 - Look for an option to create a new entry, commonly labeled as "Add New" or "Create Entry."
- 3. Fill Out the Entry Details:**
 - **Title:** Give your entry a clear and descriptive title.
 - **Content:** Write the content of your entry. This can include instructions, explanations, or any relevant information that users may need.
 - **Tags/Categories:** If applicable, assign tags or categories to make the entry easier to find.
- 4. Set Visibility Settings:**
 - Choose who can view this knowledge base entry (e.g., public, team members, etc.).



Press ⌘ + Enter for a new line

Send