

Graph Suffix: `area`

R (ggplot2): `geom_area(position = 'stack')`




Stata: `twoway area`




Graph Suffix: `bar`

R (`ggplot2`): `geom_col() + coord_flip()`




Stata: `graph hbar, asyvars`




Graph Suffix: `box`

R (`ggplot2`): `geom_boxplot()`




Stata: `graph box, asyvars`




Graph Suffix: `bubble`

R (ggplot2): `geom_point(aes(size = ...))`




Stata: `twoway scatter [w=...]`




Graph Suffix: `density`

R (`ggplot2`): `geom_density()`




Stata: `twoway kdensity (area + line)`




Graph Suffix: `dot`

R (ggplot2): `geom_segment() + geom_point()`




Stata: `graph dot, asyvars`




Graph Suffix: `dumbbell`

R (ggplot2): `geom_segment() + geom_point()`




Stata: `twoway rspike + scatter`




Graph Suffix: `ecdf`

R (ggplot2): `stat_ecdf(geom = 'step')`




Stata: `cumul + twoway line`




Graph Suffix: `facet`

R (ggplot2): `geom_point() + facet_wrap()`




Stata: `twoway scatter, by()`




Graph Suffix: `forest`

R (ggplot2): `geom_errorbar() + geom_point()`




Stata: `twoway rcap + scatter`




Graph Suffix: `histogram`

R (ggplot2): `geom_histogram() + geom_density()`




Stata: `twoway histogram + kdensity`




Graph Suffix: `line`

R (ggplot2): `geom_line()`




Stata: `twoway line`




Graph Suffix: `lollipop`

R (ggplot2): `geom_segment() + geom_point()`




Stata: `twoway dropline`




Graph Suffix: `pyramid`

R (ggplot2): `geom_col() + geom_vline()`



Source: Financial Planning & Analysis Report


Stata: `twoway bar, horizontal`




Source: Financial Planning & Analysis Report

Graph Suffix: `ribbon`

R (ggplot2): `geom_ribbon() + geom_line()`




Stata: `twoway rarea + line`



Graph Suffix: `scatter`

R (`ggplot2`): `geom_point() + geom_smooth(lm)`



Stata: `twoway lfitci + scatter`

