PK (ADME)
PD (named activity)
Risk/severity (unspecified mechanism)
Therapeutic efficacy (unspecified mechanism)
low test support (n<20)

DrugBank S1: top-15 / bottom-15 of 62 evaluable types

[16] - neuromuscular blocking
[83] + vasopressor
[22] + stimulatory
[56] + nephrotoxic
[5] + anticoagulant
[20] + neuromuscular blocking
[54] + hyponatremic
[33] + immunosuppressive
[32] + risk: QTc prolongation
[47] + myopathic rhabdomyolysis
[19] + QTc-prolonging
[52] + antiplatelet
[28] - diuretic
[37] + vasodilatory
[59] + hypotensive
··· *32 types omitted* ···
[3] + metabolism
[84] + tachycardic
[74] - serum concentration
[60] - stimulatory
[79] + hepatotoxic
[73] + fluid retaining
[70] + hypertensive
[7] + therapeutic efficacy
[1] + anticholinergic
[4] - vasoconstricting
[82] + hypokalemic
[67] + hyperkalemic
[13] - bronchodilatory
[35] + antipsychotic
[18] + vasoconstricting

−0.5 0.0 0.5

Δ AUPRC (fusion=concat − graph-only),
mean ± std over 3 seeds

DrugBank S2: all 28 evaluable types

[5] + anticoagulant
[56] + nephrotoxic
[39] + respiratory depressant
[20] + neuromuscular blocking
[26] + neuroexcitatory
[59] + hypotensive
[19] + QTc-prolonging
[11] - anticoagulant
[48] + risk: adverse effects
[66] - absorption
[52] + antiplatelet
[71] - excretion rate
[36] - antihypertensive
[69] - therapeutic efficacy
[53] + bradycardic
[9] + antihypertensive
[46] - metabolism
[29] + orthostatic hypotensive
[76] + active-metabolite serum conc.
[8] + hypoglycemic
[72] + serum concentration
[24] + atrioventricular blocking (AV b...
[74] - serum concentration
[3] + metabolism
[15] + central nervous system depressa...
[82] + hypokalemic
[70] + hypertensive
[84] + tachycardic

−0.5 0.0 0.5

Δ AUPRC (fusion=concat − graph-only),
mean ± std over 3 seeds