PK (ADME)
PD (named activity)
Risk/severity (unspecified mechanism)
Therapeutic efficacy (unspecified mechanism)
low test support (n<20)

DrugBank S1: per-type fusion-minus-graph-only AUPRC (62 evaluable types)

[16] #Drug1 may decrease the neuromuscular blocking activities of ...
[83] #Drug1 may increase the vasopressor activities of #Drug2.
[22] #Drug1 may increase the stimulatory activities of #Drug2.
[56] #Drug1 may increase the nephrotoxic activities of #Drug2.
[5] #Drug1 may increase the anticoagulant activities of #Drug2.
[20] #Drug1 may increase the neuromuscular blocking activities of ...
[54] #Drug1 may increase the hyponatremic activities of #Drug2.
[33] #Drug1 may increase the immunosuppressive activities of #Drug...
[32] The risk or severity of QTc prolongation can be increased whe...
[47] #Drug1 may increase the myopathic rhabdomyolysis activities o...
[19] #Drug1 may increase the QTc-prolonging activities of #Drug2.
[52] #Drug1 may increase the antiplatelet activities of #Drug2.
[28] #Drug1 may decrease the diuretic activities of #Drug2.
[37] #Drug1 may increase the vasodilatory activities of #Drug2.
[59] #Drug1 may increase the hypotensive activities of #Drug2.
[65] The risk or severity of bleeding can be increased when #Drug1...
[68] #Drug1 may increase the analgesic activities of #Drug2.
[9] #Drug1 may increase the antihypertensive activities of #Drug2.
[24] #Drug1 may increase the atrioventricular blocking (AV block) ...
[63] #Drug1 may increase the serotonergic activities of #Drug2.
[10] The serum concentration of the active metabolites of #Drug2 c...
[2] The bioavailability of #Drug2 can be decreased when combined ...
[36] #Drug1 may decrease the antihypertensive activities of #Drug2.
[80] #Drug1 may increase the thrombogenic activities of #Drug2.
[26] #Drug1 may increase the neuroexcitatory activities of #Drug2.
[11] #Drug1 may decrease the anticoagulant activities of #Drug2.
[31] #Drug1 may increase the sedative activities of #Drug2.
[57] #Drug1 may decrease the cardiotoxic activities of #Drug2.
[53] #Drug1 may increase the bradycardic activities of #Drug2.
[46] The metabolism of #Drug2 can be decreased when combined with ...
[39] #Drug1 may increase the respiratory depressant activities of ...
[69] The therapeutic efficacy of #Drug2 can be decreased when used...
[48] The risk or severity of adverse effects can be increased when...
[81] #Drug1 may increase the arrhythmogenic activities of #Drug2.
[17] #Drug1 can cause an increase in the absorption of #Drug2 resu...
[75] #Drug1 may decrease the sedative activities of #Drug2.
[76] The serum concentration of the active metabolites of #Drug2 c...
[72] The serum concentration of #Drug2 can be increased when it is...
[38] #Drug1 may increase the constipating activities of #Drug2.
[15] #Drug1 may increase the central nervous system depressant (CN...
[71] #Drug1 may decrease the excretion rate of #Drug2 which could ...
[29] #Drug1 may increase the orthostatic hypotensive activities of...
[66] #Drug1 can cause a decrease in the absorption of #Drug2 resul...
[21] #Drug1 may increase the adverse neuromuscular activities of #...
[23] #Drug1 may increase the hypocalcemic activities of #Drug2.
[8] #Drug1 may increase the hypoglycemic activities of #Drug2.
[50] #Drug1 may increase the hypercalcemic activities of #Drug2.
[3] The metabolism of #Drug2 can be increased when combined with ...
[84] #Drug1 may increase the tachycardic activities of #Drug2.
[74] The serum concentration of #Drug2 can be decreased when it is...
[60] #Drug1 may decrease the stimulatory activities of #Drug2.
[79] #Drug1 may increase the hepatotoxic activities of #Drug2.
[73] #Drug1 may increase the fluid retaining activities of #Drug2.
[70] #Drug1 may increase the hypertensive activities of #Drug2.
[7] The therapeutic efficacy of #Drug2 can be increased when used...
[1] #Drug1 may increase the anticholinergic activities of #Drug2.
[4] #Drug1 may decrease the vasoconstricting activities of #Drug2.
[82] #Drug1 may increase the hypokalemic activities of #Drug2.
[67] #Drug1 may increase the hyperkalemic activities of #Drug2.
[13] #Drug1 may decrease the bronchodilatory activities of #Drug2.
[35] #Drug1 may increase the antipsychotic activities of #Drug2.
[18] #Drug1 may increase the vasoconstricting activities of #Drug2.

−0.4 −0.2 0.0 0.2 0.4 0.6

Δ AUPRC, Fusion (GIN+text) − Graph-only (GIN), mean ± std over 3 seeds

DrugBank S2: per-type fusion-minus-graph-only AUPRC (28 evaluable types)

[5] #Drug1 may increase the anticoagulant activities of #Drug2.
[56] #Drug1 may increase the nephrotoxic activities of #Drug2.
[39] #Drug1 may increase the respiratory depressant activities of ...
[20] #Drug1 may increase the neuromuscular blocking activities of ...
[26] #Drug1 may increase the neuroexcitatory activities of #Drug2.
[59] #Drug1 may increase the hypotensive activities of #Drug2.
[19] #Drug1 may increase the QTc-prolonging activities of #Drug2.
[11] #Drug1 may decrease the anticoagulant activities of #Drug2.
[48] The risk or severity of adverse effects can be increased when...
[66] #Drug1 can cause a decrease in the absorption of #Drug2 resul...
[52] #Drug1 may increase the antiplatelet activities of #Drug2.
[71] #Drug1 may decrease the excretion rate of #Drug2 which could ...
[36] #Drug1 may decrease the antihypertensive activities of #Drug2.
[69] The therapeutic efficacy of #Drug2 can be decreased when used...
[53] #Drug1 may increase the bradycardic activities of #Drug2.
[9] #Drug1 may increase the antihypertensive activities of #Drug2.
[46] The metabolism of #Drug2 can be decreased when combined with ...
[29] #Drug1 may increase the orthostatic hypotensive activities of...
[76] The serum concentration of the active metabolites of #Drug2 c...
[8] #Drug1 may increase the hypoglycemic activities of #Drug2.
[72] The serum concentration of #Drug2 can be increased when it is...
[24] #Drug1 may increase the atrioventricular blocking (AV block) ...
[74] The serum concentration of #Drug2 can be decreased when it is...
[3] The metabolism of #Drug2 can be increased when combined with ...
[15] #Drug1 may increase the central nervous system depressant (CN...
[82] #Drug1 may increase the hypokalemic activities of #Drug2.
[70] #Drug1 may increase the hypertensive activities of #Drug2.
[84] #Drug1 may increase the tachycardic activities of #Drug2.

−0.4 −0.2 0.0 0.2 0.4 0.6

Δ AUPRC, Fusion (GIN+text) − Graph-only (GIN), mean ± std over 3 seeds