Hw04

Ning Hsu


2018.02.27

```
library(plyr)
library(dplyr)
##
## Attaching package: 'dplyr'
## The following objects are masked from 'package:plyr':
##
##
       arrange, count, desc, failwith, id, mutate, rename, summarise,
##
       summarize
## The following objects are masked from 'package:stats':
##
##
       filter, lag
## The following objects are masked from 'package:base':
##
##
       intersect, setdiff, setequal, union
library(tidyr)
library(lubridate)
##
## Attaching package: 'lubridate'
## The following object is masked from 'package:plyr':
##
##
       here
## The following object is masked from 'package:base':
##
##
       date
library(ggmap)
## Loading required package: ggplot2
library(ggplot2)
library(grid)
library(reshape2)
##
## Attaching package: 'reshape2'
## The following object is masked from 'package:tidyr':
##
##
       smiths
violence <- readRDS('./crime_data.rds')</pre>
violence1 <-filter(violence, (Primary.Type == "ASSAULT" | Primary.Type == "HOMICIDE") )</pre>
```

```
library(ggmap)
location <- unlist(geocode('4135 S Morgan St, Chicago, IL 60609'))+c(0,.02)
## Information from URL: http://maps.googleapis.com/maps/api/geocode/json?address=4135%20S%20Morgan%20
map<-get_map(location = location, zoom = 11, scale = "auto", maptype = "terrain", source = "google", co</pre>
## Map from URL: http://maps.googleapis.com/maps/api/staticmap?center=41.839191,-87.6504&zoom=11&size=
contours<- stat_density_2d(data = violence1,aes(x = Longitude, y = Latitude, fill = ..level.., alpha =</pre>
ggmap(map) +
 contours+
 theme(panel.spacing =unit(0, "cm"),
       legend.title = element_text(size = 5),
       legend.key.size = unit(0.4, "cm") ,
       legend.text = element_text(size = 5),
       plot.title = element_text(size = 14, face = "bold",hjust = 0.5),
       axis.title =element_text(size = 12, face= "bold"),
       axis.text = element_blank(),
       axis.ticks = element blank(),
       strip.text = element_text(size = 12, face = "bold"))+
  scale_fill_continuous(name="Violence\nCrime\ndensity")+
  scale_alpha_continuous(guide = FALSE)+
  xlab("Longitude")+
  ylab("Latitude")+
  ggtitle("Density Plot of Violent Crimes in the City of Chicago")+
  facet_grid(.~Primary.Type)
```


Warning: Removed 4112 rows containing non-finite values (stat_density2d).

Density Plot of Violent Crimes in the City of Chicago



Longitude

Distribution of Violent Crimes By Hour



```
Viom <- melt (VIO, id.vars = "Date", variable.name = "type")

ggplot(Viom, aes(Date, value, colour = type)) +
geom_line()+
theme(
   plot.title = element_text(size = 13, hjust = 0.5, face = "bold"),
   axis.title = element_text(size = 12, face = "bold"),
   strip.text.x = element_text(size = 12, face = "bold"),
   legend.title = element_text(size = 8),
   legend.key.size = unit(0.5, "cm"),
   legend.text = element_text(size = 6))+
labs( x = "Date", y = "Number of Crimes Per Day", shape = "Transmission" )+
scale_colour_manual(values = c("darkblue", "orange"), name = "Crime Types", labels = c("Assault", "Homi
ggtitle("Time Series Plot of Violent Crimes from 2012 to 2017")</pre>
```

Time Series Plot of Violent Crimes from 2012 to 2017

