C:/my_designs/ALU/ALU/src/w	ave.asdb	untitled.awc				
Signal name	Value	16 24 32 40 48		56 64 72 80 ns		
⊞ лг ALUop	9?	9?XXX				
⊕ л и Res	00	00000000000000000000000000000000000000		000000000000000000000000FFFFFF7 X 0000000000		
⊕ ూ regA_Data	00	00000000000000000000000000000000000000		000000000000000000000000000000000000000		
⊕ л regB_Data	00	000000000000000000000FFFFFFF		000000000000000000000000000000000000000		
⊕ л regC_Data	FF	00000000000000000000000000000000000000		00000000000000000000000000000000000000		
Cursor 1						

C:/my_designs/ALU/ALU/src/w	rave.asdb	untitled.awc				
Signal name	Value	96 104 112 120 120	1	136 144 152 160 ns		
⊞ лг ALUop	9?	9?XXX				
⊕ л r Res	00	00000000000000000000000000000000000000	X	000000000000000FFFFFF700000000 X 0000000000		
⊕ ూ regA_Data	00	00000000000000000000000000000000000000	X	000000000000000000000000000000000000000		
⊕ л regB_Data	00	0000000000000000FFFFFFF00000000	X	000000000000000000000000000000000000000		
⊞ л regC_Data	FF	0000000000000000FFFFFFF00000000 \ 00000000	X	00000000000000000000000000000000000000		
Cursor 1						
CUISUI I						

C:/my_designs/ALU/ALU/src/w	ave.asdb	untitled.awc				
Signal name	Value	176 184 192 200 208	'	216 224 232 240 ns		
⊞ лг ALUop	9?	9?XXX				
⊕ л r Res	00	00000008000000000000000000000000000000	X	00000000FFFFFF7000000000000000 X 0000000000		
⊕ ూ regA_Data	00	00000008000000000000000000000000000000		000000000000000000000000000000000000000		
⊕ л regB_Data	00	00000000FFFFFFF000000000000000		000000000000000000000000000000000000000		
⊕ л regC_Data	FF	00000000FFFFFFF00000000000000000000000		00000000000000000000000000000000000000		
Cursor 1						

C:/my_designs/ALU/ALU/src/wave.asdb untitled.awc Signal name Value 9?... 9?XXX **∄ Ju ALU**op 00... ∄ **Љ** Res 00... 00... FF... Cursor 1