



COMP 3133 – Lab 07

Student ID: 101016762


screenshot_01_express_homepage



screenshot_02_project_structure



screenshot_03_about_route_code




The screenshot shows the Visual Studio Code editor interface. The Explorer sidebar on the left displays a file tree for a project named 'LAB07_101016762'. The file 'index.js' is selected and open in the main editor. The code in 'index.js' defines an Express application with two routes: a home page at '/' and an 'about' page at '/about'. The terminal at the bottom shows the command prompt where the application is started using 'npm start' and 'node ./bin/www'. The output shows a successful GET request to '/about' with a 200 status code and a response time of 5.632 ms.

```
exercise-1 > routes > # index.js > ...
1  var express = require('express');
2  var router = express.Router();
3
4  /* GET home page. */
5  router.get('/', function(req, res, next) {
6    res.render('index', { title: 'Express' });
7  });
8
9  router.get('/about', function(req, res, next) {
10   res.send('About Page - Your Name: Aaron');
11 });
12
13 module.exports = router;
14
```


```
$ npm start
aaron@ruperts_hub MINGW64 ~/Documents/SEMESTER 6/COMP 3133 - FULL STACK DEVELOPMENT II/LABS/week 10/Lab07_101016762/exercise-1
$ npm start
> exercise-1@0.0.0 start
> node ./bin/www

GET /about 200 5.632 ms - 29
```

screenshot_04_about_page_output



screenshot_05_query_route_code




The screenshot shows the Visual Studio Code editor with a file explorer on the left and a terminal at the bottom. The file explorer shows a project structure with folders like 'bin', 'node_modules', 'public', 'routes', and files like 'index.js', 'users.js', 'views', 'app.js', 'package-lock.json', and 'package.json'. The 'index.js' file is open in the editor, showing the following code:

```
1 var express = require('express');
2 var router = express.Router();
3
4 /* GET home page. */
5 router.get('/', function(req, res, next) {
6   res.render('index', { title: 'Express' });
7 });
8
9 router.get('/about', function(req, res, next) {
10   res.send('About Page - Your Name: Aaron');
11 });
12
13 router.get('/greet', function(req, res, next) {
14   const name = req.query.name;
15   res.send('Hello ${name}');
16 });
17
18 module.exports = router;
```


The terminal at the bottom shows the command prompt output for running the application:

```
$ npm start
aaron@Ruperts_Hub MINGW64 ~/Documents/SEMESTER 6/COMP 3133 - FULL STACK DEVELOPMENT II/LABS/week 10/Lab07_101016762/exercise-1
$ npm start
aaron@Ruperts_Hub MINGW64 ~/Documents/SEMESTER 6/COMP 3133 - FULL STACK DEVELOPMENT II/LABS/week 10/Lab07_101016762/exercise-1
$ npm start
> exercise-1@0.0.0 start
> node ./bin/www
GET /greet?name=Aaron 200 13.648 ms - 11
```

screenshot_06_query_output



screenshot_07_post_route_code



The screenshot shows a VS Code editor with a file explorer on the left. The file explorer shows a project structure with folders like 'bin', 'node_modules', 'public', 'routes', and files like 'index.js', 'users.js', 'views', 'app.js', 'package-lock.json', and 'package.json'. The main editor shows the code for 'index.js'.

```
5 router.get('/', function(req, res, next) {
6   // ...
7 });
8
9 router.get('/about', function(req, res, next) {
10   res.send('About Page - Your Name: Aaron');
11 });
12
13 router.get('/greet', function(req, res, next) {
14   const name = req.query.name;
15   res.send('Hello ${name}');
16 });
17
18 router.post('/submit', function(req, res, next) {
19   const name = req.body.name;
20   res.send('Form submitted by ${name}');
21 });
22
23 module.exports = router;
```


The terminal at the bottom shows the command prompt output:

```
aaron@Ruperts_Hub MINGW64 ~/Documents/SEMESTER 6/COMP 3133 - FULL STACK DEVELOPMENT II/LABS/week 10/Lab07_101016762/exercise-1
$ npm start
POST /submit 404 4.906 ms - 1948


aaron@Ruperts_Hub MINGW64 ~/Documents/SEMESTER 6/COMP 3133 - FULL STACK DEVELOPMENT II/LABS/week 10/Lab07_101016762/exercise-1
$ npm start
0
> exercise-1@0.0.0 start
> node ./bin/www

POST /submit 200 7.462 ms - 23
```

screenshot_08_postman_request



screenshot_09_angular_app_running



screenshot_10_angular_interaction

