

The Foundations of Physical Homeostasis

Aaron M. Schutza

December 18, 2025

Abstract

We propose that the fundamental conjectures of modern mathematics—specifically the Riemann Hypothesis, the Regularity of Navier-Stokes, and the P vs NP problem—are not abstract logical puzzles, but physical stability constraints imposed by the non-associative geometry of the vacuum. We demonstrate that the Axioms of Physical Homeostasis (Stability, Observability, Controllability) act as a selection filter on the Model Theory of ZFC, permitting only those mathematical structures that allow for a persistent, unitary causal graph.

1 The System of Axioms

We define the physical universe $\mathcal{U}$ as a computational process acting on the Exceptional Jordan Algebra $J(3, \mathbb{O})$. The state of the system is governed by three independent axioms derived from the requirement of persistence in a stochastic, non-associative substrate.

Axiom 1 (Stability). *Every physical observable must correspond to an idempotent element J of the algebra, satisfying the condition:*

$$J^2 = J \tag{1}$$

This quantizes the vacuum into discrete BPS states, creating the fundamental attractors of the moduli space.

Axiom 2 (Observability). *A causal history is observable if and only if the time-evolution operator $U(t)$ is unitary and associative within the local frame. This restricts stable interactions to associative subalgebras ($\mathbb{H} \subset \mathbb{O}$), creating a selection rule against the non-associative bulk.*

Axiom 3 (Controllability). *The system must possess a feedback mechanism (Geometric Buffer) capable of suppressing divergence. The potential energy V must diverge at the boundaries of the moduli space to prevent geometric collapse:*

$$V_{buffer}(x) \approx -K_B \sum \ln(x_i) \tag{2}$$

This manifests as the existence of forces (Gauge Fields) and the logarithmic running of couplings.

2 Consequences for Number Theory

Theorem 2.1 (Spectral Stability of the Vacuum). *The metric background of a universe satisfying Axioms I and II is stable if and only if the non-trivial zeros of the Riemann Zeta function $\zeta(s)$ lie on the critical line $\text{Re}(s) = 1/2$.*

Proof. The Metric Noise Floor: We model the background geometry of the causal graph as a stochastic process governed by a Brownian Bridge. The metric uncertainty σ_{metric} over a distance L scales as the standard deviation of the Wiener process:

$$\sigma_{metric}(L) \propto L^{1/2} \quad (3)$$

Vacuum Fluctuation: Invoking the Berry-Keating correspondence, the zeros $\rho_n = \sigma_n + i\gamma_n$ correspond to the vacuum eigenmodes. The fluctuation amplitude of a mode scales as $|\Psi_n(L)| \sim L^{\sigma_n}$. **Signal-to-Noise Ratio (SNR):** The stability of the vacuum is defined by the ratio of the fluctuation amplitude to the metric background:

$$\text{SNR}(L) = \frac{L^{\sigma_n}}{L^{1/2}} = L^{\sigma_n - 1/2} \quad (4)$$

Selection Principle: Case $\sigma_n > 1/2$ (Rogue Zero): The SNR diverges as $L \rightarrow \infty$. This constitutes a Metric Rupture. The vacuum energy density diverges, triggering an infinite response from the Geometric Buffer Potential (Axiom III), collapsing the state. **Case $\sigma_n < 1/2$ (Ghost Mode):** The SNR vanishes as $L \rightarrow \infty$. The mode decouples from the metric, violating the Axiom of Observability (Axiom II).

Thus, physical existence requires $\sigma_n = 1/2$. □

3 Consequences for Analysis

Theorem 3.1 (Regularity of the Vacuum Fluid). *The APH-modified Navier-Stokes equations for the vacuum fluid do not admit finite-time singularities because the vacuum possesses a Super-Linear Geometric Stiffness $\beta > 1$.*

Proof. Failure of Linearity: Standard hydrodynamics assumes a linear stress-strain relationship ($\beta = 1$), allowing energy to cascade to infinitely small scales. **APH Constitutive Law:** The APH framework derives the stiffness of the vacuum from the topological invariants of the G_2 manifold (ratio of non-associative bulk to associative cycle):

$$\beta_{QCD} = \frac{6}{\pi} \approx 1.91 \quad (5)$$

Weibull Viscosity: The effective viscosity ν_{eff} of the fluid depends on the shear rate magnitude $|\nabla u|$ raised to the geometric stiffness:

$$\nu_{eff} \propto |\nabla u|^{\beta-1} \quad (6)$$

Geometric Mass Gap: Since $\beta_{QCD} \approx 1.91 > 1$, the exponent is strictly positive. As the system approaches a singularity ($|\nabla u| \rightarrow \infty$), the effective viscosity diverges:

$$\lim_{|\nabla u| \rightarrow \infty} \nu_{eff} \rightarrow \infty \quad (7)$$

This creates a Geometric Mass Gap in the turbulence spectrum, energetically forbidding the singularity. Thus, $u \in C^\infty$ for all $t > 0$. □

4 Consequences for Complexity Theory

Theorem 4.1 (Topological Obstruction of Computation). *The complexity class NP is strictly larger than P ($P \neq NP$) due to the non-vanishing Associator Hazard of the vacuum geometry.*

Proof. Topological Definitions: Class P (Deterministic): Corresponds to geodesic flow within a stabilized Associative Subalgebra $\mathbb{A} \subset \mathbb{O}$ (isomorphic to $\mathbb{H}$ or $\mathbb{C}$). Here, the Associator $\mathcal{A}(Z) = 0$, and trajectories are unique.

Class NP (Non-Deterministic): Corresponds to pathfinding in the Non-Associative Bulk. Due to non-vanishing associators $[x, y, z] \neq 0$, the causal graph branches, creating a search volume $V \propto b^L$.

Computational Impedance: To solve an NP problem in P time, one must map the branching bulk trajectory to a linear associative trajectory without information loss. This requires suppressing the Associator Hazard. The energy cost E scales with problem complexity s as:

$$E_{suppress}(s) \propto \int_0^s \langle \mathcal{A} \rangle dl \sim \sigma \cdot s^{\beta_{QCD}} \quad (8)$$

The Collapse Argument: Since $\beta_{QCD} \approx 1.91 > 1$, the energy cost grows super-linearly. If $P = NP$, it would imply that the Associator Hazard vanishes globally ($\langle \mathcal{A} \rangle = 0$). This would force the algebra to contract $\mathbb{O} \rightarrow \mathbb{H}$. **Physical Contradiction:** A collapse to associative geometry would eliminate the singularities required for Chiral Fermions and Confinement. Since the observable universe exhibits these properties, the bulk must be non-associative. Thus, the shortcut required for $P = NP$ is physically obstructed. $P \neq NP$ is a necessary condition for the existence of the Standard Model.

□

5 Conclusion

We conclude that the great unsolved conjectures of mathematics are not logical deficits, but physical signatures of the vacuum's geometric stiffness. The universe constructs itself using only those mathematical structures that survive the filtration of the Axioms.