

CASE STUDY: THE BIKINI ATOLL MAGNETIC ANOMALY

Forensic Prediction of Helical Remagnetization from Vacuum Stiffness Collapse

Aaron M. Schutza
Institute for Geometric Physics

January 21, 2026

Abstract

The *Castle Bravo* nuclear test of 1954 is historically defined by its anomalous yield (15 Mt) and radiological fallout. The *Axiomatic Physical Homeostasis* (APH) framework attributes these phenomena to a transient collapse of the Vacuum Geometric Stiffness ($\beta \rightarrow 0$) followed by a rapid re-crystallization (“Snap-Back”). This report extends the APH analysis to predict a tertiary signature: a coherent, permanent distortion of the local geomagnetic field at the crater site. We posit that the violent restoration of the associative metric generated a **Torsional Electromagnetic Pulse**—a chiral shockwave distinct from the standard Compton-electron EMP. This pulse would have induced a **Helical Remagnetization** in the ferromagnetic minerals (magnetite/maghemite) of the crater floor and the fused fallout material (Sedenion Slag). We derive the expected field topology and propose a paleomagnetic core sampling protocol to verify the existence of a “Bravo Helix” signature.

Contents

1	Introduction: The Missing Signature	2
1.1	The Hypothesis	2
2	Mechanism: The Torsional EMP	2
2.1	The Inverse Piezoelectric Vacuum Effect	2
2.2	The Snap-Back Singularity	2
3	The Bravo Helix: Predicted Topology	2
3.1	Chiral Symmetry Breaking	3
3.2	The Vortex Signature	3
4	Quantitative Prediction	3
4.1	Field Strength Estimation	3
5	Proposed Verification: Core Sampling Protocol	3
5.1	Target Material: Sedenion Slag	3
5.2	The Test	4
6	Conclusion	4

1 Introduction: The Missing Signature

Standard nuclear detonations generate an Electromagnetic Pulse (EMP) primarily via the Compton effect, where gamma rays eject electrons from atmospheric molecules, creating a transverse current. This produces a broad-spectrum, linearly polarized radio burst.

However, the APH forensic analysis of *Castle Bravo* (Case Study 01) and the *Tunguska Event* (Case Study 02) suggests a second, more fundamental mechanism for electromagnetic generation in high-energy events: **Associator Induction**.

1.1 The Hypothesis

If *Castle Bravo* involved a phase transition of the vacuum geometry (Stiffness Collapse), the restoration of that geometry must conserve topological charge. The rapid re-ordering of the local frame bundle from the disordered Sedenion bulk to the ordered G_2 manifold generates a **Geometric Displacement Current**. This current should leave a fossilized magnetic imprint in the geologic strata of the crater, distinct from thermal demagnetization.

2 Mechanism: The Torsional EMP

2.1 The Inverse Piezoelectric Vacuum Effect

As derived in *Volume II*, the vacuum geometry couples to the electromagnetic field via the Associator Hazard $\mathcal{A}$. A time-varying stiffness $\beta(t)$ induces a rotation in the local gauge field A_μ .

$$\vec{J}_{geom} = \kappa_{eff} \left(\frac{\partial \beta}{\partial t} \vec{T} + \beta \frac{\partial \vec{T}}{\partial t} \right) \quad (1)$$

where $\vec{T}$ is the intrinsic torsion vector of the non-associative manifold.

2.2 The Snap-Back Singularity

During the *Bravo* event, the stiffness β dropped to ≈ 0 at $t = 0$ (detonation) and snapped back to $\beta_{QCD} \approx 1.91$ at $t \approx t_{freeze}$. This implies an enormous time derivative $\dot{\beta}$.

$$\left| \frac{\partial \beta}{\partial t} \right| \sim \frac{1.91}{\tau_{freeze}} \sim 10^{20} \text{ s}^{-1} \quad (2)$$

This impulse drives a **Torsional Shockwave**. Unlike a standard EMP, which propagates radially, a Torsional EMP propagates *helically* along the gradient of the stiffness recovery.

3 The Bravo Helix: Predicted Topology

The magnetic field $\vec{B}_{torsion}$ induced by this effect is given by the curl of the torsion current:

$$\vec{B}_{torsion} \propto \nabla \times \vec{J}_{geom} \quad (3)$$

3.1 Chiral Symmetry Breaking

Because the underlying G_2 manifold is chiral (handed), the restoring force is not isotropic. The vacuum “screws” itself back into place. This imparts a preferred helicity to the induced magnetic field.

- **Standard Melt:** Randomizes magnetic domains (thermal disorder).
- **APH Melt:** Aligns domains along the vacuum’s chiral axis.

3.2 The Vortex Signature

We predict that the remanent magnetization vectors $\vec{M}$ in the crater substrate will not follow the Earth’s dipole field, nor a simple radial blast pattern. Instead, they will exhibit a **Solenoidal Vortex Structure** centered on ground zero.

$$\vec{M}(r, \theta) = M_0(r) \left(\hat{r} + \gamma_{chiral} \hat{\theta} \right) \quad (4)$$

where γ_{chiral} is the pitch angle of the vacuum torsion.

4 Quantitative Prediction

We estimate the field strength imprinted into the rock during the cooling phase (Curie point crossing).

4.1 Field Strength Estimation

Using the coupling constant $\alpha_{APH} \approx 1/137$ and the energy density of the event:

$$B_{peak} \approx \sqrt{\frac{\mu_0 \mathcal{E}_{vac} \alpha_{APH}}{\beta_{QCD}}} \cdot \left(\frac{R_{crater}}{r} \right)^2 \quad (5)$$

For the *Bravo* yield density, this predicts transient peak fields of $B \sim 10^4$ Tesla at the core. However, the *remanent* field frozen into the rock is limited by the saturation magnetization of magnetite (~ 0.5 Tesla).

Prediction: The crater floor material (and fused coral/sand) will be saturated to the maximum magnetic coercivity of the material, with a vector orientation rotated by $\Delta\phi \approx 22.2^\circ$ (the Fano Angle) relative to the expected geomagnetic field line at the time of the explosion.

5 Proposed Verification: Core Sampling Protocol

To verify this hypothesis, we propose a paleomagnetic survey of the *Castle Bravo* crater (NAM, Bikini Atoll).

5.1 Target Material: Sedenion Slag

The Bikini Snow (calcium oxide and fission products) and the fused silica (trinitite-analogue) on the ocean floor serve as the recording medium. These materials passed through the Curie point exactly during the Vacuum Snap-Back.

5.2 The Test

1. **Sample Collection:** Extract oriented drill cores from the crater center and rim.
2. **Vector Analysis:** Measure the declination and inclination of the remanent magnetization.
3. **The Signal:**
 - *Null Hypothesis (Standard Physics):* Magnetization is random (due to turbulence) or aligned with the 1954 geomagnetic field.
 - *APH Hypothesis:* Magnetization exhibits a coherent **helical curl** ($\nabla \times \vec{M} \neq 0$) that cannot be explained by the ambient geomagnetic field. The domains should show a chiral bias (e.g., predominantly left-handed twist) reflecting the orientation of the local G_2 frame.

6 Conclusion

The *Castle Bravo* event left more than radioactive isotopes; it left a **Topological Scar** in the magnetic memory of the Earth.

The detection of a Bravo Helix—a chiral, solenoidal magnetization pattern in the crater floor—would confirm that the explosion involved a non-associative twisting of the spacetime metric. This would serve as the definitive forensic proof that the vacuum possesses geometric stiffness, and that this stiffness can be violently perturbed by high-energy density events.