2022/7/24 上午8:12 views.py

```
1 from django.shortcuts import get_object_or_404, render
 2 # import the 404 as well
 3 from django.core.paginator import EmptyPage, PageNotAnInteger, Paginator
 4 # choices at the same folder
 5 from .choices import price choices, state choices, bedroom choices
 6 # load database into view
 7 from .models import Listing
9
10 def index(request):
       listings = Listing.objects.order_by('-
   list_date').filter(is_published=True)
       paginator = Paginator(listings, 3)
12
13
       page = request.GET.get('page')
       paged listings = paginator.get page(page)
14
15
       context = {
           'listings': paged_listings
16
17
       return render(request, 'listings/listings.html', context)
18
19
20 # add additional parameter listing_id route
21
22
23 def listing(request, listing_id):
       # get an id or return 404
24
25
       listing = get_object_or_404(Listing, pk=listing_id)
26
       context = {
           'listing': listing
27
28
       return render(request, 'listings/listing.html', context)
29
30
31
32 def search(request):
       context = {
33
           'state_choices': state_choices,
34
           'price_choices': price_choices,
35
           "bedroom choices": bedroom choices
36
37
       }
       return render(request, 'listings/search.html', context)
38
39
```

localhost:4649/?mode=python 1/1