```
1 {% extends "base.html" %}
 2 \leftarrow 1 import humanize for adding readable data with comma \rightarrow 1
 3 {% load humanize %}
 4 \leftarrow \cdots block content \rightarrow
 5 {% block content %}
 6 <section id="showcase-inner" class="py-5 text-white">
 7
     <div class="container">
       <div class="row text-center">
8
9
         <div class="col-md-12">
           <h1 class="display-4">Browse Our Properties</h1>
10
11
           Lorem ipsum dolor sit, amet consectetur adipisicing elit. Sunt,
12
13
           14
15
         </div>
16
       </div>
     </div>
17
18 </section>
19
20 \leftarrow! Breadcrumb \rightarrow
21 <section id="bc" class="mt-3">
22
     <div class="container">
23
       <nav aria-label="breadcrumb">
24
         25
26
             <!-- insert url to index-->
             <a href="{% url 'index' %}">
27
28
               \leftarrow! url link\longrightarrow
29
               <i class="fas fa-home"></i> Home
30
           31
32
           Browse Listings
33
         34
       </nav>
35
     </div>
36 </section>
37
38 \leftarrow! Listings \rightarrow
39 <section id="listings" class="py-4">
     <div class="container">
40
       <div class="row">
41
         \leftarrow!—— loop a list, if no data then send message\rightarrow
42
         {% if listings %}
43
         <!-- check listing-→
44
         {% for listing in listings %}
45
         <div class="col-md-6 col-lg-4 mb-4">
46
           <div class="card listing-preview">
47
             \leftarrow! add picture source \rightarrow
48
49
             <img class="card-img-top" src="{{ listing.photo_main.url }}" alt=""</pre>
   />
             <div class="card-img-overlay">
50
               <h2>
51
52
                 <span class="badge badge-secondary text-white"</pre>
                    >${{ listing.price | intcomma }}</span</pre>
53
54
                 >
               </h2>
55
             </div>
56
57
             <div class="card-body">
               <div class="listing-heading text-center">
58
```

localhost:4649/?mode=undefined 1/3

```
2022/7/23 晚上8:21
                                                   listings.html
  59
                     \leftarrow! object title \rightarrow
                     <h4 class="text-primary">{{ listing.title }}</h4>
  60
  61
                     <!-- object address combined with 3 fields->
  62
                     >
  63
                       <i class="fas fa-map-marker text-secondary"></i></i>
                       {{ listing.city }} {{ listing.state }}, {{ listing.zipcode }}
  64
  65
                     </div>
  66
  67
                  <hr />
                  <div class="row py-2 text-secondary">
  68
                     <div class="col-6">
  69
                       \leftarrow! — object sqft \rightarrow
  70
                       <i class="fas fa-th-large"></i> Sqft: {{ listing.sqft }}
  71
  72
                     </div>
  73
                     ←!— object garage →
  74
                     <div class="col-6">
  75
                       <i class="fas fa-car"></i> Garage: {{listing.garage}}
  76
                     </div>
  77
                  </div>
  78
                  <div class="row py-2 text-secondary">
  79
                     <!-- object Bedrooms-->
                     <div class="col-6">
  80
                       <i class="fas fa-bed"></i> Bedrooms: {{ listing.bedrooms }}
  81
                     </div>
  82
                     \leftarrow! object Bathrooms \longrightarrow
  83
                     <div class="col-6">
  84
                       <i class="fas fa-bath"></i> Bathrooms: {{ listing.bathrooms
  85
     }}
                     </div>
  86
  87
                  </div>
  88
                  <hr />
  89
                  <div class="row py-2 text-secondary">
  90
                     \leftarrow! realtor object \rightarrow
                     <div class="col-12">
  91
                       <i class="fas fa-user"></i> {{ listing.realtor }}
  92
  93
                     </div>
  94
                  </div>
  95
                  <div class="row text-secondary pb-2">
  96

\leftarrow!
 because we load humanize, can use timesince \longrightarrow
                     <div class="col-6">
  97
                       <i class="fas fa-clock"></i> {{ listing.list_date | timesince}
  98
     }}
  99
                     </div>
                   </div>
 100
 101
                  <hr />
                  ←!— from the main urls routing with id, we can add to the href -
 102
 103
 104
                     href="{% url 'listing' listing.id %}"
 105
                     class="btn btn-primary btn-block"
 106
                     >More Info<∕a
 107
                  >
 108
                </div>
              </div>
 109
            </div>
 110
            {% endfor %}
 111
            \leftarrow! no data \longrightarrow
 112
            {% else %}
 113
            <div class="col-md-12">
 114
              No Lisitngs Available
 115
```

localhost:4649/?mode=undefined 2/3

```
</div>
116
        {% endif %}
117
118
      </div>
119
120
      <div class="row">
        <div class="col-md-12">
121
122
         123
           <a class="page-link" href="#">&laquo;</a>
124
125
           126
           <a class="page-link" href="#">1</a>
127
           128
           class="page-item">
129
             <a class="page-link" href="#">2</a>
130
           131
           class="page-item">
132
133
             <a class="page-link" href="#">3</a>
134
           class="page-item">
135
             <a class="page-link" href="#">&raquo;</a>
136
137
           138
         139
        </div>
140
      </div>
141
    </div>
142 </section>
143
144 {% endblock %}
145
```

localhost:4649/?mode=undefined 3/3