```
1 {% extends "base.html" %}
 2 \leftarrow 1 import humanize for adding readable data with comma \rightarrow
 3 {% load humanize %}
 4 \leftarrow \mod \text{title block} \rightarrow
 5 {% block title %} | Browse Property Listings{% endblock %}
 6 \leftarrow block content \rightarrow
 7 {% block content %}
8 <section id="showcase-inner" class="py-5 text-white">
     <div class="container">
9
       <div class="row text-center">
10
         <div class="col-md-12">
11
           <h1 class="display-4">Browse Our Properties</h1>
12
13
           Lorem ipsum dolor sit, amet consectetur adipisicing elit. Sunt,
14
             pariatur!
15
16
           17
         </div>
18
       </div>
     </div>
19
20 </section>
21
22 \leftarrow! Breadcrumb \rightarrow
23 <section id="bc" class="mt-3">
24
     <div class="container">
       <nav aria-label="breadcrumb">
25
26
         27
           \leftarrow! — insert url to index \rightarrow
28
             <a href="{% url 'index' %}">
29
               <!-- url link-→
30
31
               <i class="fas fa-home"></i> Home
32
             >
33
           34
           Browse Listings
35
36
       </nav>
37
     </div>
38 </section>
39
40 \leftarrow \bot Listings \rightarrow
41 <section id="listings" class="py-4">
42
     <div class="container">
43
       <div class="row">
         ←!— loop a list, if no data then send message →
44
45
         {% if listings %}
         <!—— check listing—→
46
         {% for listing in listings %}
47
         <div class="col-md-6 col-lg-4 mb-4">
48
49
           <div class="card listing-preview">
50
             \leftarrow! — add picture source \rightarrow
             <img class="card-img-top" src="{{ listing.photo_main.url }}" alt=""</pre>
51
   />
52
             <div class="card-img-overlay">
53
               <h2>
54
                 <span class="badge badge-secondary text-white"</pre>
55
                   >${{ listing.price | intcomma }}</span
56
57
               </h2>
58
             </div>
```

localhost:4649/?mode=undefined 1/3

2022/7/25 晚上11:27 listings.html <div class="card-body"> 59 <div class="listing-heading text-center"> 60 61 \leftarrow ! object title \rightarrow <h4 class="text-primary">{{ listing.title }}</h4> 62 63 ←!— object address combined with 3 fields—> 64 > <i class="fas fa-map-marker text-secondary"></i></i> 65 {{ listing.city }} {{ listing.state }}, {{ listing.zipcode }} 66 67 </div> 68 69 <hr /> 70 <div class="row py-2 text-secondary"> 71 <div class="col-6"> 72 \leftarrow ! — object sqft \rightarrow <i class="fas fa-th-large"></i> Sqft: {{ listing.sqft }} 73 74 </div> 75 <!-- object garage --> 76 <div class="col-6"> <i class="fas fa-car"></i> Garage: {{listing.garage}} 77 </div> 78 79 </div> <div class="row py-2 text-secondary"> 80 <!-- object Bedrooms--> 81 <div class="col-6"> 82 <i class="fas fa-bed"></i> Bedrooms: {{ listing.bedrooms }} 83 </div> 84 \leftarrow ! object Bathrooms \longrightarrow 85 86 <div class="col-6"> <i class="fas fa-bath"></i> Bathrooms: {{ listing.bathrooms 87 }} 88 </div> </div> 89 90 <hr /> 91 <div class="row py-2 text-secondary"> 92 \leftarrow ! realtor object \rightarrow 93 <div class="col-12"> <i class="fas fa-user"></i> {{ listing.realtor }} 94 95 </div> 96 97 <div class="row text-secondary pb-2"> 98 \leftarrow ! because we load humanize, can use timesince \rightarrow 99 <div class="col-6"> <i class="fas fa-clock"></i> {{ listing.list_date | timesince} 100 }} </div> 101 </div> 102 103 <hr /> 104 ←!— from the main urls routing with id, we can add to the href -105 More Info</a 108 109 > </div> 110 111 </div> </div> 112 {% endfor %} 113

localhost:4649/?mode=undefined 2/3

114

115

 \leftarrow ! no data \longrightarrow

{% else %}

```
<div class="col-md-12">
116
117
           No Lisitngs Available
118
         </div>
         {% endif %}
119
120
       </div>
121
122
       <div class="row">
123
         <div class="col-md-12">
124
           \leftarrow! pagination part of the section \rightarrow
125
           {% if listings.has_other_pages %}
126
           127
             {% if listings.has previous %}
             class="page-item">
128
129
               <a href="?page={{listings.previous page number}}" class="page-</pre>
   link"
130
                 >«</a
131
               >
132
             133
             {% else %}
134
             135
               <a class="page-link">&laquo;</a>
136
             137
             {% endif %}
138
             \leftarrow! loop the page range, if there are more items to show \rightarrow
139
             {% for i in listings.paginator.page range %}
140
             \leftarrow! break the page and shoe the page number \rightarrow
             {% if listings.number = i %}
141
142
             143
               <a class="page-link">{{i}}</a>
144
             145
             {% else %}
146
             147
               <a href="?page={{i}}" class="page-link">{{i}}</a>
148
             {% endif %}
149
             \leftarrow! — end of loop \rightarrow
150
             {% endfor %}
151
152
             \leftarrow! — next item \rightarrow
153
             {% if listings.has next %}
             154
               <a href="?page={{listings.next_page_number}}" class="page-link"</pre>
155
156
                 >»</a
157
               >
158
             159
             {% else %}
             160
161
               <a class="page-link">&raquo;</a>
162
             163
             {% endif %}
164
           {% endif %}
165
166
         </div>
       </div>
167
168
     </div>
169 <√ section>
170
171 {% endblock %}
172
```

localhost:4649/?mode=undefined 3/3