2022/7/24 上午10:23 search.html

```
1 {% extends 'base.html' %}
 2 \leftarrow \cdots add humanize \rightarrow
 3 {% load humanize %}
 4 \in \mathbb{R} wrap the html inside the content bloack \longrightarrow
 5 {% block content %}
  <section id="showcase-inner" class="showcase-search text-white py-5">
 7
     <div class="container">
       <div class="row text-center">
 8
 9
          <div class="col-md-12">
            ←!— update the url route →
10
            <form action="{% url 'search' %}">
11
              \leftarrow! Form Row 1 \longrightarrow
12
              <div class="form-row">
13
14
                <div class="col-md-4 mb-3">
15
                   <label class="sr-only">Keywords</label>
16
17
                     type="text"
18
                     name="keywords"
19
                     class="form-control"
20
                     placeholder="Keyword (Pool, Garage, etc)"
21
                   />
22
                </div>
23
24
                <div class="col-md-4 mb-3">
25
                   <label class="sr-only">City</label>
26
                   <input
27
                     type="text"
28
                     name="citv"
29
                     class="form-control"
30
                     placeholder="City"
                   />
31
32
                </div>
33
                <div class="col-md-4 mb-3">
34
                   <label class="sr-only">State</label>
35
                   <select name="state" class="form-control">
36
                     <option selected="true" disabled="disabled">State (All)
37
   </option>
                     \leftarrow! — add the for loop of states \rightarrow
38
39
                     {% for key,value in state_choices.items %}
                     <option value="{{key}}">{{value}}</option>
40
41
                     {% endfor %}
42
                   </select>
                </div>
43
              </div>
44
45
              \leftarrow! Form Row 2 \longrightarrow
              <div class="form-row">
46
                <div class="col-md-6 mb-3">
47
48
                   <label class="sr-only">Bedrooms</label>
49
                   <select name="bedrooms" class="form-control">
                     <option selected="true" disabled="disabled">
50
51
                       Bedrooms (Any)
52
                     53
                     \leftarrow! loop the bedrooms \longrightarrow
54
                     {% for key, value in bedroom choices.items %}
                     <option value="{{key}}">{{value}}</option>
55
                     {% endfor %}
56
57
                   </select>
58
                 </div>
```

localhost:4649/?mode=undefined 1/4

2022/7/24 上午10:23 search.h

```
<div class="col-md-6 mb-3">
 59
                  <select name="price" class="form-control">
 60
                    <option selected="true" disabled="disabled">
 61
 62
                      Max Price (All)
 63
                    \leftarrow! loop the prices \longrightarrow
 64
 65
                    {% for key,value in price_choices.items %}
                    <option value="{{key}}">{{value}}</option>
 66
 67
                    {% endfor %}
                  </select>
 68
 69
                </div>
 70
              </div>
 71
              <button class="btn btn-secondary btn-block mt-4" type="submit">
 72
                Submit form
 73
              </button>
 74
            </form>
 75
          </div>
 76
        </div>
 77
      </div>
 78 </section>
 79
 80 \leftarrow! Breadcrumb \rightarrow
 81 <section id="bc" class="mt-3">
      <div class="container">
 82
        <nav aria-label="breadcrumb">
 83
          84
            85
              <a href="index.html"> <i class="fas fa-home"></i> Home</a>
 86
 87
            88
            89
              \leftarrow!— fixing the route go back to the feature listings—
 90
              <a href="{% url 'listings' %}">Browse Listings</a>
 91
            92
            Search Results
 93
          94
        </nav>
 95
      </div>
 96 </section>
 97
 98 \leftarrow! Listings \rightarrow
 99 <section id="listings" class="py-4">
      <div class="container">
100
        <div class="row">
101
          {% if listings %}
102
          <!—— check listing—→
103
          {% for listing in listings %}
104
          <div class="col-md-6 col-lg-4 mb-4">
105
            <div class="card listing-preview">
106
107
              \leftarrow! — add picture source \rightarrow
              <img class="card-img-top" src="{{ listing.photo_main.url }}" alt=""</pre>
108
              <div class="card-img-overlay">
109
110
                <h2>
111
                  <span class="badge badge-secondary text-white"</pre>
112
                    >${{ listing.price | intcomma }}</span</pre>
113
                </h2>
114
115
              </div>
116
              <div class="card-body">
                <div class="listing-heading text-center">
117
```

localhost:4649/?mode=undefined 2/4

```
2022/7/24 上午10:23
                                                   search.html
                    <!-- object title →
 118
                    <h4 class="text-primary">{{ listing.title }}</h4>
 119
 120
                    <!-- object address combined with 3 fields->
 121
                    >
 122
                       <i class="fas fa-map-marker text-secondary"></i></i>
                       {{ listing.city }} {{ listing.state }}, {{ listing.zipcode }}
 123
 124
                    </div>
 125
 126
                  <hr />
                  <div class="row py-2 text-secondary">
 127
 128
                    <div class="col-6">
 129
                      \leftarrow! object sqft \rightarrow
                       <i class="fas fa-th-large"></i> Sqft: {{ listing.sqft }}
 130
                    </div>
 131
 132
                    ←!— object garage →
                    <div class="col-6">
 133
 134
                       <i class="fas fa-car"></i> Garage: {{listing.garage}}
 135
                    </div>
 136
                  </div>
                  <div class="row py-2 text-secondary">
 137
 138
                    <!-- object Bedrooms-->
                    <div class="col-6">
 139
 140
                       <i class="fas fa-bed"></i> Bedrooms: {{ listing.bedrooms }}
 141
                    </div>
                    \leftarrow! object Bathrooms \rightarrow
 142
                    <div class="col-6">
 143
                       <i class="fas fa-bath"></i> Bathrooms: {{ listing.bathrooms
 144
     }}
 145
                    </div>
 146
                  </div>
 147
                  <hr />
 148
                  <div class="row py-2 text-secondary">
 149
                    \leftarrow! realtor object \rightarrow
                    <div class="col-12">
 150
                       <i class="fas fa-user"></i> {{ listing.realtor }}
 151
 152
                    </div>
 153
                  </div>
 154
                  <div class="row text-secondary pb-2">
 155
                    \leftarrow! because we load humanize, can use timesince \rightarrow
                    <div class="col-6">
 156
                       <i class="fas fa-clock"></i> {{ listing.list date | timesince
 157
     }}
 158
                    </div>
                  </div>
 159
 160
                  <hr />
                  ←!— from the main urls routing with id, we can add to the href -
 161
 162
 163
                    href="{% url 'listing' listing.id %}"
 164
                    class="btn btn-primary btn-block"
 165
                    >More Info<∕a
 166
                  >
                </div>
 167
 168
              </div>
            </div>
 169
            {% endfor %}
 170
            \leftarrow! no data \longrightarrow
 171
            {% else %}
 172
            <div class="col-md-12">
 173
```

localhost:4649/?mode=undefined 3/4

No Lisitngs Available

174

2022/7/24 上午10:23 search.html

localhost:4649/?mode=undefined 4/4