2022/7/25 晚上11:26 search.html

```
1 {% extends 'base.html' %}
 2 \leftarrow \cdots add humanize \rightarrow
 3 {% load humanize %}
 4 \leftarrow \cdots add title \rightarrow
 5 {% block title %} | Search Results{% endblock %}
 6 \leftarrow! wrap the html inside the content bloack \rightarrow
 7 {% block content %}
  <section id="showcase-inner" class="showcase-search text-white py-5">
 9
     <div class="container">
       <div class="row text-center">
10
          <div class="col-md-12">
11
12
            \leftarrow! update the url route \rightarrow
            <form action="{% url 'search' %}">
13
14

\leftarrow!— add values attributes into the input tab\rightarrow
              <div class="form-row">
15
16
                 <div class="col-md-4 mb-3">
                   <label class="sr-only">Keywords</label>
17
18
                     type="text"
19
20
                     name="keywords"
21
                     class="form-control"
22
                     placeholder="Keyword (Pool, Garage, etc)"
23
                     value="{{ values.keywords}}"
24
25
                 </div>
26
27
                <div class="col-md-4 mb-3">
                   <label class="sr-only">City</label>
28
29
                   <input
                     type="text"
30
31
                     name="city"
32
                     class="form-control"
                     placeholder="City"
33
34
                     value="{{ values.city}}"
35
                   \backslash
36
                </div>
37
                <div class="col-md-4 mb-3">
38
                   <label class="sr-only">State</label>
39
40
                   <select name="state" class="form-control">
                     <option selected="true" disabled="disabled">State (All)
41
   \leftarrow! add the for loop of states \rightarrow
42
                     {% for key,value in state_choices.items %}
43
                     \leftarrow!— check the key and assign to value \rightarrow
44
                     <option value="{{key}}" {% if key = values.state %} selected</pre>
45
                     {% endif %}>{{value}}</option>
46
                     {% endfor %}
47
48
                   </select>
49
                 </div>
50
              </div>
51
              \leftarrow! Form Row 2 \longrightarrow
52
              <div class="form-row">
                 <div class="col-md-6 mb-3">
53
                   <label class="sr-only">Bedrooms</label>
54
                   <select name="bedrooms" class="form-control">
55
                     <option selected="true" disabled="disabled">
56
57
                       Bedrooms (Any)
58
                     option>
```

localhost:4649/?mode=undefined 1/4

2022/7/25 晚上11:26 search

```
59
                    \leftarrow! loop the bedrooms \longrightarrow
                    {% for key,value in bedroom_choices.items %}
 60
 61
                    <option value="{{key}}" {% if key = values.bedrooms %}</pre>
    selected
                    {% endif %}>{{value}}
 62
                    {% endfor %}
 63
                  </select>
 64
                </div>
 65
                <div class="col-md-6 mb-3">
 66
                  <select name="price" class="form-control">
 67
                     <option selected="true" disabled="disabled">
 68
 69
                      Max Price (All)
 70
                    ⟨option>
                    \leftarrow! loop the prices \rightarrow
 71
 72
                    {% for key,value in price_choices.items %}
                    <option value="{{key}}" {% if key = values.price %} selected</pre>
 73
 74
                    {% endif %}>{{value}}</option>
 75
                    {% endfor %}
 76
                  </select>
                </div>
 77
 78
              </div>
              <button class="btn btn-secondary btn-block mt-4" type="submit">
 79
                Submit form
 80
 81
              </button>
            </form>
 82
 83
          </div>
        </div>
 84
      </div>
 85
 86 </section>
 87
 88 ←! — Breadcrumb —
 89 <section id="bc" class="mt-3">
 90
      <div class="container">
        <nav aria-label="breadcrumb">
 91
          92
 93
            class="breadcrumb-item">
              <a href="index.html"> <i class="fas fa-home"></i> Home</a>
 94
 95
            class="breadcrumb-item">
 96
              \leftarrow!— fixing the route go back to the feature listings—
 97
              <a href="{% url 'listings' %}">Browse Listings</a>
 98
 99
            Search Results
100
101
          </nav>
102
      </div>
103
104 </section>
105
106 \leftarrow! Listings \rightarrow
107 <section id="listings" class="py-4">
      <div class="container">
108
        <div class="row">
109
          {% if listings %}
110
111
          <!—— check listing—→
          {% for listing in listings %}
112
113
          <div class="col-md-6 col-lg-4 mb-4">
            <div class="card listing-preview">
114
115
              \leftarrow! — add picture source \rightarrow
              <img class="card-img-top" src="{{ listing.photo_main.url }}" alt=""</pre>
116
```

localhost:4649/?mode=undefined

2022/7/25 晚上11:26 search.html

```
<div class="card-img-overlay">
117
118
                 <h2>
119
                   <span class="badge badge-secondary text-white"</pre>
                     >${{ listing.price | intcomma }}</span
120
121
                 </h2>
122
123
               </div>
124
               <div class="card-body">
                 <div class="listing-heading text-center">
125
                   \leftarrow! object title \rightarrow
126
127
                   <h4 class="text-primary">{{ listing.title }}</h4>
128
                   ←!— object address combined with 3 fields—>
129
                   >
130
                     <i class="fas fa-map-marker text-secondary"></i>
131
                     {{ listing.city }} {{ listing.state }}, {{ listing.zipcode }}
132
                   133
                 </div>
134
                 <hr />
                 <div class="row py-2 text-secondary">
135
                   <div class="col-6">
136
137
                     \leftarrow! object sqft \rightarrow
                     <i class="fas fa-th-large"></i> Sqft: {{ listing.sqft }}
138
139
                   </div>
140
                   ←!— object garage →
                   <div class="col-6">
141
                     <i class="fas fa-car"></i> Garage: {{listing.garage}}
142
143
                   </div>
                 </div>
144
145
                 <div class="row py-2 text-secondary">
146
                   <!-- object Bedrooms-->
                   <div class="col-6">
147
148
                     <i class="fas fa-bed"></i> Bedrooms: {{ listing.bedrooms }}
149
                   </div>
150
                   \leftarrow! object Bathrooms \longrightarrow
151
                   <div class="col-6">
152
                     <i class="fas fa-bath"></i> Bathrooms: {{ listing.bathrooms
    }}
                   </div>
153
                 </div>
154
155
                 <hr />
156
                 <div class="row py-2 text-secondary">
157
                   \leftarrow! realtor object \longrightarrow
                   <div class="col-12">
158
159
                     <i class="fas fa-user"></i> {{ listing.realtor }}
                   </div>
160
                 </div>
161
                 <div class="row text-secondary pb-2">
162
163
                   \leftarrow! because we load humanize, can use timesince \rightarrow
164
                   <div class="col-6">
                     <i class="fas fa-clock"></i> {{ listing.list date | timesince
165
    }}
                   </div>
166
                 </div>
167
168
                 <hr />
169
                 ←!— from the main urls routing with id, we can add to the href -
170
                 <a
                   href="{% url 'listing' listing.id %}"
171
                   class="btn btn-primary btn-block"
172
                   >More Info</a
173
```

localhost:4649/?mode=undefined 3/4

2022/7/25 晚上11:26 search.html

```
174
                 >
               </div>
175
176
             </div>
177
          </div>
          {% endfor %}
178
179
          \leftarrow! no data \longrightarrow
180
          {% else %}
          <div class="col-md-12">
181
182
            No Lisitngs Available
183
          </div>
          {% endif %}
184
185
        </div>
      </div>
186
187 </section>
188 {% endblock %}
189
```

localhost:4649/?mode=undefined 4/4