

# Meru मेरु

A personal AI assistant that runs on your own computer.

*In some Eastern traditions, Meru is the cosmic mountain that the sun, moon and stars turn around.*

**v0.7.4** · November 2026 · aarora79.github.io/meru

**github.com/aarora79/meru**
Scan for the code

WHY

# Your most useful data is the data you'd least like to send away

- Years of notes, a full inbox, a calendar and folders of documents hold the answers to most of your questions.
- The assistants that could help want to read all of it in somebody else's data center.
- Every question costs money, needs an account, and depends on a service that can change its price, its terms or its model.

THE IDEA

# Bring the AI to your data, on a machine you control

### It runs at home

Open-weight models run on your own Mac or Linux machine. Your questions and files stay there.

### No cloud model, ever

The models run on your computer. A question goes to one on your own network only if you name it and say yes.

### No account, no bill

No sign-up and no API key. A question costs the electricity your computer uses.

### You can look inside

Your files are the source of truth. Memories and skills are Markdown files you can read and edit.

### You choose the tools

Mail, calendar and the web start switched off. Meru asks before anything that sends or changes.

### Free and open

Apache License 2.0. Read the code, run it, change it.

WHAT IT DOES

# Ask about everything you keep

### Your files

Notes, documents, PDFs and code in the folders you pick, searched by words and by meaning. Each answer names its files.

### Mail and more

Search Gmail and open attachments, list your events. Sign in to GitHub or Slack with one click. Sending or changing asks first.

### Your notes

An Obsidian vault, and on a Mac, your Apple Notes, read as they are at that moment.

### The web

Private search through SearXNG on your machine, and whole pages read when an answer needs them.

### Your pictures

Find a photo by describing it, or one like a picture you attach. Ask for a card or poster, and Meru puts your photo in it.

### Your voice

Press the microphone, speak, check the words, press Send. Whisper hears you on your Mac.

WHAT IT DOES

# An assistant that learns who you are


- **Memory and skills.** Meru keeps what it learns about you in Markdown files you can fix, and loads a skill such as writing when a question needs it.
- **Every source.** A question about your own life checks your files, notes and mail. An amount nothing Meru read backs gets a note.
- **Where it looks.** One switch keeps a question to your files, your mail, the web, or no tools.
- **On a schedule.** Jobs ask a question or run a skill at the times you set, such as a calendar brief every weekday at 7.

### Questions people ask

- "What did I write about the garden plan last spring?"
- "Summarize this week's mail from the school."
- "Make a birthday card from the photo I attached."
- "Draft a reply to that thread and say I can make it."

Meru.app on a Mac, `meru chat` in any terminal.

HOW IT WORKS




# Everything inside the dashed line runs on your machine

- **Ollama**, a free program, runs the models.
- **merud** runs in the background and does the work.
- **Meru.app** and **meru** are the windows onto it.
- Only tools you allow reach the internet, and every call goes through one checkpoint.

HOW WELL

# Good answers, sized to your Mac's memory

| Mac memory | Answer model | Tasks passed | First token | Last token |
|---|---|---|---|---|
| under 32 GB | MiniCPM5-2B | 68% | 11.6 s | 13.1 s |
| 32 to 47 GB | Gemma 4 26B | 80% | 17.6 s | 18.3 s |
| 48 to 63 GB | Qwen 3.6 35B, 4-bit | 89% | 5.6 s | 10.4 s |
| 64 GB or more | Qwen 3.6 35B, 8-bit | 89% | 4.1 s | 6.5 s |

50 tasks, each run three times: direct questions, searches of your files, tasks with one tool or several, conversations, and honesty checks. Medians on a Mac Studio (M4 Max, 64 GB), routing, search and tool calls included. The installer picks the model for your Mac. With routing on, the fast model takes greetings, thanks and rewording, and starts sooner; a large model answers when you ask.

PRIVACY

# Privacy you can check, not just trust

### Stays on your machine

- Your questions and Meru's answers
- Your files, notes and the search index
- Your memories and chat history
- Your voice: no recording is ever kept
- The models, and every word they write

### Leaves only when you allow it

- Search words, through the search engine on your machine
- Calls to services you connect, such as Gmail, or GitHub after you sign in; the token stays on your machine
- Public web pages Meru reads; it asks before any address no search or question of yours gave
- One anonymous count a day, with no ID and no text, which you can turn off
- Every tool call is logged: `meru log` shows them all

FOR ORGANIZATIONS

# A private AI workspace on every desk

The same design that keeps one person's data home keeps a team's documents inside the organization: on the managed machine, with no AI provider in the path.

### No data processor

No prompt or document goes to a model provider, so there is no AI vendor to assess or contract with.

### Deny by default

A new tool or agent does nothing until configuration names it, tool by tool.

### An audit trail

Every tool call, its approval and outcome, in a log on the machine.

FOR ORGANIZATIONS

# Controls a security team can check

| Control | How Meru does it |
|---|---|
| Tools | Each tool is on, asks first, or off, in one config file. Sending, deleting or changing asks the user every time. |
| Network | The assistant connects only to its own machine, except to servers marked remote and to public pages it reads, never to private addresses. |
| Secrets | API keys and sign-in tokens live in files only the user can read. Meru hides every key from the model, its log, its traces and server errors. |
| Telemetry | One anonymous count a day, with no ID and no text, which a setting turns off. No crash reports, and Meru never checks for updates. Metrics go to a Prometheus you run, on the same machine. |
| Supply chain | Every program Meru installs is pinned by version and SHA-256 or image digest; CI signs a record of how Meru's speech server was built. |
| Enforcement | Policy tests in CI fail the build if code adds a provider's SDK or address, a second path to a tool, or a forbidden import. |

FOR ORGANIZATIONS

# Where it stands today

### Ready now

- One person per machine, on a Mac with Apple silicon or an Ubuntu machine, where setup picks the model to fit an NVIDIA card
- Open source under Apache 2.0: audit it, fork it, build it yourself
- Checks every download against the release's checksums, and runs offline once the models are down
- Fits a pilot: a team with sensitive documents on managed Macs

### Not there yet

- It is pre-alpha software, built by one person
- No central policy, single sign-on or fleet management
- Windows should work but isn't tested
- Builds aren't signed by Apple yet, so macOS permissions need granting again after updates

TRY IT

# On a Mac or a Linux machine in a few minutes

### In a window

Download the Mac installer from the latest release, open it, and open "Install Meru.app". It walks through eleven steps and says what each downloads first.

### In Terminal

```
curl -fsSL https://github.com/aarora79/meru/releases/latest/download/install.sh | bash
```

It checks every download against the release's checksums, and asks before each step.

Needs a Mac with Apple silicon and 16 GB of memory, and about 2 GB of models to start. On Ubuntu, the same line with `install-linux.sh` installs Meru, the desktop app and a systemd service. Web search runs in Docker or Podman. Windows: the running guide on GitHub.

WHAT NEXT

# Where Meru goes from here

- **It tells you.** Digests and notifications from the jobs Meru already runs on a schedule.
- **More of your tools.** Meru installs, starts and heals more MCP servers, as it does Google and Obsidian.
- **Live voice.** Words appear as you speak, not after you stop.
- **Signed builds.** So macOS keeps its permissions across updates.
- **Windows.** A service and a full test pass.

**We build in the open.** Contributions are welcome: the issue list on GitHub says what's planned, and the first outside contribution has merged.



# Thank you

Your assistant, your machine, your data.

We build in the open, and we're happy to accept contributions: **see the issue list** on GitHub.

**aarora79.github.io/meru** · github.com/aarora79/meru · Apache License 2.0

**github.com/aarora79/meru**
Scan for the code