














ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	15100	Turbine	1
2	15230	Housing Body	1
3	15280	Main Gasket	1
4	15240	Housing Cap	1
5	15215	Front Plate	1
6	15270	Plate Gasket	2
7	15210	Back Plate	1
8	15290	Outlet Adapter	1
9	15300	Inlet Adapter	1
10	15310	Guide Vane	1
11	15320	Alignment Pin	3
12	15130	Output Shaft	1



NOTE:
UNLESS OTHERWISE SPECIFIED:



1. ALL DIMENSIONS IN INCHES
2. TOLERANCES:
X.XX = $\pm .01$
X.XXX = $\pm .005$
3. MATERIAL: PLA OR EQUIVALENT
4. 3D PRINTED COMPONENT

- NOTE:
UNLESS OTHERWISE SPECIFIED:
1. ALL DIMENSIONS IN INCHES
 2. TOLERANCES:
X.XX = $\pm .01$
X.XXX = $\pm .005$
 3. MATERIAL: PLA OR EQUIVALENT
 4. 3D PRINTED COMPONENT





40X $\phi .17$
(INSTALL M3 INSERTS)


- NOTE:
UNLESS OTHERWISE SPECIFIED:
1. ALL DIMENSIONS IN INCHES
 2. TOLERANCES:
X.XX = $\pm .01$
X.XXX = $\pm .005$
 3. MATERIAL: 6061-T6 ALUMINUM



- NOTE:
UNLESS OTHERWISE SPECIFIED:
1. ALL DIMENSIONS IN INCHES
 2. TOLERANCES:
 $X.XX = \pm .01$
 $X.XXX = \pm .005$
 3. MATERIAL: 6061-T6 ALUMINUM





$.276 \pm .003$
(7.01MM)





SECTION G-G

- NOTE:
UNLESS OTHERWISE SPECIFIED:
- 1. ALL DIMENSIONS IN INCHES
 - 2. TOLERANCES:
X.XX = $\pm .01$
X.XXX = $\pm .005$
 - 3. MATERIAL: PLA OR EQUIVALENT
 - 4. 3D PRINTED COMPONENT






- NOTE:
UNLESS OTHERWISE SPECIFIED:
- 1. ALL DIMENSIONS IN INCHES
 - 2. TOLERANCES:
X.XX = $\pm .01$
X.XXX = $\pm .005$
 - 3. MATERIAL: TPU
 - 4. 3D PRINTED COMPONENT





NOTE:

UNLESS OTHERWISE SPECIFIED:

1. ALL DIMENSIONS IN INCHES
2. TOLERANCES:
 $X.XX = \pm .01$
 $X.XXX = \pm .005$
3. MATERIAL: TPU
4. 3D PRINTED COMPONENT
5. QTY 2



- NOTE:
UNLESS OTHERWISE SPECIFIED:
1. ALL DIMENSIONS IN INCHES
 2. TOLERANCES:
X.XX = $\pm .01$
X.XXX = $\pm .005$
 3. MATERIAL: PLA OR EQUIVALENT
 4. 3D PRINTED COMPONENT



NOTE:

UNLESS OTHERWISE SPECIFIED:

1. ALL DIMENSIONS IN INCHES



2. TOLERANCES:

X.XX = ± 0.01

X.XXX = ± 0.005

3. MATERIAL: PLA OR EQUIVALENT




4. 3D PRINTED COMPONENT





NOTE:

UNLESS OTHERWISE SPECIFIED:

1. ALL DIMENSIONS IN INCHES
2. TOLERANCES:
X.XX = $\pm .01$
X.XXX = $\pm .005$
3. Material: 6061-T6 Aluminum
4. QTY 3



- NOTE:
UNLESS OTHERWISE SPECIFIED:
- 1. ALL DIMENSIONS IN INCHES
 - 2. TOLERANCES:
X.XX = $\pm .01$
X.XXX = $\pm .005$
 - 3. Material: 6061-T6 Aluminum



Cal Poly Mechanical Engineering ME 430 - SPR 2026	Lab Section:	Assignment #	Title: Output Shaft		Drwn. By: Sammy Taporco
	Dwg. #: 15130	Nxt Asb:	Date: 6/4/2026	Scale: 2:3	Chkd. By: Andres Arreola