APEX_GLOBAL

COMPLETE

SYS_START: 06/04/2026 18:50:19 LAST_SYNC: 06/04/2026 21:30:04

LIVE MONITOR | FINDINGS | REPORT | TIMELINE | AGENT LOG

Agentic Network Forensic Report – Apex Global Logistics

Executive Summary

This report was generated by a constrained forensic agent that uses alert-driven evidence extraction and a bounded reasoning loop. Its findings should be reviewed by a human analyst before external distribution.

Scope and Assumptions

Apex Global Logistics suffered a ransomware incident attributed to the Lynx group.

The available evidence is a 9-day PCAP captured from a core-switch tap. There is no

endpoint telemetry or memory image, so all conclusions must be grounded in network data.

Evidence Sources

- Alert JSON: `/Users/aaron/Desktop/Network_Security_Project/network/34936-sensor-alert-1a30b94e-4fe6-4f94-9d7e-c289ba1c7dcc.json`

- Zeek JSON: `/Users/aaron/Desktop/Network_Security_Project/network/34936-sensor-zeek-b0032190-fe13-4910-aae9-2907793ab566.json`
- PCAP dir: `/Users/aaron/Desktop/Network_Security_Project/network/pcap`

Ingest Statistics

METRIC	VALUE
Total Suricata alerts	161,663
Alerts – c2	10,000
Alerts – trojan	10,000
Alerts – other	10,000
Alerts – policy	6,559
Alerts – lateral	356
Alerts – scan	18
Zeek lines scanned	9,323,452
Zeek records matched	9,291,241
Total PCAPs indexed	117
Targeted PCAPs opened	117
DNS queries extracted	1672
TLS sessions extracted	5000
HTTP requests extracted	0
SMB sessions extracted	0
RDP sessions extracted	0

Top Alert Rules

RULE	COUNT
ThreatFox botnet C2 traffic (domain - confidence level: 100%)	111930
ET MALWARE Known Hostile Domain ilo.brenz .pl Lookup	24329
ET DYN_DNS DNS Query to DynDNS Domain *.ufcfan .org	10585
ETPRO INFO Observed DNS Query to Dynamic DNS Service	6557
ET MALWARE UNK_FlappyBird Domain in DNS Lookup (onnetmais .org)	1057
ET DNS Reply Sinkhole - sinkhole.cert.pl 148.81.111.111	893
ET USER_AGENTS Microsoft Device Metadata Retrieval Client User-Agent	755
ET DNS Query to a .tk domain - Likely Hostile	587
ETPRO POLICY Observed DNS Query to Known ScreenConnect/ConnectWise Remote Deskto	576
ET REMOTE_ACCESS Observed DNS Query to Known ScreenConnect/ConnectWise Remote De	576

Targeted PCAP Files

- `34936-sensor-250305-00002430_redacted.pcap`
- `34936-sensor-250308-00002461_redacted.pcap`
- `34936-sensor-250308-00002473_redacted.pcap`
- `34936-sensor-250309-00002481_redacted.pcap`
- `34936-sensor-250309-00002488_redacted.pcap`
- `34936-sensor-250305-00002429_redacted.pcap`
- `34936-sensor-250303-00002384_redacted.pcap`
- `34936-sensor-250304-00002412_redacted.pcap`
- `34936-sensor-250304-00002393_redacted.pcap`
- `34936-sensor-250309-00002490_redacted.pcap`
- `34936-sensor-250303-00002386_redacted.pcap`
- `34936-sensor-250306-00002439_redacted.pcap`

- `34936-sensor-250309-00002491_redacted.pcap`
- `34936-sensor-250304-00002418_redacted.pcap`
- `34936-sensor-250304-00002402_redacted.pcap`
- `34936-sensor-250308-00002455_redacted.pcap`
- `34936-sensor-250308-00002464_redacted.pcap`
- `34936-sensor-250309-00002493_redacted.pcap`
- `34936-sensor-250307-00002447_redacted.pcap`
- `34936-sensor-250308-00002463_redacted.pcap`
- ... plus 97 more

Findings

A. Initial Access

Status: agent_error **Confidence:** LOW **MITRE:** T1133

The agent was unable to complete its investigation: Error code: 402 - {'error': {'message': 'Insufficient Balance', 'type': 'unknown_error', 'param': None, 'code': 'invalid_request_error'}}

Evidence:

- No evidence items recorded

Limitations:

- Agent error: Error code: 402 - {'error': {'message': 'Insufficient Balance', 'type': 'unknown_error', 'param': None, 'code': 'invalid_request_error'}}

Recommended next steps:

- None recorded

B. Lateral Movement and Discovery

Status: agent_error **Confidence:** LOW **MITRE:** T1046, T1021.002

The agent was unable to complete its investigation: Error code: 402 - {'error': {'message': 'Insufficient Balance', 'type': 'unknown_error', 'param': None, 'code': 'invalid_request_error'}}

Evidence:

- No evidence items recorded

Limitations:

- Agent error: Error code: 402 - {'error': {'message': 'Insufficient Balance', 'type': 'unknown_error', 'param': None, 'code': 'invalid_request_error'}}

Recommended next steps:

- None recorded

C. Exfiltration

Status: agent_error **Confidence:** LOW **MITRE:** T1567

The agent was unable to complete its investigation: Error code: 402 - {'error': {'message': 'Insufficient Balance', 'type': 'unknown_error', 'param': None, 'code': 'invalid_request_error'}}

Evidence:

- No evidence items recorded

Limitations:

- Agent error: Error code: 402 - {'error': {'message': 'Insufficient Balance', 'type': 'unknown_error', 'param': None, 'code': 'invalid_request_error'}}

Recommended next steps:

- None recorded

D. Payload Deployment

Status: agent_error **Confidence:** LOW **MITRE:** T1021.001, T1021.002

The agent was unable to complete its investigation: Error code: 402 - {'error': {'message': 'Insufficient Balance', 'type': 'unknown_error', 'param': None, 'code': 'invalid_request_error'}}

Evidence:

- No evidence items recorded

Limitations:

- Agent error: Error code: 402 - {'error': {'message': 'Insufficient Balance', 'type': 'unknown_error', 'param': None, 'code': 'invalid_request_error'}}

Recommended next steps:

- None recorded

Timeline

- Timeline is empty

Methodology and Guardrails

The agent follows a four-phase alert-driven pipeline: (1) Suricata alert ingestion, (2) Zeek JSON correlation filtered to IOC IPs, (3) targeted PCAP selection by timestamp, (4) deep tshark analysis on selected PCAPs only.

- Read-only PCAP handling
- Fixed tool allowlist (initial_access, lateral_movement, exfiltration, payload_delivery)
- Evidence-linked conclusions – every finding cites actual log entries
- Confidence labels (HIGH/MEDIUM/LOW) with explicit limitations
- Safe abstention when evidence is weak
- Results cached in `ingest/` to avoid re-scanning the 30 GB Zeek file

Cost and Efficiency Notes

- The Zeek JSON is streamed once and matched records are cached; re-runs are fast.
- tshark is invoked only on the targeted PCAP subset, not all 129 files.
- Deterministic mode has zero model cost; LLM mode adds cost only for planning.
- This keeps the expensive reasoning layer narrow and auditable.