Focus Timer — DITA/XML Sample

Learning project • Structured documentation source files

Project overview

This portfolio sample demonstrates a small topic-based documentation set using DITA-style XML for a fictional productivity app. The map connects an introductory concept, a procedure, reference settings, and troubleshooting guidance.

Validation status: The XML files have been checked for well-formed XML syntax and expected basic DITA topic/map root elements. This is not full DITA DTD/schema validation, and no DITA Open Toolkit output has been generated or reviewed yet.

Included files

• focus-timer.ditamap — topic map
• concept.dita — About Focus Timer
• task.dita — Start a Focus Session
• reference.dita — Timer Settings
• troubleshooting.dita — troubleshooting topic

Source files

focus-timer.ditamap — DITA Map

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE map PUBLIC "-//OASIS//DTD DITA Map//EN" "map.dtd">
<map id="focus-timer-documentation" xml:lang="en">
<title>Focus Timer Documentation</title>
<topicref href="concept.dita" navtitle="About Focus Timer"/>
<topicref href="task.dita" navtitle="Start a Focus Session"/>
<topicref href="reference.dita" navtitle="Timer Settings"/>
<topicref href="troubleshooting.dita" navtitle="Troubleshooting"/>
</map>
```

concept.dita — Concept Topic

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE concept PUBLIC "-//OASIS//DTD DITA Concept//EN" "concept.dtd">
<concept id="about-focus-timer" xml:lang="en">
<title>About Focus Timer</title>
<shortdesc>Focus Timer is a fictional productivity app for working in focused intervals with planned
breaks.</shortdesc>
<conbody>
<p>This sample uses a 25-minute focus period followed by a short break.</p>
<section>
<title>When to use a focus session</title>
<p>Use a session when you want to give one task your attention without switching between unrelated activities.</p>
</section>
<section>
<title>How the sample works</title>
<ul>
<li>Choose a focus duration.</li>
<li>Start the timer.</li>
<li>Work on one task until the session ends.</li>
<li>Take a break before starting another session.</li>
</ul>
</section>
</conbody>
</concept>
```

task.dita — Task Topic

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE task PUBLIC "-//OASIS//DTD DITA Task//EN" "task.dtd">
<task id="start-focus-session" xml:lang="en">
<title>Start a Focus Session</title>
<shortdesc>Follow these steps to start a 25-minute session in the fictional Focus Timer app.</shortdesc>
<taskbody>
<prereq>Open Focus Timer and make sure no other session is currently running.</prereq>
<context>A standard focus session in this sample lasts 25 minutes.</context>
<steps>
<step><cmd>Open the timer settings.</cmd><info>Use the settings control on the main timer screen.</info></step>
```

```
<step><cmd>Set the focus duration to 25 minutes.</cmd><info>Choose another available value if your task requires
it.</info></step>
<step><cmd>Return to the main timer screen and select Start.</cmd></step>
<step><cmd>Work on one chosen task until the timer reaches zero.</cmd></step>
</steps>
<result>The timer counts down and indicates when the session is complete.</result>
<postreq>Take a break or review your progress before starting another session.</postreq>
</taskbody>
</task>
```

reference.dita — Reference Topic

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE reference PUBLIC "-//OASIS//DTD DITA Reference//EN" "reference.dtd">
<reference id="timer-settings" xml:lang="en">
<title>Timer Settings</title>
<shortdesc>Example settings available in the fictional Focus Timer app.</shortdesc>
<refbody>
<section>
<title>Settings table</title>
<table>
<tgroup cols="3">
<thead><row><entry>Setting</entry><entry>Example value</entry><entry>Description</entry></row></thead>
<tbody>
<row><entry>Focus duration</entry><entry>25 minutes</entry><entry>Length of one focus session.</entry></row>
<row><entry>Short break</entry><entry>5 minutes</entry><entry>Brief rest after a focus session.</entry></row>
<row><entry>Long break</entry><entry>15 minutes</entry><entry>Longer rest after several sessions.</entry></row>
<row><entry>Sound alert</entry><entry>On or Off</entry><entry>Controls whether an alert plays when a session
ends.</entry></row>
</tbody>
</tgroup>
</table>
</section>
<section><title>Availability</title><p>These values are illustrative and do not describe a commercial
application.</p></section>
</refbody>
</reference>
```

troubleshooting.dita — Troubleshooting Topic

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE concept PUBLIC "-//OASIS//DTD DITA Concept//EN" "concept.dtd">
<concept id="timer-will-not-start" xml:lang="en">
<title>Troubleshoot a Timer That Will Not Start</title>
<shortdesc>Use these checks if the fictional Focus Timer does not begin counting down.</shortdesc>
<conbody>
<section><title>Check whether another session is active</title><p>Return to the main screen and check the current
session status before starting another one.</p></section>
<section><title>Check the selected duration</title><p>Choose a supported duration in settings and save it if the app
requires confirmation.</p></section>
<section><title>Restart the app</title><p>Close and reopen the app, then try again. If work is not saved
automatically, record it before closing.</p></section>
<section><title>If the issue continues</title><p>Record the device type, app version, selected duration, and
reproduction steps. Do not include passwords or sensitive information in a support request.</p></section>
</conbody>
</concept>
```