

```

import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
from sklearn.model_selection import train_test_split
from sklearn.preprocessing import LabelEncoder
from sklearn.ensemble import RandomForestClassifier
from sklearn.metrics import accuracy_score

```

```

df = pd.read_csv('titanic.csv')
print(df.head())

```

	PassengerId	Survived	Pclass	\
0	1	0	3	
1	2	1	1	
2	3	1	3	
3	4	1	1	
4	5	0	3	

	SibSp	\	Name	Sex	Age
0			Braund, Mr. Owen Harris	male	22.0
1					
1	1		Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0
1					
2			Heikkinen, Miss. Laina	female	26.0
0					
3			Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0
1					
4			Allen, Mr. William Henry	male	35.0
0					

	Parch		Ticket	Fare	Cabin	Embarked
0	0		A/5 21171	7.2500	NaN	S
1	0		PC 17599	71.2833	C85	C
2	0	STON/O2.	3101282	7.9250	NaN	S
3	0		113803	53.1000	C123	S
4	0		373450	8.0500	NaN	S

```

df['Age'] = df['Age'].fillna(df['Age'].median())
df['Embarked'] = df['Embarked'].fillna(df['Embarked'].mode()[0])
df = df.dropna(subset=['Fare'])
print(df.isnull().sum())

```

PassengerId	0
Survived	0
Pclass	0
Name	0
Sex	0
Age	0

```
SibSp      0
Parch      0
Ticket      0
Fare        0
Cabin      687
Embarked    0
dtype: int64
```

```
le = LabelEncoder()
df['Sex'] = le.fit_transform(df['Sex'])
df = pd.get_dummies(df, columns=['Embarked'], drop_first=True)
print(df.head())
```

```
   PassengerId  Survived  Pclass  \
0             1         0       3
1             2         1       1
2             3         1       3
3             4         1       1
4             5         0       3
```

```
                                     Name  Sex  Age  SibSp
Parch  \
0                                     Braund, Mr. Owen Harris    1  22.0    1
0
1  Cumings, Mrs. John Bradley (Florence Briggs Th...    0  38.0    1
0
2                                     Heikkinen, Miss. Laina    0  26.0    0
0
3  Futrelle, Mrs. Jacques Heath (Lily May Peel)    0  35.0    1
0
4                                     Allen, Mr. William Henry    1  35.0    0
0
```

```
   Ticket    Fare  Cabin  Embarked_Q  Embarked_S
0  A/5 21171   7.2500   NaN         False         True
1  PC 17599  71.2833   C85         False         False
2  STON/O2. 3101282   7.9250   NaN         False         True
3   113803  53.1000  C123         False         True
4   373450   8.0500   NaN         False         True
```

```
X = df.drop(['Survived', 'Name', 'Ticket', 'Cabin', 'PassengerId'],
axis=1)
y = df['Survived']
X_train, X_test, y_train, y_test = train_test_split(X, y,
test_size=0.2, random_state=42)
print(f"Training data shape: {X_train.shape}")
print(f"Testing data shape: {X_test.shape}")
```

```
Training data shape: (712, 8)
Testing data shape: (179, 8)
```

```

rf = RandomForestClassifier(n_estimators=100, random_state=42)
rf.fit(X_train, y_train)
y_pred = rf.predict(X_test)
accuracy = accuracy_score(y_test, y_pred)
print(f"Model Accuracy: {accuracy:.2f}")

Model Accuracy: 0.81

from sklearn.metrics import confusion_matrix, classification_report
cm = confusion_matrix(y_test, y_pred)
cr = classification_report(y_test, y_pred)

print("Confusion Matrix:")
print(cm)
print("\nClassification Report:")
print(cr)

sns.heatmap(cm, annot=True, fmt='d', cmap='Blues', xticklabels=['Not
Survived', 'Survived'], yticklabels=['Not Survived', 'Survived'])
plt.ylabel('Actual')
plt.xlabel('Predicted')
plt.title('Confusion Matrix')
plt.show()

```

Confusion Matrix:

```
[[90 15]
 [19 55]]
```

Classification Report:

	precision	recall	f1-score	support
0	0.83	0.86	0.84	105
1	0.79	0.74	0.76	74
accuracy			0.81	179
macro avg	0.81	0.80	0.80	179
weighted avg	0.81	0.81	0.81	179

