

NAAN MUDHALVAN

PROJECT TITLE: IMPLEMENT CLIENT SCRIPT & UI POLICY (INCIDENT)

Team ID: SWTID-2026-8693

Team size:5

Team Leader Name: Shajna S

Team Members:

Fathima Shafa S

Karthika S

Aarthi D

Lavanya T T

CERTIFICATE

This is to certify that the project report entitled “Implement Client Script & UI Policy (Incident)” has been prepared as part of the ServiceNow project activity in Skill Wallet by the above-mentioned team members. The project focuses on configuring client-side form behaviour and UI Policies on the ServiceNow Incident form.

ACKNOWLEDGEMENT

We express our sincere gratitude to our faculty and mentors for providing us with the opportunity to work on this ServiceNow project. We thank our team members for their cooperation and contribution throughout the project. This project helped us understand how Client Scripts and UI Policies can be used to control form behaviour, validate information, and improve the user experience in ServiceNow.

ABSTRACT

The project “Implement Client Script & UI Policy (Incident)” focuses on improving the behaviour of the ServiceNow Incident form by using Client Scripts and UI Policies. These configurations allow the form to respond dynamically to user actions and incident conditions without requiring the form to be submitted for every change. The project includes the creation of a UI Policy, configuration of a UI Policy Action for Urgency, an onChange Client Script, an onSubmit Client Script for save validation, an onCellEdit Client

1.INTRODUCTION

ServiceNow is a cloud-based platform used for managing digital workflows and IT service processes. The Incident form is an important component used to record and manage incidents. Proper form behaviour is necessary to reduce incorrect data entry and make the form easier for users to work with.

In this project, Client Scripts and UI Policies are implemented on the Incident form.

UI Policies are used to control form-field behaviour based on conditions, while Client Scripts are used to execute client-side JavaScript when particular form events occur.

Together, these features provide dynamic form behaviour and validation.

2. OBJECTIVES

- To implement a UI Policy on the ServiceNow Incident form.
- To configure a UI Policy Action related to the Urgency field.
- To create an onChange Client Script for dynamic form behaviour.
- To create an onSubmit Client Script for save validation.
- To create an onCellEdit Client Script for field updates.
- To test the configured behaviour on the Incident form.
- To reduce incorrect data entry and improve the user experience.

3. TOOLS AND TECHNOLOGIES USED

Tool / Technology	Purpose
ServiceNow	Platform used to create and test the Incident form configurations.
UI Policy	Controls form-field behaviour based on defined conditions.
Client Script	Executes client-side logic during form events.
Incident Form	Form used for configuring and testing the project requirements.
Skill Wallet	Project workspace used for the group project activities.

4. PROJECT MILESTONES

Milestone	Activity
Milestone 1	Create UI Policy on Incident
Milestone 2	Create UI Policy Action – Urgency
Milestone 3	Create onChange Client Script
Milestone 4	Create onSubmit Client Script (Save Validation)
Milestone 5	Create onCellEdit Client Script
Milestone 6	Testing the Configuration

5. IMPLEMENTATION

5.1 Create UI Policy on Incident

The first milestone is to create a UI Policy on the Incident table. A UI Policy controls the behaviour of fields on a form according to a specified condition. The policy is configured for the Incident form and is used as the base for the related UI Policy Action.

- Open the Incident configuration area in ServiceNow.
- Create a new UI Policy for the Incident table.
- Provide the required policy condition and configuration.
- Save the UI Policy and verify that it is available for use on the Incident form.

5.2 Create UI Policy Action – Urgency

The second milestone is the creation of a UI Policy Action for the Urgency field. The UI Policy Action defines how the selected field should behave when the UI Policy condition is satisfied.

- Open the UI Policy created for the Incident form.
- Add a UI Policy Action.
- Select the Urgency field.
- Configure the required field behaviour.
- Save the action and verify it from the Incident form.

5.3 Create onChange Client Script

An onChange Client Script runs when the value of a selected field changes on the client side. In this project, an onChange Client Script is created to provide dynamic behaviour on the Incident form.

- Create a new Client Script for the Incident table.
- Select the onChange type.
- Select the required field for the change event.
- Enter the required client-side script logic.
- Save the Client Script and test the behaviour by changing the field value.

5.4 Create onSubmit Client Script (Save Validation)

An onSubmit Client Script runs when a form is submitted. It can be used to validate information before the record is saved. The project includes an onSubmit Client Script for save validation.

- Create a new Client Script for the Incident table.
- Select the onSubmit type.
- Add the required validation logic.
- Save the script.
- Test the Incident form by submitting it and observing the validation behaviour.

5.5 Create onCellEdit Client Script

An onCellEdit Client Script is used when a field value is edited directly in a list. This milestone extends the client-side behaviour beyond the normal form view.

- Create a new Client Script for the Incident table.
- Select the onCellEdit type.
- Configure the required field and client-side logic.
- Save the script.
- Test the behaviour by editing the relevant value from the list.

6. TESTING AND VALIDATION

After completing the configuration, the Incident form and list behaviour are tested to confirm that the UI Policy and Client Scripts respond to the relevant user actions.

Testing includes changing field values, checking the UI Policy Action, submitting the form for validation, and editing the relevant value from the list.

Test	Expected Behaviour	Status
UI Policy condition	Configured field behaviour is applied when the condition is met.	Project testing
Urgency UI Policy Action	Urgency follows the configured policy action.	Project testing
onChange script	Configured logic runs when the selected value changes.	Project testing
onSubmit validation	Validation runs before the record is submitted.	Project testing
onCellEdit script	Configured logic runs when the value is edited in a list.	Project testing

7. SCREENSHOT

Milestone 1: Create UI Policy On Incident

Activity 1: Create UI Policy

The screenshot shows the ServiceNow interface for configuring a UI Policy Action. The left sidebar displays the navigation menu with categories like System Mobile, Service Catalog, System Diagnostics, System UI, MID Server, and System Web Services. The main content area is titled 'UI Policy Action - assignment_group'. It includes a search bar and tabs for Favorites, History, Workspaces, and Admin. The configuration form is divided into two sections. The top section, 'UI policy', shows 'High Impact Control' selected. The 'Table' is set to 'Incident [incident]'. The '* Field name' is 'Assignment group'. The bottom section, 'Application', shows 'Global' selected. The 'Mandatory' checkbox is checked, and 'Visible' is set to 'Leave alone'. The 'Read only' checkbox is unchecked. There are 'Update' and 'Delete' buttons at the bottom of the form.

UI policy actions specify exactly what actions to take on a specified field. The conditions specified in the UI policy determine when these actions are triggered. [More Info](#)

UI policy: High Impact Control

Table: Incident [incident]

* Field name: Assignment group

Application: Global

Mandatory: True

Visible: Leave alone

Read only: False

Clear the field value: ☐

Update Delete

Milestone 2: Create UI Policy on Action – Urgency

Activity 1: Configure the Urgency Field

The screenshot shows the ServiceNow interface for configuring a UI Policy Action. The left sidebar displays the navigation menu with categories like System Mobile, Service Catalog, System Diagnostics, System UI, MID Server, and System Web Services. The main content area is titled 'UI Policy Action - urgency'. It includes a search bar and tabs for Favorites, History, Workspaces, and Admin. The configuration form is divided into two sections. The top section, 'UI policy', shows 'High Impact Control' selected. The 'Table' is set to 'Incident [incident]'. The '* Field name' is 'Urgency'. The bottom section, 'Application', shows 'Global' selected. The 'Mandatory' checkbox is unchecked, and 'Visible' is set to 'Leave alone'. The 'Read only' checkbox is checked. There are 'Update' and 'Delete' buttons at the bottom of the form.

UI policy actions specify exactly what actions to take on a specified field. The conditions specified in the UI policy determine when these actions are triggered. [More Info](#)

UI policy: High Impact Control

Table: Incident [incident]

* Field name: Urgency

Application: Global

Mandatory: Leave alone

Visible: Leave alone

Read only: True

Clear the field value: ☐

Update Delete

Milestone 3: Create OnChange Client Script

Activity 1: Create Client Script

The screenshot shows the ServiceNow interface for creating a Client Script. The left sidebar contains a navigation menu with 'Service Catalog', 'Catalog Administration', 'Catalog Client Scripts', 'System Definition', 'Client Scripts', 'System Logs', and 'Client Transactions'. The main area is titled 'Client Script - Auto set urgency for high impact'. A blue banner at the top states: 'New client-scripts are run in strict mode, with direct DOM access disabled. Access to jQuery, prototype and the window object are likewise disabled. To disable this on a per-script basis, configure this form and add the "isolate script" field. To disable this feature for all new globally-scoped client-side scripts set the system property "glide.script.block.client.global" to false.'

The configuration fields are as follows:

- Name: Auto set urgency for high impact
- Table: Incident [Incident]
- UI Type: Desktop
- Type: onChange
- Field name: Impact
- Application: Global
- Active: ☒
- Inherited: ☐
- Global: ☒

The Description and Messages fields are empty. The Script field contains the following code:

```
1 function onChange(control, oldValue, newValue, isLoading) {  
2   if (isLoading || newValue === '') {  
3     return;  
4   }  
5   if (newValue == '1') { // High Impact  
6     g_form.setValue('urgency', '1');  
7     g_form.showFieldMsg(  
8       'Impact',  
9       'High Impact incidents must have high urgency and an assignment group.',  
10      'info'  
11    );  
12  }  
13 }  
14  
15
```

The 'Isolate script' checkbox is checked.

Milestone 4: Create OnSubmit Client Script(Save Validation)

Activity 1: Create Client Script

The screenshot shows the ServiceNow interface for creating a Client Script. The left sidebar contains a navigation menu with 'Service Catalog', 'Catalog Administration', 'Catalog Client Scripts', 'System Definition', 'Client Scripts', 'System Logs', and 'Client Transactions'. The main area is titled 'Client Script - Prevent save if assigned to missing'. A blue banner at the top states: 'New client-scripts are run in strict mode, with direct DOM access disabled. Access to jQuery, prototype and the window object are likewise disabled. To disable this on a per-script basis, configure the form and add the "include script" field. To disable this feature for all new globally-scoped client-side scripts set the "sysevent processor" glide.script.blacklist.include.global to false.'

The configuration fields are as follows:

- Name: Prevent save if assigned to missing
- Table: Incident [Incident]
- UI Type: Desktop
- Type: onSubmit
- Application: Global
- Active: ☒
- Inherited: ☐
- Global: ☒

The Description and Messages fields are empty. The Script field contains the following code:

```
1 function onSubmit() {  
2   if (g_form.getValue('Impact') == '1' &&  
3     g_form.getValue('assigned_to') == '') {  
4     g_form.showErrorMessage(  
5       'assigned_to',  
6       'Assigned To is Mandatory for High Impact Incidents.'  
7     );  
8     return false;  
9   }  
10   return true;  
11 }  
12  
13
```

The 'Isolate script' checkbox is checked.

Milestone 5: Create OnCellEdit Client Script

Activity 1: Create Client Script

The screenshot shows the ServiceNow interface for creating a client script. The left sidebar contains the navigation menu with 'Client Scripts' selected under 'System Definition'. The main content area is titled 'Client Script - Prevent state change via list edit'. A warning message states: 'New client-scripts are run in strict mode, with direct DOM access disabled. Access to jQuery, prototype and the window object are likewise disabled. To disable this on a per-script basis, configure this form and add the "IsolateScript" field. To disable this feature for all new, globally-scoped client-side scripts, set the system property "glide.script.block.client.globals" to false.'

The configuration form includes the following fields:

- Name: Prevent state change via list edit
- Table: Incident [incident]
- UI Type: Desktop
- Type: onCellEdit
- Field name: State
- Application: Global
- Active: ☒
- Inherited: ☐
- Global: ☒

The Description and Messages fields are empty. The Script field contains the following code:

```
1 function onCellEdit(sysID, cable, oldValues, newValue, callback) {  
2  
3     alert('State cannot be changed from the list. Please open the Incident.');
```

```
4  
5     // Cancel the list edit  
6     callback(false, oldValues);  
7 }  
8  
9
```

The 'Isolate script' checkbox is checked.

Milestone 6: Testing the Configuration

Activity 1: Test Mandatory Enforcement

The screenshot shows the ServiceNow interface for creating a new incident record. The left sidebar contains the navigation menu with 'Incident' selected under 'Incidents'. The main content area is titled 'Incident - Create INC0010472'. The form includes the following fields:

- Number: INC0010472
- Channel: -- None --
- State: New
- Category: Inquiry / Help
- Impact: 1 - High
- Subcategory: -- None --
- Urgency: 1 - High
- Service: [Search]
- Priority: 1 - Critical
- Service offering: [Search]
- Assignment group: Software
- Configuration item: [Search]
- Assigned to: [Search]

The Short description field contains 'testing UI policy'. The Description field is empty. The 'Related Search Results' section shows a search for 'testing UI policy' with the results 'Knowledge & Catalog (14)'.

Activity 2: Test Successful Save

The screenshot shows the ServiceNow Incident form for a new record. The form is titled "Incident - Create INC0010012". The left sidebar shows the navigation menu with "Incident" selected. The form fields are as follows:

Field	Value
Number	INC0010012
* Caller	Amit Chandra
Category	Inquiry / Help
Subcategory	-- None --
Service	
Service offering	
Configuration item	
* Short description	Unable UI policy
Description	
Channel	-- None --
State	New
Impact	1 - High
Urgency	1 - High
Priority	1 - Critical
Assignment group	Software
Assigned to	Beth Anglin

Below the form, there is a "Related Search Results" section. It shows a search for "unable UI policy" in the "Knowledge & Catalog (All)" section. The results are:

- [Can't see policies](#) - No description
- [UI Policy \[2\]](#) - Want to unblock an IP address?

The "Order" button is visible at the bottom right of the search results.

Activity 3: Reverse Condition Test

The screenshot shows the ServiceNow Incident form for an existing record, INC0010012. The form is titled "Incident - INC0010012". The left sidebar shows the navigation menu with "Incident" selected. The form fields are as follows:


Field	Value
Number	INC0010012
* Caller	Anita Cinderella
Category	Inquiries / Help
Subcategory	-- None --
Service	
Service offering	
Configuration item	
* Short description	testing IT policy
Description	
Channel	-- None --
State	New
Impact	2 - Medium
Urgency	1 - High
Priority	2 - High
Assignment group	Software
Assigned to	

Below the form, there is a "Related Search Results" section. It shows a search for "testing IT policy" in the "Knowledge & Catalog (All)" section. The results are:

- [Can't see policies](#) - No description
- [UI Policy \[2\]](#) - Want to unblock an IP address?


The "Order" button is visible at the bottom right of the search results.

Activity 4: Test List Edit Blocking



Number	Opened	Short description	Caller	Priority	State	Category	Assignment group	Assigned to	Updated	Updated by
INC0010012	2026-01-14 02:15:14	testing UI policy	Adela Cervantsz	2 - High	New	Inquiry / Help	Software	(empty)	2026-01-14 03:19:11	admin
INC0009009	2018-08-30 01:06:16	Unable to access the shared folder.	David Miller	4 - Low	New	Inquiry / Help	(empty)	(empty)	2018-12-12 23:30:24	admin
INC0009005	2018-08-31 21:35:21	Email server is down.	David Miller	1 - Critical	New	Software	(empty)	(empty)	2018-12-12 23:18:55	admin
INC0009001	2018-09-11 20:56:26	Unable to post content on a Wiki page	David Miller	3 - Moderate	New	Inquiry / Help	(empty)	(empty)	2018-12-12 23:32:42	admin
INC0008112	2019-07-29 11:48:43	Assessment : ATF Assessor	survey user	5 - Planning	New	Inquiry / Help	(empty)	(empty)	2019-07-29 11:49:28	admin
INC0008111	2019-07-22 14:04:57	ATF : Test1	System Administrator	5 - Planning	New	Inquiry / Help	(empty)	(empty)	2019-07-22 14:05:48	admin
INC0008001	2021-01-15 13:04:14	ATF:TEST2	survey user	5 - Planning	New	Inquiry / Help	(empty)	(empty)	2021-01-21 15:31:42	admin
INC0007002	2018-10-16 22:47:51	Need access to the common drive.	David Miller	4 - Low	New	Inquiry / Help	(empty)	(empty)	2018-12-12 23:28:49	admin
INC0007001	2018-10-16 22:47:10	Employee payroll application server is down.	David Miller	1 - Critical	New	Hardware	Openspace	(empty)	2025-12-03 18:11:31	system
INC0001290	2020-06-07 09:02:25	Unable to access the personal details section in payroll portal	Problem CoordinatorATF	5 - Planning	On Hold	Inquiry / Help	(empty)	(empty)	2020-06-07 09:04:34	admin
INC0000000	2016-08-10	Unable to access team	David Miller	3 -	New	Inquiry / Help	(empty)	(empty)	2016-08-10	admin

Activity 5: Test Form-Based Update



Number	Opened	Short description	Caller	Priority	State	Category	Assignment group	Assigned to	Updated	Updated by
INC0010012	2026-01-14 02:15:14	testing UI policy	Adela Cervantsz	2 - High	New	Inquiry / Help	Software	(empty)	2026-01-14 03:19:11	admin
INC0029909	2018-08-30 01:06:16	Unable to access the shared folder.	David Miller	4 - Low	New	Inquiry / Help	(empty)	(empty)	2018-12-12 23:30:24	admin
INC0007005	2018-08-31 21:35:21	Email server is down.	David Miller	1 - Critical	New	Software	(empty)	(empty)	2018-12-12 23:10:55	admin
INC0029001	2018-09-11 20:56:26	Unable to post content on a Wiki page	David Miller	3 - Moderate	New	Inquiry / Help	(empty)	(empty)	2018-12-12 23:32:42	admin
INC0008112	2019-07-29 11:48:43	Assessment : ATF Assessor	survey user	5 - Planning	New	Inquiry / Help	(empty)	(empty)	2019-07-29 11:49:28	admin
INC0028111	2019-07-22 14:04:57	ATF : Test1	System Administrator	5 - Planning	In Progress	Inquiry / Help	(empty)	(empty)	2026-01-14 03:31:59	admin
INC0000001	2021-01-15 13:01:14	ATF:TEST2	survey user	5 - Planning	New	Inquiry / Help	(empty)	(empty)	2021-01-21 15:31:12	admin
INC0007002	2018-10-16 22:47:51	Need access to the common drive.	David Miller	4 - Low	New	Inquiry / Help	(empty)	(empty)	2018-12-12 23:28:49	admin
INC0007001	2018-10-16 22:47:10	Employee payroll application server is down.	David Miller	1 - Critical	New	Hardware	Openspace	(empty)	2025-12-03 18:11:31	system
INC0001990	2020-06-07 09:02:25	Unable to access the personal details section in payroll portal	Problem CoordinatorATF	5 - Planning	On Hold	Inquiry / Help	(empty)	(empty)	2020-06-07 09:04:34	admin
INC0000000	2016-08-10	Unable to access team	David Miller	3 -	New	Inquiry / Help	(empty)	(empty)	2016-08-10	admin

8. ADVANTAGES

- ❖ Improves the efficiency of incident form handling.
- ❖ Provides dynamic responses based on user actions and conditions.
- ❖ Reduces manual effort by automating form behaviour.
- ❖ Improves data accuracy through client-side validation.
- ❖ Makes important fields mandatory when required.
- ❖ Helps control field visibility and accessibility based on conditions.
- ❖ Provides a better and more user-friendly experience.
- ❖ Reduces incorrect or incomplete incident submissions.
- ❖ Allows easy customization of the Incident form without changing the database structure.
- ❖ Helps maintain consistency in incident data entry.
- ❖ Provides faster validation and immediate feedback to users.
- ❖ Makes the incident management process more organized and efficient.

9. FUTURE ENHANCEMENT

- ❖ The system can be enhanced with more advanced Client Scripts for complex form interactions.
- ❖ Additional UI Policies can be implemented to dynamically control fields based on incident conditions.
- ❖ Automated notifications can be added to inform users about important incident updates.
- ❖ Integration with email and messaging services can be introduced for faster communication.
- ❖ Automated incident assignment and priority management can be implemented.
- ❖ Advanced validation rules can be added to improve the accuracy of incident information.
- ❖ Role-based form behaviour can be introduced to provide different access levels for different users.
- ❖ AI-based features can be integrated to suggest incident categories, priorities, and resolutions.
- ❖ Reporting and dashboard features can be enhanced to monitor incident trends and performance.
- ❖ The system can be integrated with other ServiceNow modules to provide a more complete incident management solution.
- ❖ Automated workflows can be introduced to reduce manual processing and improve efficiency.
- ❖ The system can be further optimized for better performance and scalability.

10. CONCLUSION

The project “Implement Client Script & UI Policy (Incident)” demonstrates how ServiceNow Client Scripts and UI Policies can be used to control and validate Incident form behaviour. The six milestones cover the major configuration and testing stages required for the project. Through this project, the team gained practical understanding of client-side form behaviour, UI Policy Actions, event-based Client Scripts, and validation within ServiceNow.

11. REFERENCES

- ❖ ServiceNow Documentation – Client Scripts and UI Policies.
- ❖ ServiceNow Developer Documentation – Incident Management and Form Configuration.
- ❖ ServiceNow Learning Resources – Client-side Scripting and Form Behaviour.
- ❖ ServiceNow Community – Client Scripts and UI Policy implementation examples.
- ❖ JavaScript Documentation – Client-side scripting concepts and form validation.
- ❖ Skill Wallet learning materials and project guidelines related to ServiceNow.