

```
CREATE TABLE Person (  
    driver_id NUMBER PRIMARY KEY,  
    name VARCHAR2(50),  
    address VARCHAR2(100)  
);
```

```
CREATE TABLE Car (  
    license VARCHAR2(20) PRIMARY KEY,  
    model VARCHAR2(50),  
    year NUMBER  
);
```

```
CREATE TABLE Accident (  
    report_no NUMBER PRIMARY KEY,  
    date_acc DATE,  
    location VARCHAR2(100)  
);
```

```
CREATE TABLE Owns (  
    driver_id NUMBER,  
    license VARCHAR2(20),  
    PRIMARY KEY (driver_id, license),  
    FOREIGN KEY (driver_id) REFERENCES Person(driver_id),  
    FOREIGN KEY (license) REFERENCES Car(license)  
);
```

```
CREATE TABLE Participated (  
    driver_id NUMBER,  
    model VARCHAR2(50),  
    report_no NUMBER,  
    damage_amount NUMBER(10,2),  
    PRIMARY KEY (driver_id, report_no),  
    FOREIGN KEY (driver_id) REFERENCES Person(driver_id)  
);
```

Insert 5 Records

-- Person

```
INSERT INTO Person VALUES (1, 'Amit Sharma', 'Pune');
INSERT INTO Person VALUES (2, 'Rahul Patil', 'Mumbai');
INSERT INTO Person VALUES (3, 'Sneha Joshi', 'Nashik');
INSERT INTO Person VALUES (4, 'Priya Singh', 'Delhi');
INSERT INTO Person VALUES (5, 'Rohan Mehta', 'Nagpur');
```

-- Car

```
INSERT INTO Car VALUES ('MH12AB1234', 'Honda City', 2020);
INSERT INTO Car VALUES ('MH14CD5678', 'Hyundai i20', 2019);
INSERT INTO Car VALUES ('MH15EF9012', 'Maruti Swift', 2021);
INSERT INTO Car VALUES ('DL01GH3456', 'Toyota Innova', 2018);
INSERT INTO Car VALUES ('MH31IJ7890', 'Tata Nexon', 2022);
```

-- Accident

```
INSERT INTO Accident VALUES (101, TO_DATE('2025-01-10','YYYY-MM-DD'), 'Pune');
INSERT INTO Accident VALUES (102, TO_DATE('2025-02-15','YYYY-MM-DD'), 'Mumbai');
INSERT INTO Accident VALUES (103, TO_DATE('2025-03-05','YYYY-MM-DD'), 'Nashik');
INSERT INTO Accident VALUES (104, TO_DATE('2025-03-20','YYYY-MM-DD'), 'Delhi');
INSERT INTO Accident VALUES (105, TO_DATE('2025-04-01','YYYY-MM-DD'), 'Nagpur');
```

-- Owns

```
INSERT INTO Owns VALUES (1, 'MH12AB1234');
INSERT INTO Owns VALUES (2, 'MH14CD5678');
INSERT INTO Owns VALUES (3, 'MH15EF9012');
INSERT INTO Owns VALUES (4, 'DL01GH3456');
INSERT INTO Owns VALUES (5, 'MH31IJ7890');
```

-- Participated

```
INSERT INTO Participated VALUES (1, 'Honda City', 101, 25000);
INSERT INTO Participated VALUES (2, 'Hyundai i20', 102, 15000);
INSERT INTO Participated VALUES (3, 'Maruti Swift', 103, 10000);
INSERT INTO Participated VALUES (4, 'Toyota Innova', 104, 30000);
INSERT INTO Participated VALUES (5, 'Tata Nexon', 105, 20000);
```

COMMIT;

2) Display Schema of Each Table

DESC Person;
DESC Car;
DESC Accident;
DESC Owns;
DESC Participated;

3) Display All Records from Person Table

SELECT * FROM Person;

4) Add Foreign Key Constraint

ALTER TABLE Participated
ADD CONSTRAINT fk_report
FOREIGN KEY (report_no)
REFERENCES Accident(report_no);

5) Add CHECK Constraint

ALTER TABLE Participated
ADD CONSTRAINT chk_damage
CHECK (damage_amount >= 0);

6) Make name Column NOT NULL

ALTER TABLE Person
MODIFY name VARCHAR2(50) NOT NULL;

7) Rename Car Table to Vehicle

RENAME Car TO Vehicle;

8) Create new_person Table and Drop It

```
CREATE TABLE new_person AS  
SELECT * FROM Person;
```

```
DROP TABLE new_person;
```