

Cucumber Report

May 11, 2026, 10:44:11 AM

Start : May 11, 10:43:46.610 AM

End : May 11, 10:44:09.517 AM

Duration : 22.907 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 4
SKIPPED - 0


PASSED - 4
FAILED - 4
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login to HRM Application</u>	22.907 s	4	0	4	0	12	4	4	4

#	Feature Name	Scenario Name
1	<u>Login to HRM Application</u>	<u>Login with invalid credentials</u>
2		<u>Login with invalid credentials</u>
3		<u>Login with invalid credentials</u>
4		<u>Login with valid credentials</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@InvalidCredentials	3	0	3	0	1	0	1	0
@ValidCredentials	1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	Login to HRM Application	4	0	4	0	22.907 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login to HRM Application</u>	<u>Login with invalid credentials</u>	3	1	1	1	22.771 s
2		<u>Login with invalid credentials</u>	3	1	1	1	22.884 s
3		<u>Login with invalid credentials</u>	3	1	1	1	22.790 s
4		<u>Login with valid credentials</u>	3	1	1	1	22.839 s

Login to HRM Application

FAILED	DURATION - 22.907 s	Scenarios		Steps	
/ 10:43:46.610 AM // 10:44:09.517 AM /		Total - 4		Total - 12	
		Pass - 0		Pass - 4	
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 4	

Login with invalid credentials

FAILED DURATION - 22.771 s			Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 10:43:46.628 AM // 10:44:09.399 AM /				
Login to HRM Application				
@InvalidCredentials				

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	1.730 s
2	When User enters username as "Admin" and password as "admin12\$\$" org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='username']"} (Session info: chrome=147.0.7727.138) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [31f3132ba527e92279663120e029bcef, findElement {value=username, using=name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 147.0.7727.138, chrome: {chromedriverVersion: 147.0.7727.117 (474cc805edd..., userDataDir: C:\Users\1339\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52916}, goog:processID: 21396, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52916/devtoo..., se:cdpVersion: 147.0.7727.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 31f3132ba527e92279663120e029bcef at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)	FAILED	10.136 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy2.sendKeys(Unknown Source) at com.actions.LoginPageActions.setUserName(LoginPageActions.java:27) at com.definitions1.LoginPageDefinitions.user_enters_username_as_and_password_as(LoginPageDefinitions.java:41) at ?.User enters username as "Admin" and password as "admin12\$\$" (file:///C:/Java-Selenium-Automation/CucumberParallelExecution/src/test/resources/features/LoginPage1.feature:16) * Not displayable characters are replaced by '?'. </pre>		
3	Then User should be able to see error message "Invalid credentials"	SKIPPED	0.004 s

Login with invalid credentials

FAILED DURATION - 22.884 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 10:43:46.633 AM // 10:44:09.517 AM /			
Login to HRM Application			
@InvalidCredentials			

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	1.760 s
2	When User enters username as "abc123" and password as "xyz\$\$" <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='username']"} (Session info: chrome=147.0.7727.138) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6900f0db5541bd6eaf17301625ed9754, findElement {value=username, using=name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 147.0.7727.138, chrome: {chromedriverVersion: 147.0.7727.117 </pre>	FAILED	10.108 s


#	Step / Hook Details	Status	Duration
	<pre> (474cc805edd..., userDataDir: C:\Users\1339\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52913}, goog:processID: 12368, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52913/devtoo..., se:cdpVersion: 147.0.7727.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6900f0db5541bd6eaf17301625ed9754 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.sendKeys(Unknown Source) at com.actions.LoginPageActions.setUserName(LoginPageActions.java:27) at com.definitions1.LoginPageDefinitions.user_enters_username_as_and_password_as(LoginPageDefinitions.java:41) at ?.User enters username as "abc123" and password as "xyz\$\$"(file:///C:/Java-Selenium-Automation/CucumberParallelExecution/src/test/resources/features/LoginPage1.feature:16) * Not displayable characters are replaced by '?'. </pre>		
3	Then User should be able to see error message "Invalid credentials"	SKIPPED	0.004 s

Login with invalid credentials

FAILED DURATION - 22.790 s	<table><caption>Step Durations</caption><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>~1.5</td></tr><tr><td>2</td><td>~10.5</td></tr><tr><td>3</td><td>0</td></tr></tbody></table>	Step	Duration (s)	1	~1.5	2	~10.5	3	0	Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
Step	Duration (s)										
1	~1.5										
2	~10.5										
3	0										
/ 10:43:46.637 AM // 10:44:09.427 AM /											
Login to HRM Application											
@InvalidCredentials											

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	1.630 s
2	When User enters username as "admin\$\$" and password as "admin123" <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='username']"} (Session info: chrome=147.0.7727.138) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fb1c5ea903c0b43b888d4c0d71b8ed0c, findElement {value=username, using=name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 147.0.7727.138, chrome: {chromedriverVersion: 147.0.7727.117 (474cc805edd..., userDataDir: C:\Users\1339\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52914}, goog:processID: 25064, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52914/devtoo..., se:cdpVersion: 147.0.7727.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: fb1c5ea903c0b43b888d4c0d71b8ed0c at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.sendKeys(Unknown Source) at com.actions.LoginPageActions.setUserNames(LoginPageActions.java:27) at com.definitions1.LoginPageDefinitions.user_enters_username_as_and_password_as(LoginPageDefinitions.java:41) at ?.User enters username as "admin\$\$" and password as "admin123"(file:///C:/Java-Selenium-Automation/CucumberParallelExecution/src/test/resources/features/LoginPage1.feature:16) * Not displayable characters are replaced by '?'.</pre>	FAILED	10.198 s
3	Then User should be able to see error message "Invalid credentials"	SKIPPED	0.006 s

Login with valid credentials

FAILED DURATION - 22.839 s			Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 10:43:46.634 AM // 10:44:09.473 AM /				
Login to HRM Application				
@ValidCredentials				

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	1.702 s
2	When User enters username and password org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='username']"} (Session info: chrome=147.0.7727.138) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b285b835bec33cb42cf6ab15ee8f7996, findElement {value=username, using=name}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 147.0.7727.138, chrome: {chromedriverVersion: 147.0.7727.117 (474cc805edd..., userDataDir: C:\Users\1339\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52915}, goog:processID: 26908, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52915/devtoo..., se:cdpVersion: 147.0.7727.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b285b835bec33cb42cf6ab15ee8f7996 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.sendKeys(Unknown Source)	FAILED	10.127 s

#	Step / Hook Details	Status	Duration
	at com.actions.LoginPageActions.setUserName(LoginPageActions.java:27) at com.actions.LoginPageActions.login(LoginPageActions.java:67) at com.definitions1.LoginPageDefinitions.goToHomePage(LoginPageDefinitions.java:27) at ?.User enters username and password(file:///C:/Java-Selenium-Automation/CucumberParallelExecution/src/test/resources/features/LoginPage1.feature:9) * Not displayable characters are replaced by '?'.		
3	Then User should be able to login sucessfully	SKIPPED	0.009 s