

Cucumber Report

Apr 7, 2025, 4:03:34 PM

Start : Apr 07, 4:03:20.856 PM

End : Apr 07, 4:03:33.351 PM

Duration : 12.495 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0




FAILED - 4

SKIPPED - 0

PASSED - 5

FAILED - 4


SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login to HRM Application</u>	12.495 s	4	0	4	0	12	5	4	3

#	Feature Name	Scenario Name
1	<u>Login to HRM Application</u>	<u>Login with invalid credentials - Feature 1, Scenario -2</u>
2		<u>Login with invalid credentials - Feature 1, Scenario -2</u>
3		<u>Login with invalid credentials - Feature 1, Scenario -2</u>
4		<u>Login with valid credentials - Feature 1, Scenario -1</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@InvalidCredentials	3	0	3	0	1	0	1	0
@ValidCredentials	1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	Login to HRM Application	4	0	4	0	12.495 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login to HRM Application</u>	<u>Login with invalid credentials - Feature 1, Scenario -2</u>	3	2	1	0	12.453 s
2		<u>Login with invalid credentials - Feature 1, Scenario -2</u>	3	1	1	1	12.483 s
3		<u>Login with invalid credentials - Feature 1, Scenario -2</u>	3	1	1	1	12.432 s
4		<u>Login with valid credentials - Feature 1, Scenario -1</u>	3	1	1	1	12.438 s

Login to HRM Application

FAILED	DURATION - 12.495 s	Scenarios		Steps	
/ 4:03:20.856 PM // 4:03:33.351 PM /		Total - 4		Total - 12	
		Pass - 0		Pass - 5	
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 3	

Login with invalid credentials - Feature 1, Scenario -2


FAILED	DURATION - 12.453 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 4:03:20.863 PM // 4:03:33.316 PM /				
Login to HRM Application				
@InvalidCredentials				

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	4.281 s
2	When User enters username as "admin\$\$" and password as "admin123"	PASSED	3.810 s
3	Then User should be able to see error message "Invalid credentials"	FAILED	1.603 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b8d6be40f57e23f643a6e70e32be6c63, getElementText {id=f.2D2ADEA816F2884554BA8E4F959425E6.d.3AD8E49235B48F9EFF4407E96EC500A4.e.45}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.178, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\1339\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50666}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50666/devtoo..., se:cdpVersion: 134.0.6998.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (b8d6be40f57e23f643a6e70e32be6c63)] -> xpath: //*[@class='orangehrm-login-error']/div[1]/div[1]/p] Session ID: b8d6be40f57e23f643a6e70e32be6c63 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.getText(RemoteWebElement.java:191) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy27.getText(Unknown Source) at com.actions.LoginPageActions.getErrorMessageText(LoginPageActions.java:41) at com.definitions1.LoginPageDefinitions.user_should_be_able_to_see_error_message(LoginPageDefinitions.java:49) at ?.User should be able to see error message "Invalid credentials"(file:///C:/Java-Selenium-Automation/CucumberParallelExecution/src/test/ resources/features/LoginPage1.feature:17) * Not displayable characters are replaced by '?'. </pre>		
	AFTER - com.definitions1.Hooks.tearDown(io.cucumber.java.Scenario) <pre> org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b8d6be40f57e23f643a6e70e32be6c63, close []] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.178, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\1339\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50666}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50666/devtoo..., se:cdpVersion: 134.0.6998.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b8d6be40f57e23f643a6e70e32be6c63 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:572) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:418) at com.utilities.HelperClass.tearDown(HelperClass.java:39) at com.definitions1.Hooks.tearDown(Hooks.java:20) Caused by: java.util.concurrent.RejectedExecutionException: Task java.util.concurrent.FutureTask@50d213d9[Not completed, task = java.util. concurrent.Executors\$RunnableAdapter@22586ae[Wrapped task = org.openqa.selenium.remote.http.jdk.JdkHttpClient\$\$Lambda/ 0x000001bb27386d70@43e2eaa0]] rejected from java.util.concurrent.ThreadPoolExecutor@7971ac9c[Terminated, pool size = 0, active threads = 0, queued tasks = 0, completed tasks = 190] at java.base/java.util.concurrent.ThreadPoolExecutor\$AbortPolicy.rejectedExecution(ThreadPoolExecutor.java:2081) at java.base/java.util.concurrent.ThreadPoolExecutor.reject(ThreadPoolExecutor.java:841) at java.base/java.util.concurrent.ThreadPoolExecutor.execute(ThreadPoolExecutor.java:1376) </pre>	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	at java.base/java.util.concurrent.AbstractExecutorService.submit(AbstractExecutorService.java:123) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.executeAsync(JdkHttpClient.java:381) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:410) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:212) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		


Login with invalid credentials - Feature 1, Scenario -2

FAILED DURATION - 12.483 s			Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 4:03:20.868 PM // 4:03:33.351 PM /				
Login to HRM Application				
@InvalidCredentials				

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	6.781 s
2	When User enters username as "Admin" and password as "admin12\$\$" org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=134.0.6998.178) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b8d6be40f57e23f643a6e70e32be6c63, clickElement {id=f.2D2ADEA816F2884554BA8E4F959425E6.d.DA42AA011C7C896D6358836C159DC9B3.e.27}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.178, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\1339\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50666}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50666/devtoo..., se:cdpVersion: 134.0.6998.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (b8d6be40f57e23f643a6e70e32be6c63)] -> xpath: //*[@id='app']/div[1]/div/div[1]/div/div[2]/div[2]/form/div[3]/button] Session ID: b8d6be40f57e23f643a6e70e32be6c63 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)	FAILED	2.154 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at com.actions.LoginPageActions.clickLogin(LoginPageActions.java:36) at com.definitions1.LoginPageDefinitions.user_enters_username_as_and_password_as(LoginPageDefinitions.java:43) at ?.User enters username as "Admin" and password as "admin12\$\$"(file:///C:/Java-Selenium-Automation/CucumberParallelExecution/src/test/resources/features/LoginPage1.feature:16) * Not displayable characters are replaced by '?'. </pre>		
3	Then User should be able to see error message "Invalid credentials"	SKIPPED	0.004 s

Login with invalid credentials - Feature 1, Scenario -2


FAILED DURATION - 12.432 s / 4:03:20.873 PM // 4:03:33.305 PM / Login to HRM Application @InvalidCredentials		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	---	--	--

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	6.005 s
2	When User enters username as "abc123" and password as "xyz\$\$" <pre> org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=134.0.6998.178) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/ errors#stale-element-reference-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b8d6be40f57e23f643a6e70e32be6c63, clickElement {id=f.2D2ADEA816F2884554BA8E4F959425E6.d. DA42AA011C7C896D6358836C159DC9B3.e.27}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.178, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\1339\AppData\Local...}, </pre>	FAILED	3.016 s

#	Step / Hook Details	Status	Duration
	fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50666}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50666/devtoo..., se:cdpVersion: 134.0.6998.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (b8d6be40f57e23f643a6e70e32be6c63)] -> xpath: //*[@id='app']/div[1]/div/div[1]/div/div[2]/form/div[3]/button] Session ID: b8d6be40f57e23f643a6e70e32be6c63 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at com.actions.LoginPageActions.clickLogin(LoginPageActions.java:36) at com.definitions1.LoginPageDefinitions.user_enters_username_as_and_password_as(LoginPageDefinitions.java:43) at ?.User enters username as "abc123" and password as "xyz\$\$"(file:///C:/Java-Selenium-Automation/CucumberParallelExecution/src/test/resources/features/LoginPage1.feature:16) * Not displayable characters are replaced by '?'.		
3	Then User should be able to see error message "Invalid credentials"	SKIPPED	0.003 s
	AFTER - com.definitions1.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b8d6be40f57e23f643a6e70e32be6c63, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.178, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\1339\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50666}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50666/devtoo..., se:cdpVersion: 134.0.6998.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b8d6be40f57e23f643a6e70e32be6c63 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)	FAILED	0.670 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:418) at com.utilities.HelperClass.tearDown(HelperClass.java:39) at com.definitions1.Hooks.tearDown(Hooks.java:20) </pre>		

Login with valid credentials - Feature 1, Scenario -1

FAILED	DURATION - 12.438 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 4:03:20.869 PM // 4:03:33.307 PM /				
Login to HRM Application				
@ValidCredentials				

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLLogin page "https://opensource-demo.orangehrmlive.com/"	PASSED	5.178 s
2	When User enters username and password <pre> org.openqa.selenium.WebDriverException: unknown error: unhandled inspector error: {"code":-32000,"message":"'Node with given id does not belong to the document'" (Session info: chrome=134.0.6998.178) Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b8d6be40f57e23f643a6e70e32be6c63, clickElement {id=f.2D2ADEA816F2884554BA8E4F959425E6.d.DA42AA011C7C896D6358836C159DC9B3.e.27}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.178, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\1339\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50666}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50666/devtoo..., se:cdpVersion: 134.0.6998.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (b8d6be40f57e23f643a6e70e32be6c63)] -> xpath: //*[@id='app']/div[1]/div/div[1]/div/div[2]/div[2]/form/div[3]/button] Session ID: b8d6be40f57e23f643a6e70e32be6c63 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) </pre>	FAILED	3.829 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:76) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at com.actions.LoginPageActions.clickLogin(LoginPageActions.java:36) at com.actions.LoginPageActions.login(LoginPageActions.java:73) at com.definitions1.LoginPageDefinitions.goToHomePage(LoginPageDefinitions.java:27) at ?.User enters username and password(file:///C:/Java-Selenium-Automation/CucumberParallelExecution/src/test/resources/features/LoginPage1.feature:9) * Not displayable characters are replaced by '?'. </pre>		
3	Then User should be able to login sucessfully and new page open	SKIPPED	0.002 s
	AFTER - com.definitions1.Hooks.tearDown(io.cucumber.java.Scenario) <pre> org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b8d6be40f57e23f643a6e70e32be6c63, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.178, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29..., userDataDir: C:\Users\1339\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50666}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50666/devtoo..., se:cdpVersion: 134.0.6998.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b8d6be40f57e23f643a6e70e32be6c63 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) </pre>	FAILED	0.670 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:618) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:622) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:418) at com.utilities.HelperClass.tearDown(HelperClass.java:39) at com.definitions1.Hooks.tearDown(Hooks.java:20)		