

Serial. No.	Topic.	Date.	Signature
1/	Exploring the Deep Learning Platforms & Frameworks	31/07/2025.	Signature
2/	Implement a Classifier using an open-source dataset	7/8/2025	Signature 11/8/25
3/	Study of Classifiers with respect to Statistical Parameter	7/8/2025	
4/	Build a simple feed forward network to recognize handwritten character	14/8/2025	Signature 14/8/25
5/	Study of Activation Functions and its role	9/9/2025	Signature 9/9
6/	Implement gradient descent and backpropagation in deep neural network.	13/9/2025	Signature
7/	Build a CNN model to classify Cat & dog image	13/9/2025	
8/	Experiment using LSTM	13/9/2025	Signature
9/	Build a Recurrent Neural Network	13/9/2025.	Signature 13/9/25
10/	Perform compression on MNIST	02/11/25	Signature
11/	Experiment using VAE		
12/	Implement a DCGAN		
13/	Understand pre-trained model		
14/	Transfer Learning		
15/	YOLO Model		

Completed

Exp-10 - Perform compression on MNIST dataset using auto encoder

Aim:

To perform image compression and reconstruction on the MNIST dataset using an Autoencoder.

Objective:-

To train an unsupervised neural network that learns compressed representations of handwritten digits and reconstructs them with minimal loss.

Algorithm:-

- 1) Start
- 2) Import necessary libraries -
PyTorch, Torchvision, Matplotlib
- 3) Load Dataset:
 - Apply transformations.
 - Load MNIST training and test data using DataLoader.
- 4) Define Autoencoder Architecture:
 - Encoder.
 - Decoder.
- 5) Initialize the model.
- 6) Training Phase:-

a) For each epoch:

- i) Load a batch of images.
- ii) Flatten images to 784-dimensional vectors.
- iii) Forward pass through the Autoencoder.
- iv) Compute reconstruction loss between input and output.
- v) Backpropagate and update weights using optimizer.

~~vi)~~

b) Display loss per epoch.

7) Testing phase:-

° Pass ~~trained~~ test images through the trained Autoencoder.

° Obtain reconstructed images.

8) Visualization.

9) End.

Observation:

The Autoencoder successfully compressed and reconstructed recognizable digits. The MSE loss decreased steadily across epochs.

Result:

The aforementioned experiment was successfully implemented.

<u>Epoch</u>	<u>Loss</u>
1	0.2069
2	0.1684
3	0.1604
4	0.1610
5	0.1490
6	0.1541
7	0.1405
8	0.1508
9	0.1426
10	0.1429