→ 1921001, Aarushi Nayal.
→ BCA-5'C'

Implicit -:

activity main xml :

```
<?xml version = "1.0" encoding = "utf-8" ?>
<android.support.constraint.ConstraintLayout
    xmlns:android = "http.//schemas. android. com /
        apk /res/ android ".
    android:layout_width = "match parent"
    android: layout_height = "match parent "
    tools: context = "example.javatpoint.com.implicitintent
        mainActivity">

<Edit Text
    android: id = "@+id/ editText "
    android: layout_width = "wrap content"
    android: layout_height = "wrap content"
    android : layout_marginEnd = "8dp"
    android: layout_marginStart = "8dp" android: layout
        margin Top = "60dp"
    android: ems = "10"
    app: layout_constraintEnd_toEndOf = "parent"
    app: layout_constraintHorizontal_bias = "0.575"
    app: layout_constraintStart_toStartOf = "parent"
    app: layout_constraintTop_toTop of = "parent" />
<Button
    android: id = "@+id/button "
    android: layout_width = "wrap content"
    android: layout_height = "wrap content"
    android : layout_marginRight = "8dp"
    android : layout_marginleft = "156dp"
```

```
        android: text = "Visit"
    app: layout constraintEnd to End Of = "parent"
    app: layout constraint Horizontal bias = "0.0"
    app: layout constraint Start to StartOf = "parent"
    app: layout constraint Top to Bottom Of =
                            " @ + id/ edit Text " / >
    </ android. support. constraint. constraintlayout >
```

MainActivity.java :

```
package example.javatpoint.com.implicitintent;
import android. content. Intent; import android. net. Uri;
import android. support. V7. app. App CompatActivity;
import android. os. Bundle;
import android.view. View;
import android. widget. Button;
import. android. widget. Edit Text;
public class Main Activity extends App Compat Activity {
    Button Button;
EditText edit Text;
@ Override.
protected. void onCreate ( Bundle savedInstance State) {
    super. onCreate (savedInstance State);
    setContentview ( R. layout. activity main);
    button = find ViewBy Id ( R. id. edit Text);
    button editText = find View By Id ( R.id. edit Text);
    button.set OnClick listner ( new View. OnClick listner (){
```

```java
@Override
public void onClick (view view) {
String url = editText.getText().toString();
Intent intent = new Intent (Intent.Action View,
                  Uri.phase.(url));
startActivity (intent);
}
});
}}.
```

https://www.javatpoint
.com

VISIT

VISIT