

```
#include <stdio.h>
int main()
{
    float radius;
    printf("enter the radius: ");
    scanf("%f",&radius);
    printf("area=%f\n",3.14*radius*radius);
    printf("cicumference=%f\n",2*3.14*radius);
    return 0;
}
```



Google Password Required
Enter your password for "pawankumar1485"
in Internet Accounts.

Get Help
 Exit

WriteOut
 Justify

Read File
 Where is

Prev Pg
 Next Pg

Cut Text
 UnCut Text

Cur Pos
 To Spell



```
Last login: Tue Aug 11 12:34:19 on ttys000
[aditi@aditis-MacBook-Neo ~ % nano hello.c
```



Google Password Required
Enter your password for "pawankumar1485"
in Internet Accounts.

```
[aditi@aditis-MacBook-Neo ~ % gcc hello.c -o program
[aditi@aditis-MacBook-Neo ~ % ./program
enter the radius: 9
area=254.340000
cicumference=56.520000
aditi@aditis-MacBook-Neo ~ % █
```



```
#include <stdio.h>
int main()
{
    float celsius,fahrenheit;
    printf("enter the temprature in celsius: ");
    scanf("%f",&celsius);
    fahrenheit=(celsius*9/5)+32;
    printf("the temprature in fahrenheit is %f\n",fahrenheit);
    return 0;
}
```



Google Password Required
Enter your password for "pawankumar1485"
in Internet Accounts.

^G Get Help
^X Exit

^G WriteOut
^B Justify

^R Read File
^W Where is

^Y Prev Pg
^V Next Pg

^K Cut Text
^U UnCut Text

^C Cur Pos
^T To Spell



```
Last login: Tue Aug 18 12:04:42 on ttys000
[aditi@aditis-MacBook-Neo ~ % nano hello.c
```



Google Password Required
Enter your password for "pawankumar1485"
in Internet Accounts.

```
[aditi@aditis-MacBook-Neo ~ % gcc hello.c -oprogram
[aditi@aditis-MacBook-Neo ~ % ./program
enter the temprature in celsius: 25
the temprature in fahrenheit is 77.000000
[aditi@aditis-MacBook-Neo ~ % nano hello.c
[aditi@aditis-MacBook-Neo ~ % █
```



```
#include <stdio.h>
int main()
{
    int a,b,c;
    printf("enter the numbers: ");
    scanf("%d %d",&a,&b);
    c=a;
    a=b;
    b=c;
    printf("the numbers after swapping is a=%d, b=%d",a,b);
    return 0;
}
```

^G Get Help
^X Exit

^O WriteOut
^D Justify

^R Read File
^W Where is

^Y Prev Pg
^V Next Pg

^K Cut Text
^U UnCut Text

^C Cur Pos
^T To Spell



```
Last login: Tue Aug 18 12:04:42 on ttys000
[aditi@aditis-MacBook-Neo ~ % nano hello.c
```

```
[aditi@aditis-MacBook-Neo ~ % gcc hello.c -oprogram
[aditi@aditis-MacBook-Neo ~ % ./program
enter the temprature in celsius: 25
the temprature in fahrenheit is 77.000000
[aditi@aditis-MacBook-Neo ~ % nano hello.c
[aditi@aditis-MacBook-Neo ~ % nano hello.c
[aditi@aditis-MacBook-Neo ~ % gcc hello.c -oprgram
[aditi@aditis-MacBook-Neo ~ % ./prgram
enter the numbers: 7
8
the numbers after swapping is a=8,b=7
[aditi@aditis-MacBook-Neo ~ %
```

