1.Aim of the practical: Create login, signup, change password, and forget password forms using different controls and justify the utilization of the specific class of bootstrap.

2.Objective: The goal of this task is to build a user authentication system using Bootstrap with the following features:

- **Login Form** – Allows users to access their accounts.
- **Signup Form** – Enables users to create a new account.
- **Change Password Form** – Allows existing users to update their password.
- **Forgot Password Form** – Helps users reset their password if forgotten

3.Algorithm/Flowchart:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Enhanced User Authentication</title>
    <!-- Bootstrap CSS -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha3/dist/css/bootstrap.min.css"
rel="stylesheet">
    <style>
        body {
```

```
            background: linear-gradient(135deg, #667eea, #764ba2);
            min-height: 100vh;
            display: flex;
            justify-content: center;
            align-items: center;
        }
        .auth-container {
            background: #fff;
            padding: 20px;
            border-radius: 10px;
            box-shadow: 0px 4px 8px rgba(0, 0, 0, 0.1);
            width: 100%;
            max-width: 400px;
        }
    </style>
</head>
<body>
    <div class="container">
        <div class="auth-container">
            <ul class="nav nav-tabs mb-3" role="tablist">
                <li class="nav-item">
                    <button class="nav-link active" data-bs-toggle="tab" data-bs-
target="#login">Login</button>
                </li>
                <li class="nav-item">
                    <button class="nav-link" data-bs-toggle="tab" data-bs-
target="#signup">Signup</button>
                </li>
                <li class="nav-item">
                    <button class="nav-link" data-bs-toggle="tab" data-bs-target="#change-
password">Change Password</button>
                </li>
                <li class="nav-item">
                    <button class="nav-link" data-bs-toggle="tab" data-bs-target="#forgot-
password">Forgot Password</button>
                </li>
            </ul>
```

```
<!-- Tabs Content -->
<div class="tab-content">
  <!-- Login Form -->
  <div class="tab-pane fade show active" id="login">
    <form>
      <div class="mb-3">
        <label class="form-label">Email</label>
        <input type="email" class="form-control" placeholder="Enter email">
      </div>
      <div class="mb-3">
        <label class="form-label">Password</label>
        <input type="password" class="form-control" placeholder="Enter password">
      </div>
      <button class="btn btn-primary w-100">Login</button>
    </form>
  </div>
  <!-- Signup Form -->
  <div class="tab-pane fade" id="signup">
    <form>
      <div class="mb-3">
        <label class="form-label">Username</label>
        <input type="text" class="form-control" placeholder="Choose a username">
      </div>
      <div class="mb-3">
        <label class="form-label">Email</label>
        <input type="email" class="form-control" placeholder="Enter email">
      </div>
      <div class="mb-3">
        <label class="form-label">Password</label>
        <input type="password" class="form-control" placeholder="Create a
password">
      </div>
      <button class="btn btn-success w-100">Signup</button>
    </form>
  </div>
  <!-- Change Password Form -->
  <div class="tab-pane fade" id="change-password">
```

```
                <form>
                    <div class="mb-3">
                        <label class="form-label">Current Password</label>
                        <input type="password" class="form-control" placeholder="Current password">
                    </div>
                    <div class="mb-3">
                        <label class="form-label">New Password</label>
                        <input type="password" class="form-control" placeholder="New password">
                    </div>
                    <button class="btn btn-warning w-100">Change Password</button>
                </form>
            </div>
            <!-- Forgot Password Form -->
            <div class="tab-pane fade" id="forgot-password">
                <form>
                    <div class="mb-3">
                        <label class="form-label">Email</label>
                        <input type="email" class="form-control" placeholder="Enter registered
email">
                    </div>
                    <button class="btn btn-info w-100">Reset Password</button>
                </form>
            </div>
        </div>
    </div>
</div>
<!-- Bootstrap JS -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-
alpha3/dist/js/bootstrap.bundle.min.js"></script>
</body>
</html>
```

4.Result/Output









Learning outcomes (What I have learnt):

- Learn to use various Bootstrap components and classes for creating responsive forms.
- Implement nav-tabs to organize multiple forms within a single interface.
- Utilize different input controls like text, email, password, and buttons effectively.