### **ISLAMIC UNIVERSITY OF TECHNOLOGY (IUT)**

# ORGANISATION OF ISLAMIC COOPERATION (OIC) **DEPARTMENT OF MECHANICAL AND PRODUCTION ENGINEERING**

CT-02

COURSE NO. Math-4311 TIME: 20 mins COURSE TITLE: Complex Analysis FULL MARKS: 15

Name: Id# .....

- 1. State Cauchy's theorem for the complex integration. Verify Cauchy's theorem for the function  $f(z) = z^3 iz^2 5z + 2i$  if C is the circle |z| = 1.
  - 2. Expand  $f(z) = \frac{z}{(z-1)(2-z)}$  in a Laurant series valid for 1 < |z| < 2.

#### **ISLAMIC UNIVERSITY OF TECHNOLOGY (IUT)**

## ORGANISATION OF ISLAMIC COOPERATION (OIC) **DEPARTMENT OF MECHANICAL AND PRODUCTION ENGINEERING**

CT-02

COURSE NO. Math-4311 TIME: 20 mins
COURSE TITLE: Complex Analysis FULL MARKS: 15

Name: Id# .....

- 1. State Cauchy's theorem for the complex integration. Verify Cauchy's theorem for the function  $f(z) = z^3 iz^2 5z + 2i$  if C is the circle |z 1| = 2.
- 2. Expand  $f(z) = \frac{z}{(z-1)(2-z)}$  in a Laurant series valid for |z| > 2.

#### **ISLAMIC UNIVERSITY OF TECHNOLOGY (IUT)**

ORGANISATION OF ISLAMIC COOPERATION (OIC) **DEPARTMENT OF MECHANICAL AND PRODUCTION ENGINEERING** 

$\sim$		$\sim$	$\boldsymbol{\neg}$
( '	_	( 1	•
· 1		1,	$\sim$

COURSE NO. Math-4311 TIME: 20 mins
COURSE TITLE: Complex Analysis FULL MARKS: 15

Name: Id# .....

- 1. State Cauchy's theorem for the complex integration. Verify Cauchy's theorem for the function  $f(z) = z^3 iz^2 5z + 2i$  if C is the circle |z 3i| + |z + 3i| = 20.
- |z 3i| + |z + 3i| = 20.2. Expand  $f(z) = \frac{z}{(z-1)(2-z)}$  in a Laurant series valid for |z 1| > 1.