Project Data

Project Ocikitos

Author(s) Óscar Burgos / Alejandro Asensio

Executed by

pending

Reviewed by pending

Browser Firefox Quantum 66.0.3 (64-bit)

Created on

2019-04-26

Executed on Reviewed on

pending pending

HTML5 Input types

Input text

Select option Input radio

Input date

Input file

Input number (Auto incremental)

(Automatic FK)

Messages

Success

Error: Exceeds maximum length

Error: Insufficient length

Error: Cannot be empty
Error: Invalid character

Error: Invalid format

Test Case #	Test Title	Test Summary	Test Steps	Test #	Test Data	Expected Result
TC-01	User (CRUDF)	[valid, invalid]				
		Username [valid, invalid]	Input text	1	Peter	Success
				2	obp	Success
				3	Luc8a	Success
				4	aasensio	Success
				5	Supercalifragilisticoespialidoso	Error: Exceeds maximum length
				6	0	Error: Insufficient length
				7	NULL	Error: Cannot be empty
		Password [valid, invalid]	Input text	8	aasensio1.	Success
				9	obp1.	Success
				10	123456a.	Success
				11	Angl%ada1	Success
				12	supercalifragilisticoespialidoso	Error: Exceeds maximum length
				13	abcdefg	Error: Invalid format
				14	NULL	Error: Cannot be empty
		Email [valid, invalid]	Input text	15	nombre@dominio.com	Success
				16	supercalifragilistico@espialidoso.com	Success
				17	myemail.com	Error: Invalid format
				18	myaddress@	Error: Invalid format
				19	myemail	Error: Invalid format

				00	AU II I	Francisco Comment has a secret.
		D. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	0.1.4.6	20	NULL	Error: Cannot be empty
		Role [valid, invalid]	Select option	21	NULL	Error: Cannot be empty
TC-02	Dog (CRUDF)	[valid, invalid]				
		Chip [valid, invalid]	Input text (scanned by vet)	22	12345678901234	Success
				23	AAABBB123456789	Success
				24	AAABBBCCCDDDEEE	Error: Invalid format
				25	123-1234567890123	Error: Invalid format
				26	NULL	Error: Cannot be empty
		Name [valid, invalid]	Input text	27	Lassie	Success
				28	Boira	Success
				29	Rin-tin-tin	Success
				30	Supercalifragilisticoespialidoso	Error: Exceeds maximum length
				31	NULL	Error: Cannot be empty
		Gender [valid, invalid]	Input radio	32	male	Success
				33	female	Success
				34	NULL	Error: Please, specify gender
		Color [valid, invalid]	Select option	35	White	Success
				36	NULL	Success
		Birthdate [valid, invalid]	Input date	37	22-2-2011	Success
				38	22-02-2011	Success
				39	22/2/2011	Success
				40	22/02/2011	Error: Invalid format
				41	22/feb/2011	Error: Invalid format
				42	22-febrero-2011	Error: Invalid format
				43	2011-22-02	Error: Invalid format
				44	NULL	Success
		Deathdate [valid, invalid]	Input date	45	22-2-2011	Success
				46	22-02-2011	Success
				47	22/2/2011	Success
				48	22/02/2011	Error: Invalid format
				49	22/feb/2011	Error: Invalid format
				50	22-febrero-2011	Error: Invalid format

				51	2011-22-02	Error: Invalid format
				52	NULL	Success
		OwnerDni [valid, invalid]	Input text	53	4666666Y	Success
				54	46.666.666-Y	Success
				55	46-666-666-Y	Success
				56	4666666	Error: Invalid format
				57	ABCDFGHI	Error: Invalid format
				58	NULL	Error: Cannot be empty
		OwnerFullname [valid, invalid]	Select option	59	Oscar B.	Success
				60	A. Asensio	Success
				61	Oscar Burgos Pacheco	Success
				62	123456789	Error: Invalid format
				63	NULL	Error: Cannot be empty
		Residence.Street [valid, invalid]	Input text	64	Carrer Rovires 69	Success
				65	Rovires 69 2° 1ª	Error: Invalid format
				66	Rovires 69 2-1	Success
				67	24 32 1 2	Success
				68	C/24 nº 32 1º 2ª	Error: Invalid format
				69	123456789	Success
				70	NULL	Success
		Residence.Zip [valid, invalid]	Select option	71	08901	Success
				72	ABCDF	Error: Invalid format
				73	123	Error: Insufficient length
				74	NULL	Success
		Residence.City [valid, invalid]	Select option	75	NULL	Success
		Residence.State [valid, invalid]	Select option	76	NULL	Success
TC-03	Sample (CRUDF)	[valid, invalid]				
		Serial [valid, invalid]	Input text (scanned by bio)	77	123456	Success
				78	123456ABC	Success
				79	%123456	Error: Invalid format
				80	0,123456	Error: Invalid format
				81		Error: Invalid format

				82	NULL	Error: Cannot be empty
		Origin [valid, invalid]	Select option	83	Saliva	Success
		Origin [valia, invalia]	Coloct option	84	Blood	Success
				85	Dropping	Success
				86	NULL	Error: Cannot be empty
		Sequence [valid, invalid]	Input file	87		
		Pattern.Locus [valid, invalid]	Select option	88		
		Pattern.Repetas	Input number	89	1	Success
			P · · · ·	90	12	Success
				91	123-124	Error: Invalid format
				92	ABC	Error: Invalid format
		Dog [valid, invalid]	Select option	93	NULL	Success
			·			
TC-04	STR (CRUDF)	[valid, invalid]				
		Locus [valid, invalid]	Input text	94	VGL0910	Success
				95	12345	Error: Invalid format
		Chromosome [valid, invalid]	Select option	96	1	Success
				97	12	Success
				98	NULL	Error: Cannot be empty
		RepatMotif [valid, invalid]	Input text	99	ACGT	Success
				100	ACGT ACGT	Success
				101	ACGT-ACGT	Success
				102	ABCDEFG	Error: Invalid format
				103	123456	Error: Invalid format
				104	NULL	Error: Cannot be empty
		MinSize [valid, invalid]	Input number	105	1	Success
				106	12	Success
				107	1-2	Error: Invalid format
				108	ABC	Error: Invalid format
				109	NULL	Error: Cannot be empty
		MaxSize [valid, invalid]	Input number	110	1	Success
				111	12	Success
				112	1-2	Error: Invalid format

				113	ABC	Error: Invalid format
				114	NULL	Error: Cannot be empty
		MinRepeats [valid, invalid]	Input number	115	1	Success
				116	12	Success
				117	1-2	Error: Invalid format
				118	ABC	Error: Invalid format
				119	NULL	Error: Cannot be empty
				120	1ctr	Error: Invalid format
		MaxRepeats [valid, invalid]	Input number	121	1	Success
				122	12	Success
				123	1-2	Error: Invalid format
				124	ABC	Error: Invalid format
				125	NULL	Error: Cannot be empty
				126	1ctr	Error: Invalid format
		RepeatStructure [valid, invalid]	Input text	127	[any valid regex as raw string]	Success
				128	NULL	Error: Cannot be empty
TC-05	Incident (CRUDF)	[valid, invalid]				
TC-05	Incident (CRUDF)	[valid, invalid] id [valid, invalid]	(Auto incremental)	129	123456789	Success
TC-05	Incident (CRUDF)		(Auto incremental)	129 130	123456789 123456-123456	Success Success
TC-05	Incident (CRUDF)		(Auto incremental)			
TC-05	Incident (CRUDF)		(Auto incremental)	130	123456-123456	Success
TC-05	Incident (CRUDF)		(Auto incremental)	130 131	123456-123456 123456-ABC	Success Success
TC-05	Incident (CRUDF)		(Auto incremental)	130 131 132	123456-123456 123456-ABC ABCDE-1234	Success Success
TC-05	Incident (CRUDF)		(Auto incremental)	130 131 132 133	123456-123456 123456-ABC ABCDE-1234 %123456	Success Success Error: Invalid format
TC-05	Incident (CRUDF)	id [valid, invalid]		130 131 132 133 134	123456-123456 123456-ABC ABCDE-1234 %123456 NULL	Success Success Success Error: Invalid format Error: Cannot be empty
TC-05	Incident (CRUDF)	id [valid, invalid]		130 131 132 133 134 135	123456-123456 123456-ABC ABCDE-1234 %123456 NULL Carrer Rovires 69 num. 25	Success Success Error: Invalid format Error: Cannot be empty Success
TC-05	Incident (CRUDF)	id [valid, invalid]		130 131 132 133 134 135 136	123456-123456 123456-ABC ABCDE-1234 %123456 NULL Carrer Rovires 69 num. 25 41°24'12.2"N 2°10'26.5"E	Success Success Success Error: Invalid format Error: Cannot be empty Success Success
TC-05	Incident (CRUDF)	id [valid, invalid]		130 131 132 133 134 135 136 137	123456-123456 123456-ABC ABCDE-1234 %123456 NULL Carrer Rovires 69 num. 25 41°24'12.2"N 2°10'26.5"E 41.3849403,1.9979315,10	Success Success Error: Invalid format Error: Cannot be empty Success Success Success
TC-05	Incident (CRUDF)	id [valid, invalid]		130 131 132 133 134 135 136 137	123456-123456 123456-ABC ABCDE-1234 %123456 NULL Carrer Rovires 69 num. 25 41°24'12.2"N 2°10'26.5"E 41.3849403,1.9979315,10 ABCDE-1234	Success Success Success Error: Invalid format Error: Cannot be empty Success Success Success Success
TC-05	Incident (CRUDF)	id [valid, invalid] Location [valid, invalid]	Input text	130 131 132 133 134 135 136 137 138 139	123456-123456 123456-ABC ABCDE-1234 %123456 NULL Carrer Rovires 69 num. 25 41°24'12.2"N 2°10'26.5"E 41.3849403,1.9979315,10 ABCDE-1234 NULL	Success Success Error: Invalid format Error: Cannot be empty Success Success Success Success Success Error: Cannot be empty
TC-05	Incident (CRUDF)	id [valid, invalid] Location [valid, invalid]	Input text	130 131 132 133 134 135 136 137 138 139 140	123456-123456 123456-ABC ABCDE-1234 %123456 NULL Carrer Rovires 69 num. 25 41°24'12.2"N 2°10'26.5"E 41.3849403,1.9979315,10 ABCDE-1234 NULL namefile.jpg	Success Success Error: Invalid format Error: Cannot be empty Success Success Success Success Error: Cannot be empty Success
TC-05	Incident (CRUDF)	id [valid, invalid] Location [valid, invalid]	Input text	130 131 132 133 134 135 136 137 138 139 140 141	123456-123456 123456-ABC ABCDE-1234 %123456 NULL Carrer Rovires 69 num. 25 41°24'12.2"N 2°10'26.5"E 41.3849403,1.9979315,10 ABCDE-1234 NULL namefile.jpg namefile.png	Success Success Error: Invalid format Error: Cannot be empty Success Success Success Success Error: Cannot be empty Success Success Success Error: Cannot be empty

				144	NULL	Error: Cannot be empty
		Sample [valid, invalid]	(Automatic FK)	145	-	-
TC-06	Infraction (CRUD	F) [valid, invalid]				
		id [valid, invalid]	(Auto incremental)	146	123456789	Success
				147	123456-123456	Success
				148	123456-ABC	Success
				149	ABCDE-1234	Success
				150	%123456	Error: Invalid format
				151	NULL	Error: Cannot be empty
		Status [valid, invalid]	(Automatic status)	152	Pending	Success
				153	Approved	Success
				154	Rejected	Success
				155	NULL	Error: Cannot be empty
		ValidatedAt [valid, invalid]	Input date	156	22-2-2011	Success
				157	22-02-2011	Success
				158	22/2/2011	Success
				159	22/02/2011	Error: Invalid format
				160	22/feb/2011	Error: Invalid format
				161	22-febrero-2011	Error: Invalid format
				162	2011-22-02	Error: Invalid format
				163	NULL	Success
		Document [valid, invalid]	(Auto generated)	164	namefile.pdf	Success
			, ,	165	namefile	Error: Invalid format
				166	%namefile.pdf	Error: Invalid format
				167	NULL	Success
		Incident [valid, invalid]	(Automatic FK)	168	-	-
			,			